

## Exhibit A

### Bibliography of Peer-Reviewed Studies on Abortion and Mental Health

Adler, N. E., David, H. P., Major, B. N., Roth, S. H., Russo, N. F., & Wyatt, G. E. (1990). Psychological responses after abortion. *Science*, 248, 41-44.

Allanson, S., & Astbury, J. (2001). Attachment style and broken attachments: Violence, pregnancy, and abortion. *Australian Journal of Psychology*, 53, 146-151.

Appleby L (1991) Suicide after pregnancy and the first postnatal year. *British Medical Journal*, 302: 137-140.

Amaro H., Zuckerman B, & Cabral H. (1989). Drug use among adolescent mothers: profile of risk. *Pediatrics*, 84, 144-151.

Barnett, W., Freudenberg, N., & Wille, R. (1992). Partnership after induced abortion: A prospective controlled study. *Archives of Sexual Behavior*, 21(5), 443-455.

Bianchi-Demicheli, F. et al (2002). Termination of pregnancy and women's sexuality. *Gynecological and Obstetric Investigation*, 53, 48-53.

Boesen, H.C., Rorbye C., Norgaard, M., Nilas, L. (2004). Sexual behavior during the first eight weeks after legal termination of pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 83,1189-1192.

Bracken, M. B. (1978). A causal model of psychosomatic reactions to vacuum aspiration abortion. *Social Psychiatry*, 13, 135-145.

Bracken, M. B., Hachamovitch, M., & Grossman, G. (1974). The decision to abort and psychological sequelae. *Journal of Nervous and Mental Disease*, 158, 155-161.

Bradley, C.F. (1984) Abortion and subsequent pregnancy. *Canadian Journal of Psychiatry*, 29, 494.

Bradshaw, Z., & Slade P. (2003). The effects of induced abortion on emotional experiences and relationships: A critical review of the literature. *Clinical Psychology Review*, 23, 929-958.

Bradshaw, Z., & Slade, P. (2005). The relationship between induced abortion, attitudes toward sexuality, and sexual problems. *Sexual and Relationship Therapy*, 20, 390-406.

Brockington, I.F. (2005). Post-abortion psychosis, *Archives of Women's Mental Health* 8: 53-54.

Broen, A. N., Moum, T., Bodtker, A. S., Ekeberg, O. (2004) Psychological impact on women of miscarriage versus induced abortion: A 2-year follow-up study. *Psychosomatic Medicine* 66: 265-71.

Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2005) Reasons for induced abortion and their relation to women's emotional distress: A prospective, two-year follow-up study. *General Hospital Psychiatry* 27: 36-43.

Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2005). The course of mental health after miscarriage and induced abortion: a longitudinal, five-year follow-up study. *BMC Medicine* 3(18).

Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2006) Predictors of anxiety and depression following pregnancy termination: A longitudinal five-year follow-up study. *Acta Obstetrica et Gynecologica Scandinavica* 85: 317-23.

Burnell, G. M., & Norfleet, M. A. (1987). Women's self-reported responses to abortion. *The Journal of Psychology*, 121, 71-76.

Butler, C. (1996). Late psychological sequelae of abortion: Questions from a primary care physician. *Journal of Family Practice*, 43, p. 396-401.

Campbell, N., Franco, K. & Jurs, S. (1988). Abortion in adolescence. *Adolescence*, 23, 813-823.

Cohan, C. L., Dunkel-Schetter, C., & Lydon, J. (1993). Pregnancy decision making: Predictors of early stress and adjustment. *Psychology of Women Quarterly*, 17, 223-239.

Carroll, P. S. (2007). The breast cancer epidemic: Modeling and forecasts based on abortion and other risk factors. *Journal of American Physicians and Surgeons*, 12, 72-78.

Coleman, P. K. (2005). Induced Abortion and increased risk of substance use: A review of the evidence. *Current Women's Health Reviews* 1, 21-34.

Coleman, P. K. (2006). Resolution of unwanted pregnancy during adolescence through abortion versus childbirth: Individual and family predictors and psychological consequences. *Journal of Youth and Adolescence*, 35, 903-911.

Coleman, P. K.. (2009) The Psychological Pain of Perinatal Loss and Subsequent Parenting Risks: Could induced abortion be more problematic than other forms of loss? *Current Women's Health Reviews*, 5, 88-99.

Coleman, P. K., Coyle, C. T., & Rue, V.M. (2010). Late-Term Elective Abortion and Susceptibility to Posttraumatic Stress Symptoms, *Journal of Pregnancy*, vol. 2010, Article ID 130519.

Coleman, P. K., Coyle, C. T., Shuping, M., & Rue, V. (2009), Induced Abortion and Anxiety, Mood, and Substance Abuse Disorders: Isolating the Effects of Abortion in the National Comorbidity Survey. *Journal of Psychiatric Research*, 43, 770- 776.

Coleman, P. K., Maxey, C. D., Rue, V. M., & Coyle, C. T. (2005). Associations between voluntary and involuntary forms of perinatal loss and child maltreatment among low-income mothers. *Acta Paediatrica*, 94(10), 1476-1483.

Coleman, P. K., & Maxey, D. C., Spence, M. Nixon, C. (2009). The choice to abort among mothers living under ecologically deprived conditions: Predictors and consequences. *International Journal of Mental Health and Addiction* 7, 405-422.

Coleman, P. K., & Nelson, E. S. (1998). The quality of abortion decisions and college students' reports of post-abortion emotional sequelae and abortion attitudes. *Journal of Social & Clinical Psychology*, 17, 425-442.

Coleman, P. K., Reardon, D. C., & Cogle, J. (2002). The quality of the caregiving environment and child developmental outcomes associated with maternal history of abortion using the NLSY data. *Journal of Child Psychology and Psychiatry*, 43, 743-757.

Coleman, P. K., Reardon, D. C., & Cogle, J. R. (2005). Substance use among pregnant women in the context of previous reproductive loss and desire for current pregnancy. *British Journal of Health Psychology*, 10 (2), 255-268.

Coleman, P. K., Reardon, D. C., Rue, V. M., & Cogle, J. (2002a). A history of induced abortion in relation to substance use during subsequent pregnancies carried to term. *American Journal of Obstetrics and Gynecology*, 187, 1673-1678.

Coleman, P. K., Reardon, D. C, Rue, V. M., & Cogle, J. (2002b). State-funded abortions versus deliveries: A comparison of outpatient mental health claims over 4 years. *American Journal of Orthopsychiatry*, 72, 141-152.

Coleman, P. K., Reardon, D. C., Strahan, T., & Cogle, J. R. (2005). The psychology of abortion: A review and suggestions for future research. *Psychology and Health*, 20, 237-271.

Coleman, P.K., Rue, V.M., Coyle, C.T. & Maxey, C.D. (2007). Induced abortion and child-directed aggression among mothers of maltreated children. *Internet Journal of Pediatrics and Neonatology*, 6 (2), ISSN: 1528-8374.

Coleman, P.K., Rue, V.M., Spence, M. & Coyle, C.T. (2008). Abortion and the sexual lives of men and women: Is casual sexual behavior more appealing and more common after abortion? *International Journal of Health and Clinical Psychology*, 8 (1), 77-91.

Coleman, P.K., Rue, V.M. & Coyle, C.T. (2009). Induced abortion and intimate relationship quality in the Chicago Health and Social Life Survey. *Public Health*, 123, 331-338. DOI: 10.1016/j.puhe.2009.01.005

- Coleman, P. K., Rue, V., & Spence, M. (2007). Intrapersonal processes and post-abortion relationship difficulties: A review and consolidation of relevant literature. *Internet Journal of Mental Health*, 4 (2).
- Congleton, G. K., & Calhoun, L. G. (1993). Post-abortion perceptions: A comparison of self-identified distressed and non-distressed populations. *International Journal of Social Psychiatry*, 39, 255-265.
- Conklin, M. P., & O'Connor, B. P. (1995). Beliefs about the fetus as a moderator of postabortion psychological well-being. *Journal of Social & Clinical Psychology*, 14, 76-95.
- Cote-Arsenault, D., Dombek, M. T. B. (2001). Maternal assignment of fetal personhood to a previous pregnancy loss: Relationship to anxiety in the current pregnancy. *Health Care for Women International* 22, 649-665.
- Cogle, J. R., Reardon, D. C., & Coleman, P. K. (2003). Depression associated with abortion and childbirth: A long-term analysis of the NLSY cohort. *Medical Science Monitor*, 9 (4), CR105-112.79.
- Cogle, J. R., Reardon, D. C., & Coleman, P. K. (2005). Generalized anxiety following unintended pregnancies resolved through childbirth and abortion: A cohort study of the 1995 National Survey of Family Growth. *Journal of Anxiety Disorders*, 19, 137-142.
- Cozzarelli, C. (1993). Personality and self-efficacy as predictors of coping with abortion. *Journal of Personality and Social Psychology*, 65, 1224-1236.
- Coyle, C.T., Coleman, P.K. & Rue, V.M. (2010). Inadequate preabortion counseling and decision conflict as predictors of subsequent relationship difficulties and psychological stress in men and women. *Traumatology*, 16 (1), 16-30. DOI:10.1177/1534765609347550
- David, H., Rasmussen, N. & Holst, E. (1981). Postpartum and postabortion psychotic reactions. *Family Planning Perspectives*, 13, 88-91.
- Dingle, K., et al. (2008). Pregnancy loss and psychiatric disorders in young women: An Australian birth cohort study. *The British Journal of Psychiatry*, 193, 455-460.
- Fayote, F.O., Adeyemi, A.B., Oladimeji, B.Y. (2004). Emotional distress and its correlates. *Journal of Obstetrics and Gynecology*, 5, 504-509.
- Fergusson, D. M., Horwood, L. J., & Ridder, E. M. (2006). Abortion in young women and subsequent mental health. *Journal of Child Psychology and Psychiatry*, 47, 16-24.
- Fergusson, D. M., Horwood, L. J., & Boden, J.M. (2009). Reactions to abortion and subsequent mental health. *The British Journal of Psychiatry*, 195, 420-426.
- Fielding, S. L., & Schaff, E. A. (2004). Social context and the experience of a sample of

U.S. women taking RU-486 (Mifepristone) for early abortion. *Qualitative Health Research*, 14, 612-627.

Foster, V., & Sprinthall, N. A. (1992). Developmental profiles of adolescents and young adults choosing abortion. *Adolescence*, 27, 655-673.

Franz, W., & Reardon, D. (1992). Differential impact of abortion on adolescents and adults. *Adolescence*, 27(105), 161-172.

Gliatto, M. F., & Rai, A. K. (1999). Evaluation and treatment of patients with suicidal ideation. *American Family Physician*, 59.

Gissler, M., Hemminki, E., & Lonnqvist, J. (1996). Suicides after pregnancy in Finland, 1987-94: Register linkage study. *British Medical Journal*, 313, 1431-1434.

Gissler, M., et al. (2005). Injury deaths, suicides and homicides associated with pregnancy, Finland 1987-2000. *European Journal of Public Health*, 15, 459-463.

Guilbert, E., & Rotter, D. (1997). Assessment of satisfaction with induced abortion procedure. *The Journal of Psychology*, 131, 157-166.

Harlow, B. L., Cohen, L. S., Otto, M. W., Spiegelman, D., & Cramer, D. W. (2004). Early life menstrual characteristics and pregnancy experiences among women with and without major depression: the Harvard Study of Mood and Cycles. *Journal of Affective Disorders*, 79, 167-176.

Hemmerling, F., Siedentoff, F., & Kentenich, H. (2005). Emotional impact and acceptability of medical abortion with mifepristone: A German experience. *Journal of Psychosomatic Obstetrics & Gynecology*, 26, 23-31.

Henshaw, R., Naji, S., Russell, I., & Templeton, A. (1994). Psychological responses following medical abortion (using mifepristone and gemeprost) and surgical vacuum aspiration: A patient-centered, partially randomized prospective study. *Acta Obstetrica et Gynecologica Scandinavica*, 73, 812-818.

Hittner, A. (1987). Feelings of well-being before and after abortion. *American Mental Health Counselors Association Journal*, 9, 98-104.

Höfler, M. (2005). The Bradford Hill considerations on causality: a counterfactual perspective. *Themes in Epidemiology*, 2, 11.

Hope, T. L., Wilder, E. I., & Terling Watt, T. (2003). The relationships among adolescent pregnancy, pregnancy resolution, and juvenile delinquency. *Sociological Quarterly*, 44, 555-576.

Husfeldt, C., Hansen, S. K., Lyngberg, A., Noddebo, M., & Pettersson, B. (1995). Ambivalence among women applying for abortion. *Acta Obstetrica et Gynecologica*

*Scandinavica*, 74, 813-17.

Kero, A., Hoegberg, U., Jacobsson, L., & Lalos, A. (2001). Legal abortion: A painful necessity. *Social Science and Medicine*, 53, 1481-1490.

Kero, A., Hoegberg, U., & Lalos, A. (2004). Wellbeing and mental growth - long-term effects of legal abortion. *Social Science and Medicine*, 58, 2559-2569.

Kero A, Lalos A. (2000). Ambivalence - a logical response to legal abortion: a prospective study among women and men. *Journal of Psychosomatic Obstetrics and Gynecology*, 21, 81-91.

Khlat, M., Ronsmans, C. (2000). Deaths attributable to childrearing in Matlab, Bangladesh: Indirect causes of maternal mortality questioned. *American Journal of Epidemiology*, 151, 300-06.

Kitamura, T., Toda, M. A., Shima, S., & Sugawara, M. (1998). Single and repeated elective abortions in Japan: A psychosocial study. *Psychosomatic Obstetrics and Gynecology*, 19, 126-134.

Lamson, H. W. et al. (1994). Obstetrics: Abortion Mortality, United States, 1972 Through 1987. *American Journal of Obstetrics & Gynecology*, 171, 1365-1372.

Lauzon, P., Roger-Achim, D., Achim, A., & Boyer, R. (2000). Emotional distress among couples involved in first-trimester induced abortions. *Canadian Family Physician*, 46, 2033-2040.

Lazarus, A. & Stern, R. (1986). Psychiatric Aspects of Pregnancy Termination" Clinics in *Obstetrics & Gynaecology* 13, 125-134.

Lazarus, A. (1985). Psychiatric Sequelae of Legalized Elective First Trimester Abortion. *Journal of Psychosomatic Obstetrics & Gynecology*, 4, 141-150.

Lemkau, J. P. (1988). Emotional sequelae of abortion: Implications for clinical practice. *Psychology of Women Quarterly*, 12, 461-472.

Lewis, W. J. (1997). Factors associated with post-abortion adjustment problems: Implications for triage. *The Canadian Journal of Human Sexuality*, 6, 9-17.

Llewellyn, S. P., & Pytches, R. (1988). An investigation of anxiety following termination of pregnancy. *Journal of Advanced Nursing*, 13, 468-471.

Lodl, K. McGettigan, A. & Bucy, J. (1985). Women's Responses to Abortion. *Journal of Social Work & Human Sexuality*, 3, 119-132.

Lydon, J., Dunkel-Schetter, C., Cohan, C. L., & Pierce, T. (1996). Pregnancy decision-making as a significant life event: A commitment approach. *Journal of Personality and*

*Social Psychology*, 71, 141-151.

Major, B. (1989). Self-blame, Self-efficacy and Adjustment to Abortion. *Journal of Personality and Social Psychology*, 5, 1059-1068.

Major, B., & Cozzarelli, C. (1992). Psychological predictors of adjustment to abortion. *Journal of Social Issues*, 48, 121-142.

Major, B., Cozzarelli, C., Cooper, M.L., Zubek, J., Richards C., Wilhite, M., & Gramzow, R.H. (2000). Psychological responses of women after first trimester abortion. *Archives of General Psychiatry*, 57, 777-84.

Major, B. Cozzarelli, C., Sciacchitano, A. M., Cooper, M. L., Testa, M., & Mueller, P. M. (1990). Perceived social support, self-efficacy, and adjustment to abortion. *Journal of Personality and Social Psychology*, 59, 186-197.

Major, B., & Gramzow, R. H. (1999). Abortion as stigma: Cognitive and emotional implications of concealment. *Journal of Personality and Social Psychology*, 77, 735-745.

Martin, C. D. (1973). Psychological problems for the unwed teenage girl. *Genetic Psychology Monographs* 88, 23-110.

Miller, W. B. (1992). An empirical study of the psychological antecedents and consequences of induced abortion. *Journal of Social Issues*, 48, 67-93.

Miller, W. B., Pasta, D. J., & Dean, C. L. (1998). Testing a model of the psychological consequences of abortion. In L. J. Beckman and S. M. Harvey (eds.), *The new civil war: The psychology, culture, and politics of abortion*. Washington, DC: American Psychological Association.

Morgan, C., Evans, M., Peter, J. R., & Currie, C. (1997). Mental health may deteriorate as a direct result of induced abortion. *British Medical Journal*, 314, 902.

Moseley, D. T., Follongstad, D. R., Harley, H., & Heckel, R.V. (1981). Psychological factors that predict reaction to abortion. *Journal of Clinical Psychology*, 37, 276-279.

Mota, N.P. et al (2010). Associations between abortion, mental disorders, and suicidal behaviors in a nationally representative sample. *The Canadian Journal of Psychiatry*, 55 (4), 239-246.

Mueller, P., Mufel, N., Speckhard, A. & Sivuha, S. (2002) Predictors of Posttraumatic Stress Disorder Following Abortion in a Former Soviet Union Country. *Journal of Prenatal & Perinatal Psych & Health*, 17, 41-61.

Ney, P. G., Fung, T., & Wickett, A.R. (1993). Relations between induced abortion and child abuse and neglect: Four studies. *Pre and Perinatal Psychology Journal*, 8, 43-63.

Ney, P. G., Fung, T., Wickett, A. R., & Beaman-Dodd, C. (1994). The effects of pregnancy loss on women's health. *Social Science & Medicine*, 38, 1193-1200.

Osofsky, J. D., & Osofsky, H. J. (1972). The psychological reaction of patients to legalized abortion. *American Journal of Orthopsychiatry*, 42, 48-60.

Ostbye, T., Wenghofer, E. F., Woodward, C. A., Gold, G., & Craighead, J. (2001). Health services utilization after induced abortions in Ontario: A comparison between community clinics and hospitals. *American Journal of Medical Quality*, 16, 99-106.

Patterson, M. J., Hill, R. P., & Maloy, K. (1995). Abortion in America: A consumer-based perspective. *Journal of Consumer Research*, 21, 677-694.

Pedersen, W. (2008). Abortion and depression: A population-based longitudinal study of young women. *Scandinavian Journal of Public Health*, 36, No. 4, 424-428.

Pedersen, W. (2007). Childbirth, abortion and subsequent substance use in young women: a population-based longitudinal study. *Addiction*, 102 (12), 1971-78.

Perez-Reyes, M. G., & Falk, R. (1973). Follow-up after abortion in early adolescence, *Archives of General Psychiatry* 28, 120-126.

Pope, L. M., Adler, N. E., & Tschann, J. M. (2001). Post-abortion psychological adjustment: Are minors at increased risk? *Journal of Adolescent Health*, 29, 2-11.

Posavac, E., & Miller, T. (1990). Some problems caused by not having a conceptual foundation for health research: An illustration from studies of the psychological effects of abortion. *Psychology and Health*, 5, 13-23.

Prommanart, N., et al. (2004). Maternal grief after abortion and related factors. *Journal of the Medical Association of Thailand*, 87, 1275-1280.

Reardon, D. C., & Coleman, P. K. (2006). Relative treatment for sleep disorders following abortion and child delivery: A prospective record-based study. *Sleep*, 29 (1), 105-106.

Reardon, D. C., Coleman, P. K., & Cogle, J. R. (2004). Substance use associated with unintended pregnancy outcomes in the National Longitudinal Survey of Youth. *American Journal of Drug and Alcohol Abuse*, 30 (2), 369-383.

Reardon, D. C., & Cogle, J. R. (2002a). Depression and unintended pregnancy in the National Longitudinal Survey of Youth: A cohort study. *British Medical Journal*, 324 (7330), 151-152.

Reardon, D. C., & Cogle, J. R. (2002b). Depression and unintended pregnancy in the National Longitudinal Survey of Youth: A cohort study: Reply. *British Medical Journal*, 324 (7345), 1097-1098.



Reardon, D. C., Cogle, J. R., Rue, V. M., Shuping, M. W., Coleman, P. K., & Ney, P. G. (2003). Psychiatric admissions of low-income women following abortion and childbirth. *Canadian Medical Association Journal*, 168, 1253-1256.

Reardon, D. C., & Ney, P. G. (2000). Abortion and subsequent substance abuse. *American Journal of Drug and Alcohol Abuse*, 26, 61-75.

Reardon, D. C., Ney, P. G., Scheuren, F., Cogle, J., Coleman, P. K., & Strahan, T. W. (2002). Deaths associated with pregnancy outcome: A record linkage study of low income women. *Southern Medical Journal*, 95 (8), 834-841.

Rees, D. I. & Sabia, J. J. (2007) The Relationship Between Abortion and Depression: New Evidence from the Fragile Families and Child Wellbeing Study. *Medical Science Monitor* 13(10): 430-436

Remennick, L. I., & Segal, R. (2001). Sociocultural context and women's experiences of abortion: Israeli women and Russian immigrants compared. *Culture, Health, And Sexuality*, 3, 49-66.

Riggs, V. P. (1980). Regulating abortion service (letter). *New England Journal of Medicine*, 302, 350.

Rue, V. M., Coleman, P. K., Rue, J. J., & Reardon, D. C. (2004). Induced abortion and traumatic stress: Preliminary comparison of American and Russian women. *Medical Science Monitor*, 10, SR5-16.

Russo, N., & Denious, J. E. (2001). Violence in the lives of women having abortions: Implications for policy and practice. *Professional Psychology Research and Practice*, 32, 142-150.

Schleiss, L., Mygind, K. A., Borre, R. V., & Peterson, B. H. (1997). Psychological consequences of induced abortion. *Ugeskrift Laeger*, 159, 3603-3606.

Sivuha, S. (2002). Predictors of Posttraumatic Stress Disorder Following Abortion in a Former Soviet Union Country. *Journal of Prenatal & Perinatal Psychology & Health*, 17, 41-61.

Slade, P., Heke, S., Fletcher, J., & Stewart, P. (1998). A comparison of medical and surgical methods of termination of pregnancy: Choice, psychological consequences, and satisfaction with care. *British Journal of Obstetrics and Gynecology*, 105, 1288-1295.

Smetana, J., & Adler, N. (1979). Understanding the abortion decision: A test of Fishbein's Expectancy Value Model. *Journal of Population, Behavioral, Social, and Environmental Issues*, 24, 338-357.

Soderberg, H., Andersson, C., Janzon, L., & Slosberg, N-O. (1997). Continued pregnancy among abortion applicants. A study of women having a change of mind. *Acta Obstetrica*

*Gynecologica Scandinavia*, 76, 942-947.

Söderberg H, Janzon L and Sjöberg NO (1998). Emotional distress following induced abortion. A study of its incidence and determinants among abortees in Malmö, Sweden. *European Journal of Obstetrics and Gynecology and Reproductive Biology* 79, 173-8.

Speckhard, A. & Mufel, N. (2003) Universal responses to abortion? Attachment, trauma, and grief in women following abortion. *Journal of Prenatal & Perinatal Psychology & Health*, 3-37.

Speckhard, A. C., & Rue, V. M. (1992). Postabortion syndrome: An emerging public health concern. *Journal of Social Issues*, 48, 95-119.

Stites, M. C. (1982). Decision making model of pregnancy counseling. *Journal of American College Health*, 30, 244-247.

Suliman et al. (2007) Comparison of pain, cortisol levels, and psychological distress in women undergoing surgical termination of pregnancy under local anaesthesia versus intravenous sedation. *BMC Psychiatry*, 7 (24), p.1-9.

Tamburrino, M. B., Franco, K. N., Campbell, N. B., Pentz, J. E., Evans, C. L., & Jurs, S. G. (1990). Postabortion dysphoria and religion. *Southern Medical Journal*, 83, 736-738.

Thorp, J. M., Hartmann, K. E., & Shadigin, E. (2003). Long-term physical and psychological health consequences of induced abortion: Review of the evidence. *Obstetrical & Gynecological Survey*, 58 (1), 67-79.

Tornbom, M. and Moller, A. (1999). Repeat abortion: A qualitative study. *Journal of Psychosomatic Obstetrics and Gynecology*, 20, 21-30.


Turell, S., Armsworth, M., & Gaa, J. (1990). Emotional Response to Abortion: A Critical Review of the Literature. *Women & Therapy* 9, 49-68.

Urquhart D.R., & Templeton, A. A. (1991). Psychiatric morbidity and acceptability following medical and surgical methods of induced abortion. *British Journal of Obstetrics and Gynecology*, 98, 396-99.

Williams, G. B. (2001). Short-term grief after an elective abortion. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*. 30 (2), 174-183.

Wilmoth, G. H., deAlteriis, M., & Bussell, D. (1992). Prevalence of psychological risks following legal abortion in the U.S.: Limits of the evidence. *Journal of Social Issues*, 48, 37-66.

Yamaguchi, D., & Kandel, D. (1987). Drug use and other determinants of premarital pregnancy and its outcome: a dynamic analysis of competing life events. *Journal of Marriage and the Family*, 49, 257-270.



Zolese, G., & Blacker C. V. R. (1992). The psychological complications of therapeutic abortion. *British Journal of Psychiatry*, 160, 742-749.