

CONSTRUCTION NOTES

1. THE SUITE MUST BE SECURED DURING CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING A SECURE BUILDING WHEN ON SITE INCLUDING DURING THE LOADING AND UNLOADING OF MATERIALS.
2. CONTRACTOR TO SUBMIT SAMPLES AND SUBMITTALS OF ALL FINISH MATERIALS. IF COLOR SELECTION IS NOT SPECIFIED, SUBMIT OPTIONS TO MATCH SPECIFIED FINISHES.
3. SUBMITTALS: CARPET TILE, CEILING GRID, LINOLIUM FLOORING, PAINT, WALL BASE, FLOORING TRANSITIONS, ETC.
4. CONTRACTOR TO SUBMIT MANUFACTURER'S LITERATURE AND SHOP DRAWINGS.
5. EACH TRADE OR SUB-CONTRACTOR IS NOT TO COMMENCE WITH THEIR WORK UNTIL CONDITIONS MEET THOSE RECOMMENDED BY THE MANUFACTURER OF THE PRODUCTS OR FINISHES BEING INSTALLED.
6. EACH TRADE OR SUB-CONTRACTOR IS TO STOP WORK AND REPORT ANY SUBSTANDARD CONDITIONS, WHETHER EXISTING OR THOSE COMPLETED BY OTHER TRADES, TO THE GENERAL CONTRACTOR.
7. ALL WALL PENETRATIONS TO BE ACOUSTICALLY SEALED.

CONSTRUCTION KEYNOTES

1. PROVIDE BLOCKING, POWER AND DATA FOR FUTURE TELEVISION INSTALLATION.
2. INSTALL EXISTING STAIN GLASS WINDOWS SALVAGED DURING DEMOLITION.
3. BUILD OUT COLUMNS TO HAVE IDENTICAL FOF DIMENSIONS; SEE A11.1 DETAIL.
4. INSTALL STANDARDS & BRACKETS, 7' TALL, WIDTH BASED ON EX COMM RACK.
5. PROVIDE POWER AS NEEDED FOR ALL VENDING MACHINES.
6. PROVIDE NEW WINDOW SHADE (WS-1, SINGLE, SEE A12.1).
7. PROVIDE NEW WINDOW SHADE (WS-2, DUAL, SEE A12.1).
8. ALIGN.



1 3RD FLOOR PLAN
1/8" = 1'-0"


CONSTRUCTION NOTES

1. THE SUITE MUST BE SECURED DURING CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING A SECURE BUILDING WHEN ON SITE INCLUDING DURING THE LOADING AND UNLOADING OF MATERIALS.
2. CONTRACTOR TO SUBMIT SAMPLES AND SUBMITTALS OF ALL FINISH MATERIALS. IF COLOR SELECTION IS NOT SPECIFIED, SUBMIT OPTIONS TO MATCH SPECIFIED FINISHES.
3. SUBMITTALS: CARPET TILE, CEILING GRID, LINOLIUM FLOORING, PAINT, WALL BASE, FLOORING TRANSITIONS, ETC.
4. CONTRACTOR TO SUBMIT MANUFACTURER'S LITERATURE AND SHOP DRAWINGS.
5. EACH TRADE OR SUB-CONTRACTOR IS NOT TO COMMENCE WITH THEIR WORK UNTIL CONDITIONS MEET THOSE RECOMMENDED BY THE MANUFACTURER OF THE PRODUCTS OR FINISHES BEING INSTALLED.
6. EACH TRADE OR SUB-CONTRACTOR IS TO STOP WORK AND REPORT ANY SUBSTANDARD CONDITIONS, WHETHER EXISTING OR THOSE COMPLETED BY OTHER TRADES, TO THE GENERAL CONTRACTOR.
7. ALL WALL PENETRATIONS TO BE ACOUSTICALLY SEALED.

CONSTRUCTION KEYNOTES

1. PROVIDE BLOCKING, POWER AND DATA FOR FUTURE TELEVISION INSTALLATION.
2. INSTALL EXISTING STAIN GLASS WINDOWS SALVAGED DURING DEMOLITION.
3. BUILD OUT COLUMNS TO HAVE IDENTICAL FOF DIMENSIONS; SEE A11.1 DETAIL.
4. INSTALL STANDARDS & BRACKETS, 7' TALL, WIDTH BASED ON EX COMM RACK.
5. PROVIDE POWER AS NEEDED FOR ALL VENDING MACHINES.
6. PROVIDE NEW WINDOW SHADE (WS-1, SINGLE, SEE A12.1).
7. PROVIDE NEW WINDOW SHADE (WS-2, DUAL, SEE A12.1).
8. ALIGN.

PRELIMINARY
NOT FOR
CONSTRUCTION



1 4TH FLOOR PLAN
1/8" = 1'-0"

CONSTRUCTION NOTES

1. THE SUITE MUST BE SECURED DURING CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING A SECURE BUILDING WHEN ON SITE INCLUDING DURING THE LOADING AND UNLOADING OF MATERIALS.
2. CONTRACTOR TO SUBMIT SAMPLES AND SUBMITTALS OF ALL FINISH MATERIALS. IF COLOR SELECTION IS NOT SPECIFIED, SUBMIT OPTIONS TO MATCH SPECIFIED FINISHES.
3. SUBMITTALS: CARPET TILE, CEILING GRID, LINOLIUM FLOORING, PAINT, WALL BASE, FLOORING TRANSITIONS, ETC.
4. CONTRACTOR TO SUBMIT MANUFACTURER'S LITERATURE AND SHOP DRAWINGS.
5. EACH TRADE OR SUB-CONTRACTOR IS NOT TO COMMENCE WITH THEIR WORK UNTIL CONDITIONS MEET THOSE RECOMMENDED BY THE MANUFACTURER OF THE PRODUCTS OR FINISHES BEING INSTALLED.
6. EACH TRADE OR SUB-CONTRACTOR IS TO STOP WORK AND REPORT ANY SUBSTANDARD CONDITIONS, WHETHER EXISTING OR THOSE COMPLETED BY OTHER TRADES, TO THE GENERAL CONTRACTOR.
7. ALL WALL PENETRATIONS TO BE ACOUSTICALLY SEALED.

CONSTRUCTION KEYNOTES

1. PROVIDE BLOCKING, POWER AND DATA FOR FUTURE TELEVISION INSTALLATION.
2. INSTALL EXISTING STAIN GLASS WINDOWS SALVAGED DURING DEMOLITION.
3. BUILD OUT COLUMNS TO HAVE IDENTICAL FOF DIMENSIONS; SEE A11.1 DETAIL.
4. INSTALL STANDARDS & BRACKETS, 7" TALL, WIDTH BASED ON EX COMM RACK.
5. PROVIDE POWER AS NEEDED FOR ALL VENDING MACHINES.
6. PROVIDE NEW WINDOW SHADE (WS-1, SINGLE, SEE A12.1).
7. PROVIDE NEW WINDOW SHADE (WS-2, DUAL, SEE A12.1).
8. ALIGN.