

**Rule 43.1. Traffic Bail Forfeiture Schedule.**

Pursuant to AS 28.05.151, the following vehicle and traffic offenses are amenable to disposition without court appearance upon payment and forfeiture of the bail amounts listed. If a person charged with one of these offenses appears in court and is convicted, the penalty imposed for the offense may not exceed the bail amount for that offense listed below.

Effective April 30, 1999, the bail amounts listed below are doubled for violations of AS 28 and regulations adopted under AS 28 committed within a highway work zone, as that term is defined in AS 28.90.990 and 13 AAC 40.010(b). Effective May 27, 2006, the bail amounts listed below are doubled for violations of AS 28 and regulations adopted under AS 28 committed within a traffic safety corridor, as that term is defined in AS 28.90.990.

Pursuant to AS 28.15.131 and 13 AAC 04.008, a citation for an offense listed as “Corr” must be dismissed (or voided) if proof of correction is presented to an inspection official within the time allowed. If the required repair is not made, the offense may be disposed of without court appearance upon payment and forfeiture of the bail amount listed.

Effective August 27, 1998, as a condition of the disposition of an offense without appearance, the defendant shall pay the surcharge prescribed in AS 12.55.039 in addition to the bail forfeiture amount listed below. A court may allow a defendant who is unable to pay the surcharge to perform community work under AS 12.55.055(c) in lieu of the surcharge. The surcharge must be deposited into the general fund in a separate account designated for such surcharges.

Effective September 1, 2003, pursuant to AS 28.05.151(e), an offense listed on this schedule may not be disposed of without court appearance if the offense is in connection with a motor vehicle accident that results in the death of a person.

The maximum bail amount for any of the offenses listed below in which the bail is stated as an amount per mile, per foot, per lamp, per reflector, per tire, or per wheel is the maximum fine allowed by statute for the offense. These maximum amounts are doubled for violations of AS 28 and regulations adopted under AS 28 committed within a highway work zone, as that term is defined in AS 28.90.990 and 13 AAC 40.010(b), or committed within a traffic safety corridor, as that term is defined in AS 28.90.990.

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| <b>Statute or Regulation</b> | <b>Description of Offense</b>   | <b>Bail</b> | <b>Statute or Regulation</b> | <b>Description of Offense</b>   | <b>Bail</b> |
|------------------------------|---|-------------|------------------------------|---|-------------|
| AS 11.46.462                 | Unlawful possession of an official traffic control device   | \$ 200      | AS 28.35.155                 | Operating vehicle w/studded/chained tires when prohibited   | Corr/50     |
| AS 19.10.300(a)              | Commercial vehicle (intrastate): failure to maintain minimum insurance  | 500         | AS 28.35.180                 | Disobedience to signal of officer regulating traffic  | 75          |
| AS 28.05.095(a)              | Failure to wear safety belt (age 16 and older: passenger or driver)   | 15          | AS 28.35.185(b)(2)           | Overtaking and passing a parked emergency vehicle – if no personal injury   | 150         |
| AS 28.05.095(b)              | Failure to provide child safety device. (Note: First charge may be dismissed by court upon proof of correction, but second or subsequent charge is not dismissible) | 50          | AS 28.35.235                 | Unauthorized use of parking reserved for persons with disabilities  |             |
|                              |   |             |                              | -First offense  | 125         |
|                              |   |             |                              | -Second or more offense   | 250         |
| AS 28.05.095(b)              | Failure to properly secure child in child safety device   | 50          | AS 28.35.235                 | Unauthorized use of parking reserved for persons with disabilities while displaying special license plate or permit |             |
| AS 28.05.095(d)              | Illegal removal of vehicle seatbelt   | 15          |                              | -First offense  | 250         |
|                              |   |             |                              | -Second or more offense   | 500         |
| AS 28.10.451                 | Failure to register vehicle   | 90          | AS 28.35.251                 | Contained or confined loads   | 300         |
| AS 28.10.461                 | Plates/decals/permits must be properly attached and displayed   | 75          | AS 28.35.253                 | Anti-spray devices required   | Corr/60     |
|                              |   |             | AS 28.35.261                 | Low-speed vehicle on highway with limit above 35 mph  | 100         |
| AS 28.10.461                 | Failure to carry certificate of registration in vehicle   | 40          | AS 28.39.010                 | Operating an unregistered snowmobile  | 50          |
| AS 28.10.471                 | Operating vehicle w/expired registration  | 90          | AS 28.39.040(e)              | Failure to display snowmobile numbered registration decal   | 50          |
| AS 28.10.471                 | Operating a vehicle w/suspended/revoked registration  | 300         | AS 28.39.040(f)              | Failure to carry snowmobile certificate of registration or provide identifying information                          | 50          |
| AS 28.15.011(b)              | Driving with license expired less than one year   | 75          |                              | School bus driver permit must be carried and displayed upon demand  | Corr/50     |
| AS 28.15.021(2)              | Driving with out-of-state license after 90 days in state  | 75          | 02 AAC 90.030                | Unlawful use of classified license  | 50          |
| AS 28.15.021(6)              | Driving a motor-driven cycle with out-of-state driver's license after 90 days in state  | 75          | 02 AAC 90.200                | Disobedience to traffic control devices   | 100         |
| AS 28.15.057(b)              | Operating a vehicle in violation of a provisional license   | 200         | 13 AAC 02.005(a)             | FTY to vehicle in intersection after green signal   | 150         |
| AS 28.15.131                 | License to be carried and exhibited on demand   | Corr/50     | 13 AAC 02.010(a)(1) (A)-(B)  | FTY to pedestrian in cross-walk after green signal  | 150         |
| AS 28.15.281(a)              | Unlawful use of a driver's license  | 200         | 13 AAC 02.010(a)(1) (A)-(B)  | Failure to stop for steady red traffic signal   | 150         |
| AS 28.22.019                 | Proof of insurance to be carried and exhibited on demand  | Corr/500    | 13 AAC 02.010(a)(3)(A)       | FTY when turning on red signal  | 150         |
| AS 28.35.029                 | Open container of alcoholic beverage in motor vehicle   | 200         | 13 AAC 02.010(a)(3)(B)       | Turning on red signal when prohibited   | 75          |
| AS 28.35.031(e)              | Refusal to submit to a preliminary breath test  | 100         | 13 AAC 02.010(a)(3)(C)       | Failure to stop for steady red arrow  | 150         |
| AS 28.35.135(b)              | Failure to notify dept. of change of name/address   | 25          | 13 AAC 02.010(b)             | Position of vehicle stopping at intersection  | 75          |
| AS 28.35.140(a)              | Obstructing or blocking traffic   | 75          | 13 AAC 02.015                | Failure to obey pedestrian control signal   | 40          |
| AS 28.35.140(b)              | Turn off required when 5 or more vehicles are behind  | 100         | 13 AAC 02.020(a)(1)          | Failure to yield after stopping for flashing red signal   | 150         |
| AS 28.35.145(e)              | Ownership of a vehicle which illegally passes a school bus  | 75          | 13 AAC 02.020(a)(1)          | Failure to stop for flashing red signal   | 150         |
|                              |   |             | 13 AAC 02.025                | Lane use control signals  | 75          |

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| <b>Statute or Regulation</b> | <b>Description of Offense</b>   | <b>Bail</b> | <b>Statute or Regulation</b> | <b>Description of Offense</b>   | <b>Bail</b>         |
|------------------------------|---|-------------|------------------------------|---|---------------------|
| 13 AAC 02.030(a)             | Display of unauthorized signs, signals, or markings                                     | 50          |                              | crosswalk   |                     |
| 13 AAC 02.050(a)             | Failure to drive on right side of roadway   | 75          | 13 AAC 02.155(a)             | FTY to pedestrian in crosswalk  | 100                 |
| 13 AAC 02.050 (a)(3)         | FTY when driving left of obstructed roadway   | 150         | 13 AAC 02.155(b)             | Pedestrian to exercise due caution  | 50                  |
| 13 AAC 02.050(b)             | Vehicle not to use left lane at less than speed limit                                   | 75          | 13 AAC 02.155(c)             | Vehicle not to pass vehicle stopped for pedestrian  | 75                  |
| 13 AAC 02.055(a)&(c)         | Improper overtaking on right  | 75          | 13 AAC 02.155(e)             | Not to drive within or through pedestrian safety zone   | 50                  |
| 13 AAC 02.055(b)             | Return to lane only when clear  | 100         | 13 AAC 02.160(a)-(f)         | Pedestrian crossing at other than crosswalks  | 25                  |
| 13 AAC 02.060(a)             | Limitations on driving left of center   | 100         | 13 AAC 02.175(a)-(e)         | Pedestrian to use sidewalk/left edge of roadway and not interfere, sleep, loiter or obstruct  | 40                  |
| 13 AAC 02.065(a)             | Improper overtaking on the left   | 150         |                              |   |                     |
| 13 AAC 02.065(a)             | FTY to overtaking vehicle   | 150         | 13 AAC 02.180                | Pedestrian not to distract drivers when soliciting rides and pedestrian not to solicit employment, business or contributions from vehicle occupants | 50                  |
| 13 AAC 02.065(b)             | FTY to oncoming traffic when passing  | 150         |                              |   |                     |
| 13 AAC 02.070                | FTY 1/2 of roadway to oncoming vehicle and failure to pass on right of oncoming vehicle | 100         |                              |   |                     |
| 13 AAC 02.075(b)             | Passing/driving left of center in no pass zone  | 150         | 13 AAC 02.190(a)             | FTY to pedestrian w/white cane/guide dog  | 150                 |
| 13 AAC 02.080(b)-(c)         | Wrong way on one-way roadway  | 100         | 13 AAC 02.190(b)             | Not to use white cane/guide dog unless blind  | 150                 |
| 13 AAC 02.085(a)             | Improper lane change  | 75          | 13 AAC 02.195(a)             | Pedestrian FTY to authorized emergency vehicle  | 50                  |
| 13 AAC 02.085(b)             | Improper use of center lane of 3-lane roadway   | 75          | 13 AAC 02.200(a)-(c)         | Improper position/method turning at intersection  | 75                  |
| 13 AAC 02.090(a)-(c)         | Following too closely   | 100         | 13 AAC 02.205(a)-(b)         | U-turn only when safe/not on hill, crest or curve   | 75                  |
| 13 AAC 02.095(a)             | Driving over, across or within barrier/median   | 100         | 13 AAC 02.210                | Improper start from parked/stopped standing   | 75                  |
| 13 AAC 02.095(a)             | Failure to stay on right side of divided highway  | 100         | 13 AAC 02.215(a)-(f)         | Signals required turn/stop/slowing-discontinue after  | 75                  |
| 13 AAC 02.095(c)             | Improper entry/exit — controlled-access highway   | 75          |                              |   |                     |
| 13 AAC 02.107                | Drive nearest right edge on narrow/winding roadway                                      | 75          | 13 AAC 02.240(a)-(b)         | Obedience to train signals and barriers   | 100                 |
| 13 AAC 02.120(a)             | FTY to vehicle on right at unsigned intersection  | 90          | 13 AAC 02.250(a)             | Certain vehicles to stop at all railroad crossings  | 200                 |
| 13 AAC 02.120(b)             | FTY to vehicle entering intersection after stop   | 150         | 13 AAC 02.255(a)-(b)         | Heavy equipment to give notice of railroad crossing   | 75                  |
| 13 AAC 02.120(d)             | Failure to yield when entering roundabout   | 150         | 13 AAC 02.255(a)-(c)         | Heavy equipment to stop at railroad crossing  | 200                 |
| 13 AAC 02.120(f)             | Improper lane change in or exiting from a roundabout                                    | 75          | 13 AAC 02.257                | Give warning w/horn when vision restricted/alley/driveway/buildings   | 50                  |
| 13 AAC 02.125                | FTY when turning left   | 150         |                              |   |                     |
| 13 AAC 02.130(b)             | Improper position of vehicle stopping at stop sign                                      | 75          | 13 AAC 02.257                | Stop: emerging from alley/driveway/building   | 100                 |
| 13 AAC 02.130(b)-(c)         | FTY after stopping or at yield sign   | 150         | 13 AAC 02.257                | Position of stop when emerging from alley/driveway/building   | 75                  |
| 13 AAC 02.130(b)             | Failure to stop for stop sign   | 100         |                              |   |                     |
| 13 AAC 02.135(b)             | FTY when entering roadway from non-roadway  | 100         | 13 AAC 02.265                | Stop when traffic may be obstructed   | 75                  |
| 13 AAC 02.140(a)-(b)         | FTY to authorized emergency vehicle   | 250         |                              |   |                     |
| 13 AAC 02.140(c)             | Driver of emergency vehicle not to disregard safety                                     | 100         | 13 AAC 02.275(a)             | Basic speed: reasonable & prudent for road conditions   | 90                  |
| 13 AAC 02.150(a)-(b)         | Pedestrians subject to traffic regulations  | 40          | 13 AAC 02.275(b)             | Speeding:<br>-3-19 mph over posted limit  | 8/mi. <sup>1</sup>  |
| 13 AAC 02.150(c)             | Pedestrian in traffic roundabout outside a  | 40          |                              | -20 mph or more over limit  | 12/mi. <sup>1</sup> |

RULES OF ADMINISTRATION      Rule 43.1      2013-2014 edition

| Statute or Regulation                  | Description of Offense   | Bail                | Statute or Regulation | Description of Offense  | Bail |
|--|--|---------------------|-----------------------|---|------|
| 13 AAC 02.280(a)-(d)                   | Altered speed limits:<br>-3-19 mph over posted limit   | 8/mi. <sup>1</sup>  |                       | off-highway vehicle operation on highways and other locations                           |      |
|  | -20 mph or more over limit   | 12/mi. <sup>1</sup> | 13 AAC 02.455(g)      | Snowmobile or other off-highway vehicle traveling on pedestrian pathway                 | 100  |
| 13 AAC 02.295                          | Minimum speed regulation   | 60                  | 13 AAC 02.480         | Requirements for unattended motor vehicle   | 50   |
| 13 AAC 02.325(a)                       | Speed limitation on motor-driven cycles at night   | 60                  | 13 AAC 02.482(a)      | Bicycles/pedestrians traveling in prohibited area                                       | 50   |
| 13 AAC 02.325(b)                       | Towing mobile home at speed over 45 mph  | 75                  | 13 AAC 02.482(a)      | Driving a motor vehicle where prohibited  | 150  |
| 13 AAC 02.325(c)                       | Driving with lighted headlights at unreasonable speed  | 75                  | 13 AAC 02.482(b)      | Non-motorized vehicle to yield to traffic on roadway                                    | 40   |
| 13 AAC 02.325(d)                       | Speed: over 20 mph in marked crosswalk speed zone of public school or playground                             |                     | 13 AAC 02.485(a)-(b)  | Limitation on backing   | 75   |
|  | -3-9 mph over  | 12/mi. <sup>1</sup> | 13 AAC 02.487         | Driving vehicle on sidewalk   | 150  |
|  | -10-19 mph over  | 14/mi. <sup>1</sup> | 13 AAC 02.495(a)-(c)  | Obstructing driver's view/control of vehicle  | 75   |
|  | -20 mph or over  | 16/mi. <sup>1</sup> | 13 AAC 02.495(d)      | Opening doors/entering or leaving when vehicle in motion                                | 25   |
| 13 AAC 02.325(e)                       | Passing school bus with flashing yellow lights at speed over 20 mph  | 75                  | 13 AAC 02.495(e)-(f)  | Person riding outside vehicle or in trailer   | 100  |
| 13 AAC 02.325(f)                       | Speed, weight or size in excess of posted traffic control device when crossing over bridge or through tunnel | 75                  | 13 AAC 02.497(a)      | Interfering w/funeral procession  | 75   |
|  |  |                     | 13 AAC 02.497(b)      | Requirements for drivers in funeral procession  | 60   |
|  |  |                     | 13 AAC 02.497(c)      | Permit requirements for funeral procession/parade                                       | 40   |
| 13 AAC 02.330                          | Racing on the highway  | 300                 | 13 AAC 02.505(a)-(c)  | Animals on the highway  | 200  |
| 13 AAC 02.340(a)-(d) (except d)(1)(L)) | Stopping/standing/parking on highway/other location  | 25                  | 13 AAC 02.505(d)-(e)  | Motor vehicle drivers to exercise due care re animals                                   | 125  |
| 13 AAC 02.365(a)-(g)                   | Additional parking regulations   | 25                  | 13 AAC 02.515         | Coasting prohibited   | 50   |
| 13 AAC 02.367(d)                       | Not to stop/stand/park in loading zone   | 25                  | 13 AAC 02.517         | Emergency vehicle regulations   | 60   |
| 13 AAC 02.372(b)                       | Position of bus stopping to load/unload passengers   | 25                  | 13 AAC 02.520(a)      | Following emergency vehicle closer than 500 feet  | 100  |
| 13 AAC 02.372(c)                       | Taxi cab restrictions on standing/parking  | 50                  | 13 AAC 02.520(b)      | Improper stopping/parking at emergency scene  | 100  |
| 13 AAC 02.372(d)                       | Stop/stand in bus stop/taxi stand  | 25                  | 13 AAC 02.520(c)      | Crossing fire hose  | 100  |
| 13 AAC 02.377(c)-(f)                   | Parking meter violations   | 15                  | 13 AAC 02.530(a)-(b)  | Littering/depositing material on highway  |      |
| 13 AAC 02.395(b)-(e)                   | Special bicycle violations   | 40                  |                       | -Depositing garbage, glass, nails, tacks, wire, cans, oil or other substance            | 150  |
| 13 AAC 02.400(a)-(h)                   | Riding bicycles on roadways/bike paths   | 40                  |                       | -Littering from a motor vehicle – over 5 pounds (see AS 46.06.080 for 5 pounds or less) | 100  |
| 13 AAC 02.420(a)-(c)                   | Parking of bicycles  | 20                  | 13 AAC 02.530(d)      | Haul/drag material causing damage to highway  | 150  |
| 13 AAC 02.425(a)-(c)                   | Special motorcycle violations  | 60                  |                       |   |      |
| 13 AAC 02.425(d)                       | Motorcycle cling to other vehicle  | 200                 | 13 AAC 02.532         | Railroad trains not to block roadways   | 50   |
| 13 AAC 02.427(a)                       | Motor vehicle not to deprive motorcycle of full lane use   | 50                  | 13 AAC 02.545(a)      | Drinking while driving  | 300  |
| 13 AAC 02.427(a)                       | Motorcycles more than two abreast  | 50                  | 13 AAC 02.545(b)      | Drivers to exercise due care to avoid collision   | 150  |
| 13 AAC 02.427(b)                       | Motorcycle passing in same lane as other motor vehicle   | 50                  | 13 AAC 03.005(a)      | Commercial vehicle:Disobedience to traffic control devices                              | 150  |
| 13 AAC 02.445                          | Snowmobile and other off-highway vehicle violations  | 75                  |                       | Commercial vehicle: FTY to  | 150  |
| 13 AAC 02.455(a)-(f)                   | Snowmobile and other   | 50                  | 13 AAC 03.010(a)(1)   |   |      |

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| Statute or Regulation<br>(A)-(B) | Description of Offense  | Bail | Statute or Regulation    | Description of Offense   | Bail                |
|----------------------------------|---|------|--------------------------|--|---------------------|
| 13 AAC 03.010(a)(1)              | Commercial vehicle: FTY to pedestrian in intersection after green signal                                    | 150  | 13 AAC 03.107            | Improper entry/exit-controlled-access highway  | 150                 |
| 13 AAC 03.010(a)(3)(A)           | Commercial vehicle: Failure to stop for steady red traffic signal   | 200  | 13 AAC 03.155(a)         | Commercial vehicle: Drive nearest right edge on narrow/winding roadway                   | 150                 |
| 13 AAC 03.010(a)(3)(B)           | Commercial vehicle: FTY when turning on red signal  | 150  | 13 AAC 03.155(b)         | Pedestrian to exercise due caution   | 50                  |
| 13 AAC 03.010(a)(3)(B)           | Commercial vehicle: Turning on red signal when prohibited   | 150  | 13 AAC 03.155(c)         | Commercial vehicle: Not to pass vehicle stopped for pedestrian                           | 150                 |
| 13 AAC 03.010(a)(3)(C)           | Commercial vehicle: Failure to stop for steady red arrow  | 200  | 13 AAC 03.155(e)         | Commercial vehicle: Not to drive within or through pedestrian safety zone                | 90                  |
| 13 AAC 03.050(a)                 | Commercial vehicle: Failure to drive on right side of roadway   | 150  | 13 AAC 03.275(a)         | Commercial vehicle basic speed: reasonable & prudent for road conditions                 | 200                 |
| 13 AAC 03.050(a)(3)              | Commercial vehicle: FTY when driving left of obstructed roadway   | 200  | 13 AAC 03.275(b)         | Commercial vehicle speeding:   |                     |
| 13 AAC 03.050(b)                 | Commercial vehicle: Not to use left lane at less than speed limit   | 100  |                          | -3-9 mph over posted limit   | 12/mi. <sup>1</sup> |
| 13 AAC 03.050(b)                 | Commercial vehicle: Turn off required when 5 or more vehicles are behind                                    | 150  | 13 AAC 03.280(a)-(d)     | -10-14 mph over posted limit   | 20/mi. <sup>1</sup> |
| 13 AAC 03.055(a)                 | Commercial vehicle: Improper overtaking on right  | 100  |                          | Commercial vehicle altered speed limits:   |                     |
| 13 AAC 03.055(b)                 | Commercial vehicle: Return to lane only when clear  | 200  | 13 AAC 03.295            | -3-9 mph over posted limit   | 12/mi. <sup>1</sup> |
| 13 AAC 03.055(c)                 | Commercial vehicle: Passing on right in a roundabout  | 100  | 13 AAC 03.325(b),(c),(e) | -10-14 mph over posted limit   | 20/mi. <sup>1</sup> |
| 13 AAC 03.060(a)                 | Commercial vehicle: Limitations on driving left of center   | 150  |                          | Commercial vehicle: minimum speed regulation   | 90                  |
| 13 AAC 03.065(a)                 | Commercial vehicle: Improper overtaking on the left   | 200  |                          | Commercial vehicle special speed limit when:   |                     |
| 13 AAC 03.065(a)                 | Commercial vehicle: FTY to overtaking vehicle   | 200  |                          | (b) Towing mobile home, or   |                     |
| 13 AAC 03.065(b)                 | Commercial vehicle: FTY to oncoming traffic when passing  | 200  | 13 AAC 03.325(f)         | (c) Equipped with lighted headlights, or   |                     |
| 13 AAC 03.070                    | Commercial vehicle: FTY 1/2 of roadway to oncoming vehicle and failure to pass on right of oncoming vehicle | 200  |                          | (e) Passing school bus with flashing yellow lights                                       |                     |
| 13 AAC 03.080(b)-(c)             | Commercial vehicle: Wrong way on one-way roadway  | 150  |                          | -3-9 mph over  | 15/mi. <sup>1</sup> |
| 13 AAC 03.085(b)                 | Commercial vehicle: Improper use of center lane of 3-lane roadway   | 100  | 13 AAC 04.002            | -10-14 mph over  | 20/mi. <sup>1</sup> |
| 13 AAC 03.095(a)                 | Commercial vehicle: Driving over, across or within barrier/median   | 200  | 13 AAC 04.003            | Commercial vehicle: oversize or excess speed when crossing over bridge or through tunnel |                     |
| 13 AAC 03.095(a)                 | Commercial vehicle: Failure to stay on right side of divided highway  | 200  | 13 AAC 04.004            | -3-9 mph over  | 15/mi. <sup>1</sup> |
| 13 AAC 03.095(c)                 | Commercial vehicle:   | 150  | 13 AAC 04.005(a)         | -10-14 mph over  | 20/mi. <sup>1</sup> |
|                                  |   |      | 13 AAC 04.005(b)         | -Overwidth   | 50/ft. <sup>1</sup> |
|                                  |   |      |                          | -Overlength  | 25/ft. <sup>1</sup> |
|                                  |   |      | 13 AAC 04.002            | Unlawful to drive unsafe vehicle   | 150                 |
|                                  |   |      | 13 AAC 04.003            | Minimum equipment required for sale /rent /lease/ban                                     | 75                  |
|                                  |   |      | 13 AAC 04.004            | Sale or use of equipment   | 50                  |
|                                  |   |      | 13 AAC 04.005(a)         | Disconnection/alteration of equipment  | 50                  |
|                                  |   |      | 13 AAC 04.005(b)         | Operating a vehicle modified to be too low or  | 300                 |

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| Statute or Regulation    | Description of Offense   | Bail     | Statute or Regulation | Description of Offense                                 | Bail     |
|--------------------------|--|----------|-----------------------|--|----------|
| 13 AAC 04.005(c)         | too high<br>Operating a vehicle with features or load adversely affecting steering, braking or stability | 200      | 13 AAC 04.230(a)-(e)  | Tire restrictions and requirements                     | Corr/100 |
| 13 AAC 04.006(b)-(c)     | Submit to roadside vehicle inspection  | 75       | 13 AAC 04.240(a)-(c)  | Flares/other warning devices requirements              | 75       |
| 13 AAC 04.007(c)-(d)     | Not to move unsafe vehicle unless authorized   | 150      | 13 AAC 04.245(a)-(i)  | Display of warning lights/devices                      | 75       |
| 13 AAC 04.009(a)-(c)     | Prohibited practices — Inspection/repair   | 50       | 13 AAC 04.247(a)-(c)  | Color/special equipment on school buses                | Corr/100 |
| 13 AAC 04.010            | Illuminate lights as required  | 50       | 13 AAC 04.247(d)      | Improper use of signs/stop arm on school bus           | 50       |
| 13 AAC 04.015(d)         | Lights must be in good working order, securely mounted, not obstructed                                   | 75       | 13 AAC 04.250         | Compressed gas fuel requirements: venting and signage  | Corr/150 |
| 13 AAC 04.020(a)&(f)-(g) | Headlight requirements   | Corr/40  | 13 AAC 04.252(a)-(c)  | Slow moving vehicle emblem requirements                | 50       |
| 13 AAC 04.020(e)(1)-(2)  | Headlight dimming requirements   | 50       | 13 AAC 04.255(b)-(d)  | Air-conditioning equipment requirements                | Corr/100 |
| 13 AAC 04.025(a)-(c)     | Taillight requirements   | Corr/40  | 13 AAC 04.257         | Emission control system requirements                   | Corr/100 |
| 13 AAC 04.030(a)         | Reflector requirements   | Corr/40  | 13 AAC 04.260(a)-(c)  | Restrictions on television/headset in motor vehicle    | 150      |
| 13 AAC 04.035(a)-(c)     | Stop light requirements  | Corr/40  | 13 AAC 04.265(a)-(b)  | Anti-spray device requirements (see AS 28.35.253 also) | Corr/50  |
| 13 AAC 04.037(a)-(c)     | Turn light requirements  | Corr/40  | 13 AAC 04.270(a)&(c)  | Safety belt requirements                               | Corr/75  |
| 13 AAC 04.040            | Additional lighting requirements   | Corr/40  | 13 AAC 04.272         | Energy absorption system requirements                  | Corr/75  |
| 13 AAC 04.070            | Parking light requirements   | Corr/40  | 13 AAC 04.275(a)-(e)  | Connections/safety devices—towed vehicles              | 75       |
| 13 AAC 04.070(e)         | Parking lights not used when vehicle in motion   | 50       | 13 AAC 04.320(a)-(b)  | Motorcycle headlight requirements                      | Corr/40  |
| 13 AAC 04.090(a),(c),(g) | Additional lights required for emergency vehicle   | Corr/40  | 13 AAC 04.320(c)      | Bicycle headlight requirements                         | Corr/40  |
| 13 AAC 04.095(c)&(e)-(g) | Flashing yellow vehicular light requirements   | Corr/40  | 13 AAC 04.320(d)      | Lights turned on when on highway—motor driven cycle    | 60       |
| 13 AAC 04.095(d)&(g)-(i) | Flashing yellow lights used when required  | 75       | 13 AAC 04.325(a)      | Bicycle taillight requirements                         | Corr/40  |
| 13 AAC 04.097(a)         | Use of flashing red light - school bus   | 60       | 13 AAC 04.325(a)-(b)  | Motorcycle taillight requirements                      | Corr/40  |
| 13 AAC 04.097(a)-(c)     | Special school bus lighting equipment  | Corr/100 | 13 AAC 04.330(a)-(b)  | Motorcycle stop/turn light requirements                | Corr/40  |
| 13 AAC 04.100(a)-(h)     | Improper use of flashing blue lights   | 60       | 13 AAC 04.335(a)      | Motorcycle reflector requirements                      | Corr/30  |
| 13 AAC 04.145(a)-(e)     | Improper use of auxiliary/spot lights  | 60       | 13 AAC 04.335(b)      | Bicycle reflector requirements                         | Corr/20  |
| 13 AAC 04.145(a)-(e)     | Restrictions on lighting equipment   | Corr/40  | 13 AAC 04.340(a)      | Motorcycle brake requirements                          | Corr/90  |
| 13 AAC 04.145(f)         | Use of lights in colors not authorized   | 50       | 13 AAC 04.340(b)      | Bicycle brakes   | Corr/40  |
| 13 AAC 04.205(a)-(c)     | Brake requirements   | Corr/90  | 13 AAC 04.345(a)      | Motorcycle handgrips and foot-rests for passengers     | Corr/50  |
| 13 AAC 04.205(d)-(e)     | Improper towing  | 300      | 13 AAC 04.345(b)      | Motorcycle handlebar requirements                      | Corr/75  |
| 13 AAC 04.210(a)         | Failure to give audible warning as required  | 50       | 13 AAC 04.350(a)      | Helmet required-minors/passengers                      | 75       |
| 13 AAC 04.210(a)-(d)     | Horn/warning device requirements   | Corr/60  | 13 AAC 04.350(b)      | (AS 28.35.245 exempts adults)                          |          |
| 13 AAC 04.215(a)         | Exhaust system improperly modified   | Corr/150 | 13 AAC 04.350(c)      | Eye-protective device required when no windscreen      | 50       |
| 13 AAC 04.215(a)-(b)     | Muffler requirements   | Corr/60  |                       | Minimum equipment for rent/lease/loan of               | 75       |
| 13 AAC 04.220(a)-(c)     | Mirror requirements  | Corr/60  |                       |  |          |
| 13 AAC 04.223            | Tinted windows   | Corr/150 |                       |  |          |
| 13 AAC 04.225(a)-(b)     | View not to be obstructed  | 60       |                       |  |          |
| 13 AAC 04.225(a)-(g)     | Windshield and wiper requirements  | Corr/50  |                       |  |          |
| 13 AAC 04.227(a)-(b)     | Steering assembly, wheel alignment and body  | Corr/200 |                       |  |          |

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| <b>Statute or Regulation</b> | <b>Description of Offense</b>  | <b>Bail</b>        | <b>Statute or Regulation</b> | <b>Description of Offense</b>                             | <b>Bail</b> |
|------------------------------|--|--------------------|------------------------------|---|-------------|
| 13 AAC 04.355(a)             | motorcycle<br>Other equipment required (horn, mirrors, tires, emission control system) |                    | 13 AAC 04.410                | vehicle brakes<br>Snowmobile/off highway vehicle throttle | Corr/60     |
|                              | -Bicycle   | Corr/40            | 13 AAC 04.415(a)-(b)         | Snowmobile/off highway vehicle muffler/emission controls  | Corr/60     |
| 13 AAC 04.355(b)             | -Motor-driven cycle<br>Motorcycle windshield requirements                              | Corr/40<br>Corr/60 | 13 AAC 04.420(a)-(b)         | Snowmobile/off highway vehicle other equipment            | Corr/40     |
| 13 AAC 04.400(a)-(b)         | Snowmobile/off highway vehicle lights and reflectors                                   | Corr/60            | 13 AAC 04.420(a)(4)          | Rigid draw bar required when towing with snowmobile       | Corr/50     |
| 13 AAC 04.405                | Snowmobile/off highway   | Corr/60            |                              |   |             |

| <b>State Regulation</b> | <b>Federal Regulation</b>  | <b>Description of Offense</b>   | <b>Bail</b> |
|-------------------------|--|---|-------------|
| 17 AAC 25.200           | 49 CFR 105<br>49 CFR 107<br>49 CFR 171<br>49 CFR 172<br>49 CFR 173<br>49 CFR 177<br>49 CFR 178<br>49 CFR 180 | Transportation of hazardous materials   | 300         |
| 17 AAC 25.210           | 49 CFR 387   | Failure to maintain minimum insurance (interstate carriers)                                 | 500         |
| 17 AAC 25.210           | 49 CFR 390.13  | Aiding or abetting violations   | 400         |
| 17 AAC 25.210           | 49 CFR 390.15  | Records and assistance required to be available   | 300         |
| 17 AAC 25.210           | 49 CFR 390.21  | Marking of commercial vehicles  | 200         |
| 17 AAC 25.210           | 49 CFR 390.35  | False Statement/Record  | 400         |
| 17 AAC 25.210           | 49 CFR 391.11(b)(1)  | Driving a CV while under age 21 — Interstate  | 200         |
| 17 AAC 25.210           | 49 CFR 391.11(b)(2)  | Interstate CV driver must read and speak English  | 200         |
| 17 AAC 25.210           | 49 CFR 391.21  | Driving a CV with insufficient employment application                                       | 200         |
| 17 AAC 25.210           | 49 CFR 391.31  | Driving a CV without road test certificate  | 200         |
| 17 AAC 25.210           | 49 CFR 391.41  | Driving A CV without medical examiner’s certificate in possession                           | 200         |
| 17 AAC 25.210           | 49 CFR 391.41(b)(10)   | Corrective lenses to be worn  | 150         |
| 17 AAC 25.210           | 49 CFR 391.41(b)(11)   | Hearing aid to be worn  | 150         |
| 17 AAC 25.210           | 49 CFR 391.51  | Carrier required to maintain driver qualification files                                     | 200         |
| 17 AAC 25.210           | 49 CFR 392.3   | Driving while ill or fatigued   | 300         |
| 17 AAC 25.210           | 49 CFR 392.4   | Possession/influence/use of drugs/other substances while on duty                            | 300         |
| 17 AAC 25.210           | 49 CFR 392.5   | Alcohol Prohibition   | 300         |
| 17 AAC 25.210           | 49 CFR 392.6   | Carrier schedule requires violation of speed limits   | 300         |
| 17 AAC 25.210           | 49 CFR 392.7   | Failure to check/use parts and accessories  | 150         |
| 17 AAC 25.210           | 49 CFR 392.8   | Failure to check/use emergency equipment  | 150         |
| 17 AAC 25.210           | 49 CFR 392.9   | Inspection of cargo and cargo securement required   | 300         |
| 17 AAC 25.210           | 49 CFR 392.9a  | No operating authority  | 300         |
| 17 AAC 25.210           | 49 CFR 392.10  | Railroad grade crossings; stopping required   | 200         |
| 17 AAC 25.210           | 49 CFR 392.11  | Slow and exercise caution approaching railroad crossing                                     | 200         |
| 17 AAC 25.210           | 49 CFR 392.14  | Extreme caution and reduced speed or discontinued operation required in hazardous condition | 300         |
| 17 AAC 25.210           | 49 CFR 392.16  | Seat belt must be used if installed   | 150         |
| 17 AAC 25.210           | 49 CFR 392.22  | Hazard warning signals and devices required when stop on highway or shoulder                | 200         |
| 17 AAC 25.210           | 49 CFR 392.24  | Lighted fusee may not be attached to vehicle  | 150         |
| 17 AAC 25.210           | 49 CFR 392.25  | Flame-producing emergency signal may not be used with dangerous cargo                       | 300         |
| 17 AAC 25.210           | 49 CFR 392.33  | Lamps or reflectors obscured  | 200         |
| 17 AAC 25.210           | 49 CFR 392.50  | Unsafe fueling practices  | 100         |
| 17 AAC 25.210           | 49 CFR 392.51  | Reserve fuel carried improperly   | 200         |
| 17 AAC 25.210           | 49 CFR 392.60  | Transporting unauthorized person  | 150         |
| 17 AAC 25.210           | 49 CFR 392.62  | Safe operation of bus required  | 150         |
| 17 AAC 25.210           | 49 CFR 392.63  | Towing or pushing loaded bus  | 300         |
| 17 AAC 25.210           | 49 CFR 392.64  | Riding in closed vehicle without proper exit  | 150         |
| 17 AAC 25.210           | 49 CFR 392.66  | Carbon monoxide: Use of vehicle when detected   | 300         |

RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| State Regulation | Federal Regulation | Description of Offense   | Bail                       |
|------------------|--------------------|--|----------------------------|
| 17 AAC 25.210    | 49 CFR 392.67      | No open flame heater while vehicle in motion   | 300                        |
| 17 AAC 25.210    | 49 CFR 392.71      | Radar detector; use and/or possession  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.9       | Lamps operable and no obstruction of lamps/reflectors  | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.11      | Lamp and reflective device requirements  | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.17      | Lamps and reflectors—Combinations in driveaway-towaway operation                                   | 10/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.19      | Hazard warning system must be independent from ignition and must flash turn signals simultaneously | 150                        |
| 17 AAC 25.210    | 49 CFR 393.22      | Combination of lighting devices and reflectors   | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.23      | Lamps must be powered by electric system   | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.24      | Requirements for head lamps, auxiliary driving lamps and front fog lamps                           | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.25      | Requirements for lamps other than head lamps   | 15/lamp <sup>2</sup>       |
| 17 AAC 25.210    | 49 CFR 393.26      | Requirements for reflex reflectors   | 15/reflectors <sup>2</sup> |
| 17 AAC 25.210    | 49 CFR 393.28      | Wiring system requirements   | 75                         |
| 17 AAC 25.210    | 49 CFR 393.30      | Battery installation   | 75                         |
| 17 AAC 25.210    | 49 CFR 393.40      | Required brake systems   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.41      | Parking brake system   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.42      | Brakes required on all wheels  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.43      | Breakaway and emergency braking  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.44      | Front brake lines, protection  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.45      | Brake tubing and hoses; hose assemblies and end fittings, adequacy                                 | 150                        |
| 17 AAC 25.210    | 49 CFR 393.47      | Brake actuators, slack adjusters, linings/pads and drums/rotors                                    | 150                        |
| 17 AAC 25.210    | 49 CFR 393.48      | Brakes to be operative   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.49      | Single valve to operate all brakes   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.50      | Reservoirs required  | 200                        |
| 17 AAC 25.210    | 49 CFR 393.51      | Brake failure warning signals required   | 200                        |
| 17 AAC 25.210    | 49 CFR 393.52      | Brake performance  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.53      | Automatic brake adjusters and brake adjustment indicators  | 300                        |
| 17 AAC 25.210    | 49 CFR 393.60      | Glazing in specified openings  | 75                         |
| 17 AAC 25.210    | 49 CFR 393.61      | Truck and tractor window construction  | 100                        |
| 17 AAC 25.210    | 49 CFR 393.62      | Emergency exits for buses  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.65      | All fuel systems   | 100                        |
| 17 AAC 25.210    | 49 CFR 393.67      | Liquid fuel tanks  | 100                        |
| 17 AAC 25.210    | 49 CFR 393.69      | Liquefied petroleum gas systems  | 100                        |
| 17 AAC 25.210    | 49 CFR 393.70      | Coupling devices and towing methods, except for driveaway-towaway operations                       | 200                        |
| 17 AAC 25.210    | 49 CFR 393.71      | Coupling devices and towing methods, driveaway-towaway operations                                  | 200                        |
| 17 AAC 25.210    | 49 CFR 393.75      | Tires  | 100/tire <sup>2</sup>      |
| 17 AAC 25.210    | 49 CFR 393.76      | Sleeper berths   | 75                         |
| 17 AAC 25.210    | 49 CFR 393.77      | Heaters  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.78      | Windshield wiping and washing systems  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.79      | Windshield defrosting and defogging systems  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.80      | Rear-vision mirrors  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.81      | Horn   | 75                         |
| 17 AAC 25.210    | 49 CFR 393.82      | Speedometer  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.83      | Exhaust systems  | 200                        |
| 17 AAC 25.210    | 49 CFR 393.84      | Floors   | 75                         |
| 17 AAC 25.210    | 49 CFR 393.86      | Rear impact guards and rear end protection   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.87      | Warning flags on projecting loads  | 200                        |
| 17 AAC 25.210    | 49 CFR 393.88      | Television receivers   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.89      | Buses, driveshaft protection   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.90      | Buses, standee line or bar   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.91      | Buses, aisle seats prohibited  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.93      | Seats, seat belt assemblies and seat belt assembly anchorages                                      | 150                        |
| 17 AAC 25.210    | 49 CFR 393.94      | Vehicle interior noise levels  | 150                        |
| 17 AAC 25.210    | 49 CFR 393.95      | Emergency equipment on all power units   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.100     | General rules for protection against shifting or falling cargo                                     | 300                        |
| 17 AAC 25.210    | 49 CFR 393.102     | Securement systems   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.104     | Cargo securement device/system standards   | 150                        |
| 17 AAC 25.210    | 49 CFR 393.106     | Cargo placement and restraint requirements   | 300                        |
| 17 AAC 25.210    | 49 CFR 393.114     | Front-end structure  | 200                        |
| 17 AAC 25.210    | 49 CFR 393.201     | Frames   | 200                        |
| 17 AAC 25.210    | 49 CFR 393.203     | Cab and body components  | 200                        |



RULES OF ADMINISTRATION    Rule 43.1    2013-2014 edition

| State Regulation | Federal Regulation | Description of Offense                                     | Bail                   |
|------------------|--------------------|--|------------------------|
| 17 AAC 25.210    | 49 CFR 393.205     | Wheels   | 100/wheel <sup>2</sup> |
| 17 AAC 25.210    | 49 CFR 393.207     | Suspension systems   | 150                    |
| 17 AAC 25.210    | 49 CFR 393.209     | Steering wheel systems                                     | 200                    |
| 17 AAC 25.210    | 49 CFR 396.3       | Motor carrier must inspect, repair and keep records        | 200                    |
| 17 AAC 25.210    | 49 CFR 396.5       | Motor carrier must ensure vehicle lubrication              | 200                    |
| 17 AAC 25.210    | 49 CFR 396.7       | Operation in unsafe condition forbidden                    | 300                    |
| 17 AAC 25.210    | 49 CFR 396.9(c)(2) | Operation of "Out of Service" vehicle prohibited           | 300                    |
| 17 AAC 25.210    | 49 CFR 396.9(c)(3) | Removal of "Out of Service" sticker prohibited             | 300                    |
| 17 AAC 25.210    | 49 CFR 396.11      | Failure to prepare daily vehicle inspection report         | 75                     |
| 17 AAC 25.210    | 49 CFR 396.13      | Failure to review/sign last vehicle inspection report      | 75                     |
| 17 AAC 25.210    | 49 CFR 396.15      | Driveaway-towaway operations & inspections                 | 200                    |
| 17 AAC 25.210    | 49 CFR 396.17      | Periodic inspection and documentation required             | 200                    |
| 17 AAC 25.210    | 49 CFR 396.19      | Qualifications of inspectors                               | 200                    |
| 17 AAC 25.210    | 49 CFR 396.21      | Periodic inspection recordkeeping requirements             | 200                    |
| 17 AAC 25.210    | 49 CFR 396.25      | Qualifications of brake inspectors                         | 200                    |
| 17 AAC 25.210    | 49 CFR 399.207     | Truck and truck-tractor access requirements                | 75                     |
| 17 AAC 25.210    | 49 CFR 399.211     | Steps, handholds and deck plates must be maintained        | 75                     |
| 17 AAC 25.220    | 49 CFR 395.1(h)    | Maximum driving and on-duty time in Alaska                 | 200                    |
| 17 AAC 25.220    | 49 CFR 395.8       | Driver must record duty status                             | 150                    |
| 17 AAC 25.220    | 49 CFR 395.13(c)   | Motor carrier may not allow out-of-service driver to drive | 300                    |
| 17 AAC 25.220    | 49 CFR 395.13(d)   | Out-of-service driver may not drive                        | 300                    |

| Statute or Regulation | Description of Offense   | Bail                | Statute or Regulation | Description of Offense  | Bail |
|-----------------------|--|---------------------|-----------------------|---|------|
| 17 AAC 42.020(a)(3)   | Failure to obey posted sign, signal or control device on a highway or vehicular way/area (international airport):                |                     | 17 AAC 42.085         | operator's license (international airport)  |      |
|                       | -Motor vehicle   | 50                  |                       | Ramp operator's permit required for operation in airport restricted area (international airport)                        | 50   |
|                       | -Pedestrian or non-motorized vehicle   | 30                  | 17 AAC 42.085         | Improper operation on runways   | 200  |
| 17 AAC 42.020(b)      | Failure to remain in public area provided for particular class of traffic or mode of travel (international airport)              | 30                  | 17 AAC 42.090(b)      | Illegal parking/abandoning vehicle in a prohibited area (international airport)   |      |
| 17 AAC 42.030(b)      | Operation of aircraft on a highway (international airport)   | 50                  |                       | -more than 300 feet from a terminal   | 30   |
|                       |  |                     |                       | -within 300 feet of a terminal  | 50   |
| 17 AAC 42.080(a)      | Failure to operate motor vehicle in accordance with airport operational orders under 17 AAC 42.020(a)(2) (international airport) | 50                  | 17 AAC 42.090(b)      | Expired parking meter (international airport)   | 20   |
|                       |  |                     | 17 AAC 42.095(a)      | Commercial passenger vehicle must obtain permit (international airport)   | 50   |
| 17 AAC 42.080(b)      | Improper vehicular crossing of airport boundary (international airport)  | 50                  | 17 AAC 45.020(a)(3)   | Failure to obey posted sign, signal or control device on a highway or vehicular way/area (rural airport):               |      |
| 17 AAC 42.080(c)      | Operating a vehicle in a manner that interferes with aircraft (international airport)  | 100                 |                       | -Motor vehicle  | 50   |
|                       |  |                     |                       | -Pedestrian or non-motorized vehicle  | 30   |
| 17 AAC 42.080(d)      | Speeding (international airport):  |                     | 17 AAC 45.020(b)      | Failure to remain in public area provided for particular class of traffic or mode of travel (rural airport)             | 30   |
|                       | -3-19 mph over limit   | 8/mi. <sup>3</sup>  |                       |   |      |
|                       | -20 mph or more over limit   | 12/mi. <sup>3</sup> |                       |   |      |
| 17 AAC 42.080(e)      | Illegal parking/abandoning vehicle in a terminal building baggage or service vehicle area (international airport)                | 50                  | 17 AAC 45.030(b)      | Operation of aircraft on a highway (rural airport)  | 50   |
|                       |  |                     | 17 AAC 45.080(a)      | Failure to operate motor vehicle in accordance with airport operational orders under 17 AAC 45.020(a)(2)(rural airport) | 50   |
| 17 AAC 42.080(g)      | Operating a vehicle in an airport restricted area without a current valid  | 100                 |                       |   |      |

RULES OF ADMINISTRATION      Rule 43.1      2013-2014 edition

| <b>Statute or Regulation</b> | <b>Description of Offense</b>  | <b>Bail</b>         |
|------------------------------|--|---------------------|
| 17 AAC 45.080(b)             | Improper vehicular crossing of airport boundary (rural airport)  | 50                  |
| 17 AAC 45.080(c)             | Operating a vehicle in a manner that interferes with aircraft (rural airport)                                | 100                 |
| 17 AAC 45.080(d)             | Speeding (rural airport):<br>-3-19 mph over limit  | 8/mi. <sup>3</sup>  |
|                              | -20 mph or more over limit   | 12/mi. <sup>3</sup> |
| 17 AAC 45.080(e)             | Illegal parking/abandoning vehicle in a terminal building baggage or service vehicle area (rural airport)    | 50                  |
| 17 AAC 45.080(g)             | Operating a vehicle in an airport restricted area without a current valid operator's license (rural airport) | 100                 |
| 17 AAC 45.085                | Ramp operator's permit required for operation in airport restricted area (rural airport)                     | 50                  |
| 17 AAC 45.090(c)             | Expired parking meter (rural airport)  | 20                  |
| 17 AAC 45.090(d)             | Illegal parking/abandoning vehicle in a prohibited area (rural airport)                                      |                     |
|                              | -more than 300 feet from a terminal  | 30                  |
|                              | -within 300 feet of a terminal   | 50                  |
| 17 AAC 45.095(d)             | Commercial passenger vehicles must obtain permit (rural airport)   | 50                  |

RULES OF ADMINISTRATION Rule 43.1 2013-2014 edition

<sup>1</sup> Maximum bail amount: \$300. AS 28.90.010(c). Maximum bail amount in highway work zone or traffic safety corridor: \$600.

<sup>2</sup> Maximum bail amount: \$500. AS 45.75.380(a)(11) and AS 12.55.035(b)(7)— violations. The penalty and the maximum are *not* doubled in highway work zones or traffic safety corridors.

<sup>3</sup> Maximum bail amount: \$500. AS 02.15.240—misdemeanors. The penalty and the maximum are *not* doubled in highway work zones or traffic safety corridors.

(Adopted by SCO 775 effective January 1, 1987; amended by SCO 910 effective September 15 1988; by SCO 944 effective September 30, 1988; by SCO 1047 effective nunc pro tunc September 12, 1990; by SCO 1151 effective February 1, 1994; by SCO 1215 effective July 15, 1995; by SCO 1328 effective July 15, 1998; by SCO 1347 effective August 27, 1998; by SCO 1352 effective April 30, 1999; by SCO 1363 effective July 30, 1999; by SCO 1406 effective October 15, 2000; by SCO 1495 effective November 8, 2002; SCO 1530 effective nunc pro tunc to September 1, 2003; by SCO 1531 effective November 5, 2003; by SCO 1542 effective December 5, 2003; by SCO 1550 effective July 1, 2004; by SCO 1585 effective August 15, 2005; by SCO 1619 effective nunc pro tunc to May 27, 2006; by SCO 1634 effective December 20, 2006; by SCO 1678 effective September 2, 2008; and by SCO 1805 effective October 15, 2013)

RULES OF ADMINISTRATION Rule 43.1 2013-2014 edition

**Note to SCO 1215:** The surcharge requirement was added by §§ 2 and 5, ch. 119 SLA 1994, adopting AS 12.55.039 and AS 28.05.151(c). This order is made for the sole reason that the legislature has mandated the amendments.

**Note to SCO 1352:** The requirement that the bail amount for offenses committed within a highway work zone be doubled was added by §§ 1 and 2, ch. 64 SLA 1998, adopting AS 28.05.151(d) and AS 28.40.070. This order is made for the sole reason that the legislature has mandated the amendment.

**Note to SCO 1530:** The requirement that a mandatory court appearance is necessary if an offense is connected to a fatal motor vehicle accident was added by §§ 1 and 3, ch. 89 SLA 2003, adopting AS 28.05.151(e). This order is made for the sole reason that the legislature has mandated the amendment.

**Note to SCO 1619:** The requirement that the bail amount for offenses committed within a traffic safety corridor be doubled was added by §§ 2 and 4, chapter 45 SLA 2006, amending AS 28.05.151(d) and AS 28.40.070. This order is made for the sole reason that the legislature has mandated the amendment.

---