

CS FOR SENATE BILL NO. 8(STA)

IN THE LEGISLATURE OF THE STATE OF ALASKA

TWENTY-FIRST LEGISLATURE - FIRST SESSION

BY THE SENATE STATE AFFAIRS COMMITTEE

Offered: 3/23/99
Referred: Finance

Sponsor(s): SENATORS DONLEY, Tim Kelly

A BILL

FOR AN ACT ENTITLED

1 "An Act relating to the minimum plumbing fixtures required for females and
2 males in the state plumbing code; and providing for an effective date."

3 **BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF ALASKA:**

4 * **Section 1.** AS 18.60.705(a) is amended to read:

5 (a) Except as provided otherwise in this section, and unless the department
6 adopts by regulation a later edition of the following publications or a later version of
7 another nationally recognized code approved by the legislature by law, the following
8 publications are adopted as the minimum plumbing code for the state:

9 (1) paragraphs 101.3 - 101.5.6, 103.5.1.1 - 103.5.1.4, 103.5.3.5,
10 103.5.4.2, 103.5.5.1 - 103.5.5.2, 103.5.6.1 - 103.5.6.3, and 103.8 - 103.8.2 of chapter
11 1, chapters 2 - 14, and the appendices A through L of the 1997 edition of the Uniform
12 Plumbing Code published by the International Association of Plumbing and
13 Mechanical Officials and adopted at the 67th annual conference, September 1996,
14 excluding, to the extent Table 4.1 applies to females, Table 4.1, "Minimum Plumbing

1 Facilities," except that the ratios for lavatories to water closets for males in Table
 2 4.1 are one lavatory for each water closet up to four water closets, and one
 3 additional lavatory for each two additional water closets beyond four water
 4 closets, [;"] and adding, to the extent Table A - 29 - A applies to females, Appendix
 5 Chapter 29, Table A - 29 - A, "Minimum Plumbing Fixtures," of the 1997 edition of
 6 the Uniform Building Code published in April 1997 by the International Council of
 7 Building Officials, except that for the category identified in Table A - 29 - A as
 8 "Assembly places--Auditoriums, convention halls, dance floors, lodge rooms,
 9 stadiums and casinos" the ratios

10 (A) indicating the number of water closets required for
 11 females are changed to provide the following:

12 (i) four water closets for 1 - 50 females;

13 (ii) six water closets for 51 - 100 females;

14 (iii) 10 water closets for 101 - 200 females;

15 (iv) 14 water closets for 201 - 400 females; and

16 (v) two additional water closets for each 125 females

17 over 400 females; and

18 (B) indicating the number of lavatories required for females
 19 are changed to

20 (i) one lavatory for each water closet up to four
 21 water closets; and

22 (ii) one additional lavatory for each two additional
 23 water closets beyond four water closets;

24 (2) the 1997 edition of the Uniform Swimming Pool, Spa, and Hot Tub
 25 Code published by the International Association of Plumbing and Mechanical Officials
 26 and adopted at the 67th annual conference, September 1996, excluding pages 1 - 8 of
 27 Part I, Administration; and

28 (3) the 1997 edition of the Uniform Solar Energy Code published by
 29 the International Association of Plumbing and Mechanical Officials and adopted at the
 30 67th annual conference, September 1996, excluding pages 1 - 7 of Part I,
 31 Administration.

1 * **Sec. 2.** This Act takes effect January 1, 2000.