

H B

115



Alaska State Legislature

Senate

Committee on Labor & Commerce

Pouch V
State Capitol
Juneau, Alaska 99811

Official Business

SUMMARY HB 115:

SEC 1: Exempts pressure vessels of 5 cubic feet or less and vessels with an inside diameter of 6 inches or less from the inspection requirement. Unfired pressure vessels, hot water boilers, and domestic water heaters which do not exceed the BTU capacities of Boiler and pressure vessel Codes are also exempted.

SEC 2: And 3: Deputy inspectors and special inspectors must pass a national exam. Companies authorized by the Dept. of Commerce and Economic Dev. to insure against certain types of losses may employ special inspectors.

SEC 4: Requires inspectors to use Department of Labor Reporting Forms, and specifies the kind of dangerous condition which a special inspector must report to the Department.

SEC 5: Examination for both special inspectors and deputy inspectors will be the National Board of Boiler and Pressure Vessel Inspectors examination.

SEC 6: Defines grounds for the revocation or suspension of a special or deputy inspector. Removes "untrustworthiness" as a ground for suspension, yet retains "incompetence". Conviction of certain crimes (bribery and perjury) is a ground for suspension or revocation. Intentional falsification is also penalized.

SEC 7: Time requirements for certificates of inspection are clarified and internal and external examinations for specific types of boilers are defined.

SEC 8: Requires that each inspection be made by a deputy or special inspector.

SEC 9: The Department of Labor is to be the recipient of fees.

SEC 10: Requires the Company authorized by the Department of Commerce and Economic Dev. to insure boilers and pressure vessels to notify the Department of Labor when it discontinues insurance.

SEC 11: Owner or user of the boiler or pressure vessel to pay the inspection fee to the Department of Labor.

SEC 12: (and 13) Defines boilers covered by second and third class boiler operators licenses to clarify the maximum capacity for the steam boiler and the maximum heat output for the high temperature or high pressure water boiler.

146115
February 2, 1981

Speaker of the House
Alaska State Legislature
Pouch V
Juneau, AK 99811

Dear Mr. Speaker:

Under the authority of art. III, sec. 18, of the Alaska Constitution, I am transmitting a bill on boiler and pressure vessel safety standards (AS 18.60). The bill would adapt the Alaska Statutes to the Boiler and Pressure Vessel Code of the American Society of Mechanical Engineers and make some alterations in the procedure of qualification for boiler and pressure vessel safety inspectors. A section-by-section description is attached for your convenience.

Sincerely,

JSH

Jay S. Hammond
Governor

Attachment

115113

SECTION-BY-SECTION DESCRIPTION

Section 1 exempts from inspection requirements pressure vessels of five cubic feet or less in places of public assembly and those having an inside diameter of six inches or less. Unfired pressure vessels and hot water supply boilers or domestic water heaters will also be exempted from the inspection requirements where their BTU capacities and water temperature do not exceed the limits specified by the Boiler and Pressure Vessel Code.

Sections 2 and 3 require that both deputy inspectors, who are employed by the Department of Labor, and special inspectors, who are employed by owner-users or insurance companies and certified by the state, pass a national examination. The bill also specifies that companies authorized by the Department of Commerce and Economic Development to insure against certain types of losses may employ special inspectors.

Section 4 requires inspectors to use reporting forms adopted by the Department of Labor rather than by the American Society of Mechanical Engineers for certification inspection. It also specifies the kind of dangerous condition which a special inspector must report to the department.

Section 5 specifies that the examination for both special and deputy inspectors will be the standard National Board of Boiler and Pressure Vessels Inspectors examination.

Section 6 spells out grounds for revocation or suspension of a state commission for either a special or deputy inspector. "Untrustworthiness" is removed as a ground for suspension or revocation. "Incompetence" remains. Conviction of specified crimes -- bribery and perjury -- in connection with official duties is inserted as a ground for revocation or suspension, and falsification is expanded and clarified to permit the penalty only for intentional falsification of any material matter in connection with an inspection report or an administrative or judicial proceeding. Substituting "intentional" for "wilful" in AS 18.60.200(a)(3) is intended to conform this terminology to that in the new criminal code.

Section 7 specifies the types of internal and external examination required for specific types of boilers, depending upon construction. The period of time within which certificates of inspection are required is also clarified.

Section 8 requires that each inspection be made by a deputy or special inspector.

Section 9 changes the recipient of fees from the deputy inspector to the Department of Labor. The section also repeals time limits on the validity of the inspection certificates; those limits are unnecessary because of the amendments to AS 18.60.320.

Section 10 requires any company authorized by the Department of Commerce and Economic Development to insure boilers or unfired pressure vessels to notify the Department of Labor each time it discontinues the insurance for a boiler or pressure vessel in Alaska. Reinspection is then required only if the insurance was terminated because of a condition dangerous to life or property.

Section 11 requires the owner or user of the boiler or unfired pressure vessel inspected by a deputy inspector to pay the inspection fee to the department rather than to the deputy inspector.

Sections 12 and 13 change the definitions of boilers covered by second and third class boiler operators' licenses to clarify the maximum capacity for the steam boiler and the maximum heat output for the high temperature or high pressure water boiler.

§ 18.60.175

by other person
separation shall
e in the district
of the fact, in
1949; am § 3 ch

istrict judge or

report. — For
970 (HB 430 am),
180.

who fails to
who violates a
s guilty of a
0)

report. — For
70 (HB 430 am),
180.

arance. The
ll file each
s office, and
appearance
peace officer
nce. If the
murder has
, the peace
is district or
he resides.
! assist and
1949; am §

strate," sub-
preceding
re the disap-

port. — For
HB 430 am),
1

lic Safety
s assigned
ns dealing
during a
l gated in
). (§ 7 ch

§ 18.60.180

HEALTH AND SAFETY

§ 18.60.200

Article 3. Boilers.

Section	Section
180. Regulations	300. Revocation or suspension of commission
190. Effect of regulations	310. Replacement of lost or destroyed certificate or commission
200. New boilers and unfired pressure vessels	320. Inspection of boilers and unfired pressure vessels
210. Exemptions	330. Rules of inspection
220. Duties of the Department of Labor	340. Inspection certificates
230. Appointment of deputy inspectors	350. Suspension of inspection certificate
240. Appointment and qualifications of special inspectors	360. Inspection fees
250. Compensation for special inspectors prohibited	370. Appeals
260. Duty of special inspectors	380. [Repealed]
270. Report of inspection	390. Inspection certificate required
280. Right of inspection	395. Licensing of boiler operators
290. Examination for deputy and special inspectors	

Sec. 18.60.180. Regulations. The Department of Labor shall formulate definitions, rules and regulations for the safe and proper construction, installation, repair, use and operation of boilers and for the safe and proper construction, installation and repair of unfired pressure vessels. The definitions, rules and regulations shall be based upon and shall follow the generally accepted nationwide engineering standards, formulae, and practices established for boiler and unfired pressure vessel construction and safety. The Department of Labor may adopt the existing published codification of these definitions, rules and regulations, known as the Boiler Construction Code of the American Society of Mechanical Engineers, and may adopt the amendments and interpretations made and published by that society. The Department of Labor shall adopt amendments and interpretations to the code immediately upon their promulgation by the American Society of Mechanical Engineers so that the definitions, rules and regulations at all times follow generally accepted nationwide engineering standards. (§ 1(c) ch 132 SLA 1955)

Cited in *College Enterprises, Inc. v. State*, 6 Alas. L.J. No. 2, p. 55 (Feb., 1968).

Sec. 18.60.190. Effect of regulations. (a) The rules and regulations adopted by the Department of Labor have the force and effect of law. However, the rules and regulations applying to the construction of new boilers and unfired pressure vessels do not prevent their installation until the rules and regulations become mandatory as provided in (b) of this section.

(b) Amendments in the rules and regulations are permissive immediately upon adoption and become mandatory 12 months after adoption. (§ 1(d) ch 132 SLA 1955)

Sec. 18.60.200. New boilers and unfired pressure vessels. A power boiler, low pressure boiler, or unfired pressure vessel which does not conform to the rules and regulations promulgated by the

Department of Labor governing new construction and installation shall not be installed and operated unless it is of special design or construction, and is not covered by the rules and regulations, or is not in any way inconsistent with the rules and regulations, in which case the Department of Labor may issue a special installation and operating permit. (§ 2 ch 132 SLA 1955)

Sec. 18.60.210. Exemptions. (a) Sections 180 — 390 of this chapter do not apply to the following:

- (1) boilers and unfired pressure vessels under federal regulation;
- (2) unfired pressure vessels meeting the requirements of the Interstate Commerce Commission for shipment of liquids or gases under pressure;
- (3) Air tanks located on vehicles operating under the rules of another state authority and used for carrying passengers or freight;
- (4) air tanks installed on the right of way of railroads and used directly in the operation of trains;
- (5) unfired pressure vessels having a volume of five cubic feet or less when not located in places of public assembly;
- (6) unfired pressure vessels designed for a pressure not exceeding 15 pounds per square inch gauge when not located in a place of public assembly.

(b) The following boilers and unfired pressure vessels are exempt from the requirements of §§ 320 — 360 of this chapter:

- (1) boilers or unfired pressure vessels located on farms and used solely for agricultural purposes,
- (2) steam boilers used exclusively for heating purposes carrying a pressure of not more than 15 pounds per square inch gauge and which are located in private residences or in apartment houses of less than six families;
- (3) hot water heating boilers carrying a pressure of not more than 30 pounds per square inch and which are located in private residences or in apartment houses of less than six families;
- (4) unfired pressure vessels containing only water under pressure for domestic supply purposes, including those containing air, the compression of which serves only as a cushion or airlift pumping system, when located in private residences or in apartment houses of less than six families;
- (5) unfired pressure vessels containing liquefied petroleum gas. (§ 4 ch 132 SLA 1955)

Sec. 18.60.220. Duties of the Department of Labor. The Department of Labor shall

- (1) have all violators of §§ 180 — 390 of this chapter prosecuted;
- (2) issue, suspend, or revoke for cause, inspection certificates provided for in § 390 of this chapter;
- (3) take action necessary for the enforcement of the laws, rules and regulations governing the use of boilers and unfired pressure vessels;

(4) k
allowa
last rec
to whic
(5) d
chapter

Sec.
ment o
than f
tenance
pro or
boilerm
provide

Sec.
inspect
§ 230 of
of a co
boilers a
operatin
compan
for a co
the exam
examina
boilers a
examina
certifica
and Pres
a compa
issued i
person i
making
the comp

Sec.
ited. A
pens
condition
company
and upon
chapter.

Sec. 1
shall ins
operated
pressure
payment
ch 132 SL

(4) keep a complete record of the type, dimensions, maximum allowable working pressure, age, condition, location, and date of the last recorded internal inspection of boilers and unfired pressure vessels to which §§ 180—390 of this chapter apply;

(5) do acts necessary to carry out the purposes of §§ 180—390 of this chapter. (§ 5 ch 132 SLA 1955)

Sec. 18.60.230. Appointment of deputy inspectors. The Department of Labor shall employ deputy inspectors who have had not less than five years' practical experience in the construction, maintenance, repair, or operation of high pressure boilers and unfired pressure vessels as a mechanical engineer, steam engineer, boilermaker, or boiler inspector, and who have passed the examination provided for in § 290 of this chapter. (§ 6 ch 132 SLA 1955)

Sec. 18.60.240. Appointment and qualifications of special inspectors. In addition to the deputy boiler inspectors provided for in § 230 of this chapter, the Department of Labor shall, upon the request of a company authorized to insure against loss from explosion of boilers and unfired pressure vessels, or upon the request of a company operating unfired pressure vessels, issue to an inspector of the company a commission as a special inspector. However, to be eligible for a commission as special inspector, a person shall satisfactorily pass the examination provided for in § 290 of this chapter, or instead of the examination may hold a certificate of competency as an inspector of boilers and unfired pressure vessels for a state that has a standard of examination substantially equal to that of this state, or may hold a certificate as an inspector of boilers from the National Board of Boiler and Pressure Vessel Inspectors. A commission as a special inspector for a company operating unfired pressure vessels in this state may be issued if, in addition to meeting the requirements in this section, a person is continuously employed by the company for the purpose of making inspections of unfired pressure vessels used or to be used by the company. (§ 7(a) ch 132 SLA 1955)

Sec. 18.60.250. Compensation for special inspectors prohibited. A special inspector is not entitled to any compensation or expenses from the state. A special inspector's commission is conditioned upon his continuing in the employ of a boiler insurance company or a company operating unfired pressure vessels in this state and upon his maintaining the standards imposed by §§ 180—390 of this chapter. (§ 7(b) ch 132 SLA 1955)

Sec. 18.60.260. Duty of special inspectors. Each special inspector shall inspect all boilers and unfired pressure vessels insured or operated by his company. The owner and user of a boiler or unfired pressure vessel inspected by its special inspector is exempt from the payment of the inspection fees provided in § 360 of this chapter. (§ 7(c) ch 132 SLA 1955)

Sec. 18.60.270. Report of inspection. Each company employing a special inspector shall, within 30 days following each internal boiler or unfired pressure vessel inspection by its inspector, file a report of the inspection with the Department of Labor upon forms adopted by the American Society of Mechanical Engineers. The report of an external inspection is not required except when such inspector discloses that the boiler or unfired pressure vessel is in a dangerous condition. (§ 7(d) ch 132 SLA 1955)

Sec. 18.60.280. Right of inspection. The Department of Labor, or a deputy or special inspector shall be given free access, during reasonable hours, to any premises where a boiler or unfired pressure vessel is being constructed, installed or operated, for the purpose of determining whether the boiler or unfired pressure vessel is constructed, installed and operated in accordance with §§ 180—390 of this chapter. (§ 7(e) ch 132 SLA 1955)

Sec. 18.60.290. Examination for deputy and special inspectors. The Department of Labor shall give the examination for the position of deputy inspector or special inspector. The examination shall be in writing. The examination shall be limited to the subject matter which will aid in determining the fitness and competency of the applicant. If an applicant fails to pass the examination, he may appeal to the department for another examination which shall be given by the department within 90 days. The applicant and his employer shall have access to the record of an applicant's examination. (§ 8(a) ch 132 SLA 1955)

Sec. 18.60.300. Revocation or suspension of commission. (a) The Department of Labor may, after investigation, suspend or revoke a commission for (1) incompetence, (2) untrustworthiness, or (3) wilful falsification of any matter or statement in his application or in an inspection report. A person whose commission has been suspended or revoked, except for untrustworthiness, may apply to the Department of Labor for reinstatement or, in the case of a revocation, the person may apply 90 days after revocation for a new examination and commission.

(b) A person whose commission has been suspended or revoked may appeal the suspension or revocation as provided in § 370 of this chapter and is entitled to be present and represented by counsel at the hearing. (§ 8(b) ch 132 SLA 1955)

Sec. 18.60.310. Replacement of lost or destroyed certificate or commission. If a certificate or commission is lost or destroyed the Department of Labor shall issue a new certificate or commission without another examination. (§ 8(c) ch 132 SLA 1955)

Sec. 18.60.320. Inspection of boilers and unfired pressure vessels. (a) Each boiler and unfired pressure vessel used or proposed

to be us
under
installa
(1) E
and ext
inspect
(2) E
interna
(3) E
be ins
constru
discreti
(4) E
shall b
Labor.
is not r
materi
from th
the con
that th
of the
substar
time of
(b) F
months
inspect
inspect
inspect
two mc
the Dej
9(a) ch

Sec.
grace p
may m
unfired
require
materi
(b) E
special
(c) E
safety
the disc
(d) E
state a
regulat

8.60.320

employing a boiler or part of the boiler by the external that the 7(d) ch

or, or a reasonable vessel is mining installed 7(e) ch

inspec- for the ination subject of the appeal by the ll have 2 SLA

a) The roke a wilful in an ded or tment person n and

d may apter aring.

te or d the ssion

asure posed

§ 18.60.330

HEALTH AND SAFETY

§ 18.60.330

to be used in the state except boilers or unfired pressure vessels exempt under § 210 of this chapter shall be inspected as to construction, installation, condition and operation, as follows.

(1) Each power boiler shall be inspected annually both internally and externally while not under pressure and, if possible, shall also be inspected annually externally while under pressure.

(2) Each low pressure heating boiler shall be inspected both internally and externally biennially where construction permits.

(3) Each unfired pressure vessel subject to internal corrosion shall be inspected both internally and externally biennially where construction permits, except that the Department of Labor may, in its discretion, provide for longer periods between inspections.

(4) Each unfired pressure vessel not subject to internal corrosion shall be inspected externally at intervals set by the Department of Labor. However, an internal inspection of each unfired pressure vessel is not required where its contents are known to be noncorrosive to the material of which the shell, head, or fittings are constructed, either from the chemical composition of the contents or from evidence that the contents are adequately treated with a corrosion inhibitor, provided that the vessel is constructed in accordance with rules and regulations of the Department of Labor or in accordance with standards substantially equivalent to the rules and regulations in effect at the time of manufacture.

(b) However, in the case of power boilers a grace period of two months longer than the 12 month period may elapse between internal inspections of a boiler while not under pressure or between external inspections of a boiler while under pressure. In the case of low pressure heating boilers not more than 26 months may elapse between inspections, and in the case of unfired pressure vessels not more than two months longer than the period between inspections prescribed by the Department of Labor may elapse between internal inspections. (§ 9(a) ch 132 SLA 1955)

Sec. 18.60.330. Rules of inspection. (a) Subject to the applicable grace period provided in § 320 of this chapter the Department of Labor may modify its rules and regulations applying to the inspection of unfired pressure vessels to reduce or extend the interval between required inspections where the contents of the vessel or its construction material warrant special consideration.

(b) Each inspection shall be made by a deputy inspector, or by a special inspector provided for in §§ 180—390 of this chapter.

(c) If a hydrostatic test is considered necessary to determine the safety of a boiler or unfired pressure vessel, the test shall be made, at the discretion of the inspector, by the owner or user.

(d) Each boiler and unfired pressure vessel to be installed in the state after the 12 month period from the effective date of the rules and regulations of the Department of Labor shall be inspected during

construction as the rules and regulations require by an inspector holding a certificate from the National Board of Boiler and Pressure Vessel Inspectors, or a certificate of competency as an inspector of boilers for a state that has a standard of examination substantially equal to that of this state as provided in § 290 of this chapter. (§ 9(b) — (e) ch 132 SLA 1955)

Sec. 18.60.340. Inspection certificates. (a) If, upon inspection, a boiler or an unfired pressure vessel complies with the rules and regulations of the Department of Labor, the owner or user shall pay to the deputy inspector a certificate fee to be established by regulation by the commissioner of labor. The Department of Labor shall issue the owner or user an inspection certificate showing the date of inspection and specifying the maximum pressure under which the boiler or unfired pressure vessel may be operated. The inspection certificate is valid for not more than 14 months from its date in the case of power boilers and 26 months in the case of low pressure heating boilers, and for not more than two months longer than the authorized inspection period in the case of unfired pressure vessels. Certificates shall be posted under glass in the room containing the boiler or unfired pressure vessel inspected. If the boiler or unfired pressure vessel is not located inside the building, the certificate shall be posted in a location convenient to the boiler or unfired pressure vessel, or in the case of a portable boiler or unfired pressure vessel the certificate shall be kept in a metal container fastened to the boiler or vessel or in a tool box accompanying the boiler or unfired pressure vessel.

(b) An inspection certificate issued for an insured boiler or unfired pressure vessel inspected by a special inspector is not valid after the boiler or unfired pressure vessel, for which it was issued, ceases to be insured by a company authorized by the state to carry the insurance. (§ 10(a) (b) ch 132 SLA 1955; am § 1 ch 74 SLA 1966)

Effect of amendment. — The 1966 amendment substituted "pay to the deputy inspector a certificate fee to be established by regulation by the commissioner of labor" for "pay the deputy inspector the sum of \$2 in the case of a boiler, and \$1 in the case of an unfired pressure vessel" at the end of the first sentence of subsection (a).

Sec. 18.60.350. Suspension of inspection certificate. The Department of Labor may suspend an inspection certificate when, in its opinion, the boiler or unfired pressure vessel for which it was issued cannot be operated without menace to the public safety, or when the boiler or unfired pressure vessel does not comply with the rules and regulations. A special inspector has this same power to suspend an inspection certificate for an insured boiler or unfired pressure vessel or an unfired pressure vessel operated by the company employing him. Suspension of an inspection certificate continues in effect until reinstatement. No certificate may be reinstated until the boiler or unfired pressure vessel conforms to the rules and regulations of the Department of Labor. (§ 10(e) ch 132 SLA 1955)

Sec shall. inspec establ and h power unfire

(b)

inspec compl under

(c)

inspec amour treasu SLA 1

Effec amendr The 1

Sec.

deputy appeal hold a days' days a approv order Depar superi and m

Sec.

Rep

Edito derivd ch. 74, S

Sec.

a pers witho this c witho specifi user, c impris unlaw

Cited State, 6

Sec. 18.60.360. Inspection fees. (a) The commissioner of labor shall, by regulation, establish reasonable fees to be charged for the inspection of boilers and unfired pressure vessels. Separate fees may be established for external inspection, internal inspection, shop inspection and hydrostatic tests, and fees may vary depending upon the rated power, heating surface area or cross sectional area of boilers and unfired pressure vessels.

(b) The owner or user of a boiler or unfired pressure vessel which is inspected by a deputy inspector shall pay the deputy inspector, upon completion of the inspection, the appropriate inspection fee established under (a) of this section.

(c) The Department of Labor shall give an official receipt for an inspection fee collected under this section and shall transfer the amount of the fee to the Department of Revenue for deposit in the state treasury. (§ 12 ch 132 SLA 1955; am § 2 ch 74 SLA 1966; am § 1 ch 29 SLA 1968)

Effect of amendments. — The 1966 amendment rewrote this section. treasury" for "fund established in § 380 of this chapter" at the end of subsection (c).

The 1968 amendment substituted "state

Sec. 18.60.370. Appeals. A person aggrieved by an order or act of a deputy inspector may, within 15 days after notice of the order or act, appeal to the Department of Labor. The Department of Labor shall hold a hearing within 30 days of the appeal but shall give at least 10 days' written notice of the hearing to all interested parties. Within 30 days after the hearing, the Department of Labor shall issue an order approving or disapproving the order or act and shall give a copy of the order to all interested parties. Within 30 days after the order of the Department of Labor a person aggrieved may file a petition in the superior court for review. The court shall summarily hear the petition and may make an appropriate order or decree. (§ 14 ch 132 SLA 1955)

Sec. 18.60.380. Creation of boiler fund.

Repealed by § 3 ch 29 SLA 1968.

Editor's note. — The repealed section derived from § 15 ch. 132, SLA 1955; § 3, ch. 74, SLA 1966.

Sec. 18.60.390. Inspection certificate required. It is unlawful for a person to operate a boiler or unfired pressure vessel under pressure without a valid inspection certificate as provided for in §§ 180—390 of this chapter. The operation of a boiler or unfired pressure vessel without an inspection certificate, or at a pressure exceeding that specified in the inspection certificate, is a misdemeanor and the owner, user, or operator is punishable by a fine of not more than \$1,000 or by imprisonment for not more than six months, or by both. Each day of unlawful operation is a separate offense. (§ 11 ch 132 SLA 1955)

Cited in *College Enterprises, Inc. v. State*, 6 Alas. L.J. No. 2, p. 35, Feb., 1968.

Sec. 18.60.395. Licensing of boiler operators. (a) The Department of Labor shall promulgate regulations for the licensing of boiler operators. The regulations shall conform to the generally accepted nationwide standards and practices established for boiler operators.

(b) Operators' licenses shall be provided in the following categories:

- (1) fireman — apprentice,
- (2) third class — boiler capacity not to exceed 3,500 pounds an hour,
- (3) second class — boiler capacity not to exceed 100,000 pounds an hour,
- (4) first class — unlimited.

(c) This section does not require a person to be licensed in order to be a boiler operator. (§ 1 ch 68 SLA 1970)

Article 4. Refrigerators and Similar Equipment.

Section	Section
400. Removal of locks upon discarding	430. Inspection of equipment
410. New equipment to have opening device on inside	440. Appeals
420. Administration of §§ 400—460 of this chapter	450. Violations and penalties
	460. Enforcement of article

Sec. 18.60.400. Removal of locks upon discarding. No person may abandon, discard, or throw away an icebox, refrigerator, freezer, or similar equipment which by nature of its use is airtight and equipped with a locking device, unless the door latches or hinges are first removed. Equipment having a capacity of one and one-half cubic feet or less is exempt from the requirements of §§ 400—460 of this chapter. (§ 1 ch 106 SLA 1957)

Sec. 18.60.410. New equipment to have opening device on inside. No person may offer for sale an icebox, refrigerator, freezer, or similar apparatus of more than one and one-half cubic feet capacity equipped with a locking device or latch unless it is equipped with a locking device or latch so constructed that it may be operated by pressure from inside. (§ 2 ch 106 SLA 1957)

Sec. 18.60.420. Administration of §§ 400—460 of this chapter. The Department of Labor shall administer §§ 400—460 of this chapter. It may appoint inspectors and shall inspect all iceboxes, refrigerators, freezers and similar equipment shipped into the state. (§ 4 ch 106 SLA 1957)

Sec. 18.60.430. Inspection of equipment. Every person who sells equipment subject to inspection under §§ 400—460 of this chapter shall permit an authorized inspector to enter the premises where the equipment is stored, or offered for sale, for inspection during reasonable business hours. (§ 5 ch 106 SLA 1957)

Sec. 18.60.440. Appeals. A person aggrieved by an order or act of the Department of Labor or of an inspector under §§ 400—460 of this

§ 18.6

chapt
(§ 6 c)

Sec
provis
is pur
106 SL

Sec
munic
chapt

Section
470—57

Sec

Rep

Edite

derived
§§ 1—4
1971.

Section
"All li
and oth
law am
transfe
and m
notwith
amendr
Certific
issued

Section
580. Mi
590. Bo

600. Po
610. De

Sec.
of Lab
Electri
the lab
Electri
Bureau
the sta

Effect
amendr
near the

THE LEGISLATURE OF THE STATE OF ALASKA
TWELFTH LEGISLATURE

FISCAL NOTE

I. REQUEST
 Bill/Resolution No. HOUSE BILL NO. 115
 Title "An Act relating to boilers and pressure vessels."
 Requested by Governor Date January 23, 1981

II. FISCAL DETAIL
 Agency Affected Labor
 Program Category Affected Public Protection
 BRU Program, or Subprogram(s) Affected Mechanical Inspection
 (Note: If more than one budget component is affected, separate line-item amounts and funding for each component in the analysis section.)
EXPENDITURES (Thousands of Dollars)

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86
100 PERSONAL SERVICES						
200 TRAVEL						
300 CONTRACTUAL						
400 COMMODITIES						
500 EQUIPMENT						
600 LAND & STRUCTURES						
700 GRANTS, CLAIMS, ETC.						
TOTAL	-0-	-0-	-0-	-0-	-0-	-0-

FUNDING (Thousands of Dollars)

GENERAL FUND	-0-	-0-	-0-	-0-	-0-	-0-
FEDERAL FUNDS	-0-	-0-	-0-	-0-	-0-	-0-
OTHER (Specify Fund Source)	-0-	-0-	-0-	-0-	-0-	-0-

POSITIONS

FULL TIME	-0-	-0-	-0-	-0-	-0-	-0-
PART TIME						
TEMPORARY						

III. ANALYSIS (See Fiscal Note Preparation Instructions, Section III)

IV. DATE January 23, 1981 PREPARED BY Nico Bus, Finance Officer
 AGENCY Labor
 Original: Legislative Finance PHONE 465-2720
 cc: Budget and Management
 Prime Sponsor (First Legislator Named)