

Offered: 4/11/84
Referred: Rules

Original sponsors: Gilman, Sturgulewski
and P.Fischer

Funding Information
General Fund \$50,000
Other Funds -0-
\$50,000

1 IN THE SENATE BY THE FINANCE COMMITTEE

2 CS FOR SENATE BILL NO. 15 (2d Finance)

3 IN THE LEGISLATURE OF THE STATE OF ALASKA

4 THIRTEENTH LEGISLATURE - SECOND SESSION

5 A BILL

6 For an Act entitled: "An Act making a special appropriation for payment as
7 a grant to the City of Fort Yukon for upgrading the
8 community center; and providing for an effective
9 date."

10 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF ALASKA:

11 * Section 1. The sum of \$50,000 is appropriated from the general fund
12 for payment as a grant to the City of Fort Yukon for upgrading the health
13 and safety standards of the community center as required by the Department
14 of Environmental Conservation.

15 * Sec. 2. The appropriation made by this Act shall be disbursed in
16 accordance with AS 37.05.315.

17 * Sec. 3. This Act takes effect immediately in accordance with AS 01.-
18 10.070(c).

CITY OF FORT YUKON

INCORPORATED 1959

Post Office Box 269

Fort Yukon, Alaska 99740

Telephone (907) 662-2479 or 2379

for 55-15
March 29, 1984

Senator John C. Sackett
Pouch V
Juneau, Alaska 99811

Dear Senator Sackett,

Due to a limited budget, the City of Fort Yukon has not been able to properly maintain the Community Center.

The Community Center consists of a laundry mat, an elderly program office, a meeting room, a gymnasium, men and woman bathrooms with showers, lockers ect. and a weight room which will soon be changed into an office.

Enclosed is a State of Alaska Inspection Sheet which was taken on March 19, 1984. The violations must be corrected immediately or the building will have to be closed.

The Community Center which is used by the entire community, for laundry, showers, recreation, entertainment, and the School also uses the Gym for some of their classes. The Center is the only building in the community which is open to the public for the above purposes. Without this facility there would be no place to take showers, do laundry or have basketball games or any other kind of entertainment or recreation.

For these reasons the Community Center is very important to the community. Therefore the City would like to correct the violations as soon as possible unfortunately the City does not have the funds to do so.

Also enclosed is a list of materials and prices which have to be purchased in order to make the necessary repairs.

Senator Sackett
Page 2

The City of Fort Yukon is requesting if possible, funds to help purchase material to correct the attached violations. Any help would be greatly appreciated, thank you.

Sincerely,
Inc. City of Fort Yukon

Vera B James

VERA B. JAMES
CITY MANAGER

Enclosures: Inspection Sheet
List of Materials



STATE OF ALASKA
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

1/2 PGS

PUBLIC TOILET, SHOWER OR LAUNDROMAT INSPECTION

740.28.001

Item **Sanitation Requirement**

MINIMUM PLUMBING FACILITIES - RESTAURANTS & TAVERNS N/A

1. Minimum fixtures per seating capacity

SPECIAL EVENTS N/A

2. Facilities as required and pre-approved by the department

TOILET ROOMS *FIS - not cln*

3. Toilet paper provided, *rooms clean*

4. Toilets installed, connected as required, *♂ URINAL - leaks; ♀ COMMODE - cracked/leak*

5. Privies designed, constructed, located as required *- flushometer leaks*

6. Floors, walls, intersections constructed as required *♂ - vic urinal NO C.molding*

7. Partitions designed, installed as required

8. Self-closing doors, entrance located as required

9. Ventilation provided, lighting as required

10. Easily cleanable refuse receptacles

11. Locks/key available as stated

HAND WASH SINKS

12. Installed, located as required; *clean LAWS - 1 cracked 1 not clean*

13. Equipped with hot/cold running water where practical

14. Storage tank for wash water provided if running water not available

15. Temperature of hot water 100-120° F *130°F*

16. Disposable *single* service towels/hot air dryer provided as required

17. Soap provided as required

PUBLIC SHOWERS

18. Constructed as required

19. Floors: designed, constructed as required *FLS - seal sc s, ec*

20. Showers/drying areas vented as required *NO VENTILATION*

21. Showers/drying areas maintained as required *CEILING - not s, ec;*

22. Towels, if provided, laundered, stored properly *STAIRS - not s, ec;*

23. Water temperature is 100-120° F *130°F BENCHES - not s, ec; SHOWER HDS - leak*

PUBLIC LAUNDROMATS

24. Walls, ceilings, floors, countertops, equipment clean; *smooth, cleanable; CEILING - damaged vic dryer vent s, ec*

25. Refuse containers provided, clean *WALL - behind util sink not s, ec*

BUILDING CONSTRUCTION AND MAINTENANCE *LIBRARY AND HALLWAY - damaged tiles*

26. Floors: constructed, nonabsorbent, easily cleanable *GYM - wall panels*

27. Intersections between walls and floors sealed or covered *light shields*

28. Ventilation provided as required

29. Premises clean, good repair and free of pest attractants *WT RM - walls*

30. Grounds around facility well drained, free of litter *damaged ceiling panels, broken window pieces not clean*

WATER SUPPLY, WASTE WATER AND SOLID WASTE DISPOSAL

31. Water supply complies with 18 AAC 80

32. Plumbing complies with Alaska Plumbing Code

33. Solid waste complies with 18 AAC 60

34. Incinerator complies with 18 AAC 50

35. Wastewater disposal complies with 18 AAC 72

♀ FACILITIES WERE NOT INSPECTED DUE TO USE DURING INSPECTION PERIOD. 7/12

POSTING REGULATIONS AND INSPECTION REPORTS

36. Copy of the regulations and most recent inspection conspicuously posted.

NOTE: MOST OF THESE VIOLATIONS ARE REPEAT VIOLATIONS NOTED DURING THE PREVIOUS INSPECTION 5/12/83.

Name of Establishment
FT YUKON COMMUNITY CENTER

Name of Operator
HANNAH SOLOMON, DIRECTOR

Location
FT YUKON

Mailing Address
P.O. BOX 269

City, State and Zip Code
FT YUKON, AK 99740

Reg./Dist.	Community	Establishment	Sanitarian
3,1	7,4,0	2,8,0,1	2,2,0

Yr., Mo., Day of Inspection
8,4,03,1,9

Follow-up Required
 No Yes In _____ Days

Based on an inspection this day, the items marked at left identify violations in operations or facilities which must be corrected by the next routine inspection or such shorter time as may be specified in writing. (18 AAC 30)

Please Note:

3 Toilet room floors were not clean

4 Men's toilet in urinal leaked

1 commode in lav was cracked and leaked

1 commode flushometer valve leaked.

6 Coved molding was missing from wall vicinity urinal

12 Men's toilet room had 1 handwash sink that was cracked and 1 that was not clean

15 and 23 Hot water temperature was 130°F - it must be adjusted to between 100-120°F.

16 Disposable paper towels must be provided.

19 Toilet and shower room floors were not smooth, easily cleanable and must be rescaled to be cleanable.

Overall Condition
 Excellent Good Fair Poor

Continuation Sheet

Received By
Hannah Solomon

Date
3/19/84

Inspected By
ND Tibbs

Date
3/19/84



STATE OF ALASKA
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

INSPECTION CONTINUATION

740.28.001

Name FT YUKON COMMUNITY CENTER	Date of Inspection 19 MAR 84
Type of Facility WASHETERIA	Page 2 of 2

(20) Men's shower room is not adequately ventilated. (21) Men's shower room ceiling was not smooth, easily cleanable; shower stalls need to be repainted; benches must be repainted; some shower heads leak if could not be turned off. Correct as necessary. Clean and sanitize showers, benches, toilets, urinals, handwash sinks daily. (24) One folding table in laundry room is not smooth, easily cleanable. The ceiling vicinity dryer vent flue was damaged. The wall behind the utility sink was not smooth, easily cleanable. Correct as necessary. (26) The facility hallway and library floors were damaged in areas. (29) The weight room walls were damaged in areas, ceiling was missing ceiling panels; floors were not clean; 1 window in weight room was broken. Repair as necessary.

CORRECTION SCHEDULE:

ITEMS 3, 4, 12, 15, 23, 16 & 21 (daily sanitizing) - CORRECT IMMEDIATELY

ITEMS 6, 19, 20, 21 (structural), 24, 26 & 29 - CORRECT WITHIN 60 DAYS.

— RESPOND IN WRITING TO THIS OFFICE REGARDING —

CORRECTION OF ALL VIOLATIONS.

WRITE TO: ADEC

POUCH 1601

FBKS, AK 99707

Received By	Date	Inspected By ND Fibbs	Date 3/19/84
-------------	------	---------------------------------	------------------------

CITY OF FORT YUKON

INCORPORATED 1959

Post Office Box 269

Fort Yukon, Alaska 99740

Telephone (907) 662-2479 or 2379

Floor Tile 9" and Paste
Front Foor - Repairs & Wax, Strip & Plexoglass
Bathroom Floors Mens Epoxy Filler
Paint Showers & Hew Pegs
Shower Heads 8
Rehang Mens Bathroom Ceiling
2 New toilet Stalls
2 New Wall Toilets Complete 250./each
1 Urnal Flush 0 Meter
3 sinks Mens 95./each
1 Wall unit Paper Towel & Waste
Girls Bathroom 2 sinks
Floor Flexoglass
Few Ceiling Pammel and Light Pamel
5 Toilet Seats 20./ea. Horse shoe type
5 Flush meter 120./ea.
Weight room
1 window repair
Ceiling panel
26 x 4x8 $\frac{1}{4}$ Regular Boards - FBKS lumber 14.78 ea.
Lumber Pon Bleachers
Bolts Pon Bleachers
7 (Post) Covers Vincel
2 foam pads (post) 2'x24"x 8'
3/4" Screws 10# Drywall
29 2x12x8'
8 Ceiling Lights Transformers
Paint for walls 10 gals.
Repair wall panel (Plywood)
2 50' Sort Folding 1 $\frac{1}{2}$ fire hose
Gym Floor
Labor
Roof Repair

Estimated Total \$ 50,000.00

Offered: 2/23/83
Referred: Rules

Original sponsors: Gilman, Sturgulewski
and P.Fischer

Funding Information
General Fund \$87,986,500
Other Funds -0-
\$87,986,500

1 IN THE SENATE BY THE FINANCE COMMITTEE

2 CS FOR SENATE BILL NO. 15 (Finance)

3 IN THE LEGISLATURE OF THE STATE OF ALASKA

4 THIRTEENTH LEGISLATURE - FIRST SESSION

5 A BILL

6 For an Act entitled: "An Act making a supplemental appropriation to the
7 Department of Environmental Conservation for water
8 and sewer grants; special appropriations to an
9 unincorporated community and municipalities for
10 water, sewer or solid waste grants, to the Department
11 of Education for a water grant, and to the Department
12 of Environmental Conservation for water and sewer
13 studies; and providing for an effective date."

14 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF ALASKA:

15 * Section 1. The sum of \$28,000,000 is appropriated from the general
16 fund to the Department of Environmental Conservation for payment as grants
17 for water and sewer facility construction under AS 46.03.020 - 46.03.030 to
18 the following communities: Anchorage, Aniak, Bristol Bay Borough, Cordova,
19 Fairbanks, Haines, Homer, Houston, Hydaburg, Juneau, Kake, Kenai, Kenai
20 Peninsula Borough, Ketchikan, Ketchikan Public Utilities, Nome, North Pole,
21 Petersburg, Sand Point, Scammon Bay, Seward, Sitka, Soldotna, Upper
22 Kalskag, Valdez, Wasilla, and Wrangell.

23 * Sec. 2. The sum of \$838,000 is appropriated from the general fund to
24 the unincorporated community of Igiugig for payment as a grant for water,
25 sewer, and solid waste facility construction.

26 * Sec. 3. The sum of \$57,898,500 is appropriated from the general fund
27 to the following municipalities for payment as grants for water and sewer
28 facility construction.

29 Municipality of Anchorage:

1	Eagle River/Chugiak water	\$1,850,000
2	Point Woronzof wastewater plant	3,300,000
3	Port of Anchorage, AREA D & U.S.	1,000,000
4	Port of Anchorage, Lot 12B	4,800,000
5	Ship Creek water treatment plant	6,000,000
6	Solid waste landfill project	315,000
7	Akihiok:	
8	Sanitary landfill development	460,000
9	Bethel:	
10	Bethel sewer line extension	400,000
11	Bristol Bay Borough:	
12	South Naknek village well	87,000
13	Chevak:	
14	Watering points	848,000
15	Craig:	
16	Water and sewer Phase I completion	1,000,000
17	Dillingham:	
18	Airport Heights Subdivision water	
19	development	300,000
20	City of Fairbanks:	
21	Sewer drainage upgrade	960,000
22	Sludge disposal facility	850,000
23	Van Horn interceptor	360,000
24	Fairbanks North Star Borough:	
25	Ballaine Lake sewer service	700,000
26	Fort Yukon:	
27	Fort Yukon water and sewer system	3,700,000
28	Haines:	
29	Allen Road to Sawmill Road waterline	33,500

1	Hoonah:	
2	Water and sewer upgrade Phase I	3,600,000
3	Hydaburg:	
4	Water and sewer upgrade (additional	
5	to DEC \$2.5 million)	2,500,000
6	Iliamna/Newhalen:	
7	Water development	340,000
8	City and Borough of Juneau:	
9	Juneau water system development	7,000,000
10	Kake:	
11	Fourth Avenue loop water and portage	
12	cove extension	860,000
13	Kaktovik:	
14	Kaktovik grey water facility	450,000
15	Klawok:	
16	Water and sewer improvements	500,000
17	Kotzebue:	
18	Water and sewer expansion	1,100,000
19	Larsen Bay:	
20	Water and sewer	370,000
21	McGrath:	
22	Water delivery Phase I	1,150,000
23	Minto:	
24	Phase I water and sewer system	335,000
25	Mt. Village:	
26	Washeteria	700,000
27	Near Island:	
28	Water and sewer engineering	350,000
29	Nikolai:	

1	On site water and sewer system	400,000
2	Nome:	
3	Nome water, sewer, and utilidor system	1,000,000
4	Noorvik:	
5	Water and sewer expansion	600,000
6	Old Harbor:	
7	Sewer renovation	1,160,000
8	Palmer:	
9	Sewage plant expansion	2,370,000
10	Port Lions:	
11	Bayview Dr. sewer Phase I	132,000
12	Savoonga/Punik Island:	
13	Water and sewer	452,000
14	Seldovia:	
15	Water and sewer extension	506,000
16	Sitka:	
17	Blue Lake water source	3,000,000
18	Unalakleet:	
19	Water main extension	500,000
20	Wasilla:	
21	Wastewater facility	1,400,000
22	Septic treatment	160,000
23	* Sec. 4. The sum of \$1,050,000 is appropriated from the general fund	
24	to the Department of Education for payment as grants for water facility	
25	construction authorized and disbursed under AS 14.11 to the following	
26	school districts:	
27	Bering Straits School District:	
28	Water projects (Teller, Brevig Mission,	
29	Golovin, and Shishmaref)	1,000,000

1 Northwest Arctic School District:

2 Water main hookup 50,000

3 * Sec. 5. The sum of \$200,000 is appropriated from the general fund to
4 the Department of Environmental Conservation for water and sewer feasibil-
5 ity studies in Anvik, Eek, Nulato, Telida, and Platinum authorized under
6 AS 46.03.020.

7 * Sec. 6. The appropriations made under secs. 2 and 3 of this Act shall
8 be disbursed in accordance with AS 37.05.315 - 37.05.319.

9 * Sec. 7. This Act takes effect immediately in accordance with AS 01.-
10 10.070(c).

Introduced: 1/18/83
Referred: Community and Regional
Affairs and Finance

Funding Information
General Fund \$28,000,000
Other Funds -0-
\$28,000,000

BY GILMAN, STURGULEWSKI
AND P.FISCHER

1 IN THE SENATE

2

SENATE BILL NO. 15

3

IN THE LEGISLATURE OF THE STATE OF ALASKA

4

THIRTEENTH LEGISLATURE - FIRST SESSION

5

A BILL

6 For an Act entitled: "An Act making a supplemental appropriation to the

7

Department of Environmental Conservation; and provid-

8

ing for an effective date."

9 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF ALASKA:

10 * Section 1. The sum of \$28,000,000 is appropriated from the general

11 fund to the Department of Environmental Conservation for grants for water

12 and sewer facility construction authorized by AS 46.03.030.

13 * Sec. 2. This Act takes effect immediately in accordance with AS 01.-

14 10.070(c).