

HB

79

<TARGET><BILL>HB 79</BILL><SUBJECT>HB
79</SUBJECT><COMM>HHSS27</COMM></TARGET>

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

Memorandum

January 13, 2012

To: Rep. Wes Keller
Chair, House Health and Social Services Committee

From: Rep. Pete Petersen

Re: Hearing Request for House Bill 79

A handwritten signature in black ink, appearing to read "P. Petersen".

On behalf of Rep. Kawasaki and myself, I respectfully request that House Bill 79 be scheduled for a hearing in the House Health and Social Services Committee. Please feel free to contact me, or my aide Monica Southworth, at 465-4939 with any questions, thoughts, or ideas.

Attached you will find a background packet for House Bill 79 including a current version of the bill, a sponsor statement, a sectional analysis, and background information about autism and autism treatment.

We will need to have teleconference set up for the hearing.

Thank you for your consideration.

Alaska State Legislature

State Capitol, Room 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

Sponsor Statement

HB 79 INSURANCE COVERAGE FOR AUTISM SPECTRUM DISORDERS

Autism is a devastating disorder affecting at least 1 in 100 children, accounting for 1% of America's youth and 1 in 58 boys, according to the most recent study by the Center for Disease Control and Prevention. Despite being treatable, many children diagnosed with an Autism Spectrum Disorder (ASD) never receive the treatment they need. Families go bankrupt mortgaging their future, trying to provide their children with the treatment to ameliorate their condition. Families are forced to dig into their savings, retirement funds, and their other children's college savings because ASD is not covered by insurance plans. In fact, most insurance plans discriminate against autistic children and explicitly exclude the treatment of ASD, even when the service is otherwise covered by the health plan.

HB 79 is a market-based bill that will allow families to afford medically necessary treatment for autistic children, creating millions of dollars in long term savings for special education and other support costs. This bill will also create job opportunities for autism service providers by ensuring that insured Alaskans will be able to afford coverage for their autistic children.

While there is no cure for autism, research has shown that early diagnosis and treatment can significantly lessen the symptoms of ASD. Currently there are very limited resources in Alaska for the diagnosis and treatment of ASD, and insurance coverage for autism treatment would help attract autism treatment professionals to Alaska.

HB 79 would require insurance coverage for autism spectrum disorders, including the behavior therapies that after 30 years of study have shown to be the only effective treatment of these disorders. Treatment has been shown to improve the symptoms of ASD and in some cases even eliminate the need for special education services for a child with ASD. The cost savings in special education alone would amount to approximately \$208,500 per capita during the school years. This number rises to over \$1.08 million over the autistic person's lifespan.

The incremental societal cost of not treating autism has been estimated by Michael Ganz, a Harvard economist, to be approximately \$3.2 million per capita. The cost to policy holders to implement such coverage is minimal: estimated at less than a 1% increase in their premiums. One of the nation's foremost actuarial firms has studied the cost of providing insurance coverage for autism spectrum disorders, and concluded that the cost to policy holders in Alaska would be minimal (estimated at between 0.28% and 0.68%, or \$2.58 per month). This legislation allows Alaska to start this process on our own terms, without a federal mandate, and gives the state the needed time to build capacity to meet the demands created by HB 79.

Twenty-three states have adopted laws similar to HB 79, and these laws have been successful in ensuring autistic children receive the treatment they need and have had minimal effects on health insurance premiums.

Insurance coverage of ASD would not only provide a much needed service to those families burdened with the effects of a child with autism, but also save the state and taxpayers exponentially over the lifespan of those diagnosed with autism. Though there is no cure for ASD, this legislation would help significantly to treat those suffering from these disorders. In addition, a state that covers ASD treatment will be desirable to those in the field and will bring jobs and professionals in the field to Alaska. It will also allow more flexibility for families with autistic children who wish to move to Alaska to do so. Prompt passage of this legislation would allow the state to reap the health and economic benefits that would result from ensuring Alaskans with autism receive the treatment they need.

I respectfully ask for your careful consideration and support of HB 79.

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

HB 79

Insurance Coverage for Autism Spectrum Disorders Sectional Analysis

Prepared by David Dunsmore, Office of Rep. Pete Petersen

Section 1 of this bill amends AS 21.42 by creating a new section AS 21.42.397 relating to insurance coverage for autism spectrum disorders.

Subsection (a) requires insurance plans to cover medically necessary treatment for autism spectrum disorders, and exempts plans offered by fraternal benefit societies.

Subsection (b) further defines the coverage that must be provided.

Subsection (c) establishes that this section does not limit coverage already provided.

Subsection (d) prohibits an insurance company from denying coverage to someone because they have an autism spectrum disorder.

Subsection (e) defines "autism service provider," "autism spectrum disorders," "health care insurance plan," "health care insurance," and "medically necessary."

Section 2 of this bill establishes that the provisions of section 1 only apply to insurance policies issued after January 1, 2012.

Section 3 of this bill establishes an immediate effective date for this act.



Issues & Research » Health » Autism and Insurance Coverage State Laws

Go 18246

Share Comment

Insurance Coverage for Autism

November 2010

The Centers for Disease Control and Prevention (CDC) estimate that an average of one in 110 children have an autism spectrum disorder (ASD). More children than ever before are being classified as having autism spectrum disorders. The CDC estimates that up to 730,000 people between the ages of 0 and 21 have an ASD.

There is no cure for autism, but it is a treatable condition. Most health professionals agree that early intervention treatment programs are important. Treatment options may include behavioral and educational interventions, complementary and alternative medicine, dietary changes or medications to manage or relieve the symptoms of autism. These treatments may be costly. Some families may spend more than \$50,000 per year on autism-related therapies, such as applied behavior analysis. A study in 2006 by the Harvard School of Public Health estimated that it costs \$3.2 million to take care of an individual with autism over his or her lifetime and that it costs society an estimated \$35 billion each year to care for all individuals with autism.

Some states require insurers to provide coverage for the treatment of autism. However, opponents to this approach argue that care for individuals with autism is the responsibility of parents and/or the responsibility of school systems. Others have raised concerns that mandating coverage for autism will significantly increase insurance premiums. According to the Council for Affordable Health Insurance, an autism mandate increases the cost of health insurance by about 1 percent. However, if the incidence of autism continues to increase and as more services are covered, the cost of insurance may increase 1 to 3 percent. This debate has intensified in recent years and states are taking a variety of approaches to meet the needs of children and adults with autism.

A total of 35 states and the District of Columbia have laws related to autism and insurance coverage. At least 23 states—Arizona, Colorado, Connecticut, Florida, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Massachusetts, Missouri, Montana, Nevada, New Hampshire, New Jersey, New Mexico, Pennsylvania, South Carolina, Texas, Vermont and Wisconsin—specifically require insurers to provide coverage for the treatment of autism. Other states may require limited coverage for autism under mental health coverage or other laws.

In the past few years, the debate over autism and insurance coverage has heated up in state legislatures. Most of the legislation to provide coverage for autism has been enacted in the last three years.

During the 2007-2008 legislative session, nine states passed legislation related to autism and insurance coverage. Arizona, Florida, Illinois, Louisiana, Pennsylvania, South Carolina and Texas enacted legislation specifically requiring coverage for autism. In addition, Massachusetts enacted legislation in 2008 to specify that autism shall be covered under mental health parity laws on a nondiscriminatory basis. Connecticut enacted legislation in 2008 that requires insurers to provide coverage for physical, speech and occupational therapy services for the treatment of autism spectrum disorders to the extent that such services are a covered benefit for other diseases and conditions under such policy. A summary of this legislation is included in the two tables below.

In 2009, Colorado, Connecticut, Montana, Nevada, New Jersey, New Mexico and Wisconsin enacted legislation requiring insurance coverage for autism. Illinois enacted legislation requiring insurance coverage for habilitative services for children with a congenital or genetic disorder, including autism.

In 2010, Iowa, Kansas, Kentucky, Maine, Massachusetts, Missouri, New Hampshire and Vermont enacted legislation requiring insurance coverage for autism. In addition, in April 2010, Oklahoma enacted legislation to specify that health insurance policies must provide the same coverage and benefits to children who have been diagnosed with autism as children who have not been diagnosed with the disorder.

In 2009, the Federal Autism Treatment Acceleration Act of 2009 (S 819 and HR 2413), was introduced which provides for enhanced treatment, support, services and research for individuals with autism spectrum disorders and their families. One component of the bill requires health insurance coverage for the diagnosis and treatment of autism spectrum disorders under group health plans.

Additional NCSL Resources

[NCSL's Autism Policy Issues](#)
[Overview webpage](#)
[NCSL's State Autism Legislation Database](#)
[NCSL's Mandated Health Insurance Coverage webpage](#)
[NCSL's State Laws Mandating or Regulating Mental Health Benefits webpages](#)

Additional Resources:

[National Association of Insurance Commissioners](#)

[The Council for Affordable Health Insurance](#)

[Health Insurance Mandates In the States, 2010](#)

[Mandate Benefit Definition Memo, 2009](#)

[The Growing Trend Toward Mandating Autism Coverage, March 2009](#)

[America's Health Insurance Plans](#)

[Autism Votes: An Autism Speaks Initiative](#)

[Actuarial Cost Estimate: Virginia House Bill No. 303 and Senate Bill 464- Bills Relating to Health Insurance Coverage for Autism Spectrum Disorder, January 15, 2010](#)

[Early Intensive Intervention Services for Alaska Children with Autism: A Policy Analysis](#)

The Governor's Council on Disabilities and Special Education, August 2007

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
Arizona	<p>Ariz. Rev. Stat. Ann. § 20-826.04, § 20-1057.11, § 20-1402.03 and § 20-1404.03 (2008 Ariz. Sess. Laws, Chap. 4; HB 2847 of 2008)</p> <p>Require policies issued by certain health insurers, beginning July 1, 2009, to provide coverage for the diagnosis and treatment of autism spectrum disorders, with some limitations. Coverage for autism treatment may not be excluded or denied and dollar limits, deductibles and coinsurance cannot be imposed based solely on the diagnosis of an autism spectrum disorder. Coverage for medically necessary behavioral therapy services may not be excluded or denied and is subject to a \$50,000 maximum benefit per year for an eligible person up to the age of 9 and a \$25,000 maximum benefit per year for an eligible person who is between the ages of 9 and 16 years.</p>
Colorado	<p>Colo. Rev. Stat. § 10-16-104 (1.3)(g), § 10-16-104 (1.4) and § 25-5-8-107 (a)(IV) (2009 Colo. Sess. Laws, Chap. 391; SB 244 of 2009, Fiscal Note, Commission on Mandated Health Insurance Benefits Review of SB 244)</p> <p>Require that all health benefit plans provide coverage for the assessment, diagnosis and treatment of autism spectrum disorders for a child. Treatment for autism spectrum disorders is defined to include treatments that are medically necessary, appropriate, effective or efficient and shall include evaluation and assessment services; behavior training and management and applied behavior analysis; habilitative or rehabilitative care, including occupational, physical or speech therapy; pharmacy care and medication; psychiatric care; psychological care; and therapeutic care.</p> <p>Colo. Rev. Stat. §10-16-104.5 (1993 Colo., Sess. Laws, Chap. 211, amended by 2009 Colo., Sess. Laws, Chap. 391; SB 244 of 2009)</p> <p>Specified sickness and accident insurance policies providing indemnity for disability due to sickness and specified individual policies that provide coverage for autism shall provide such coverage in the same manner as for any other accident or sickness, other than mental illness, otherwise covered under such policy.</p>
Connecticut	<p>Conn. Gen. Stat. § 38a-514b (2009 Conn. Acts, P.A. 115; SB 301 of 2009, Summary, Fiscal Note)</p> <p>Requires specified group health insurance policies to provide coverage for the diagnosis and treatment of autism spectrum disorders. Treatments shall be medically necessary and identified and ordered by a licensed physician, psychologist or clinical social worker in accordance with a treatment plan. Treatments may include behavioral therapy, prescription drugs, psychiatric services, psychological services, physical therapy, speech and language pathology services and occupational therapy. This law repealed the previous version of § 38a-514b (2008 Conn. Acts, P.A. 132; HB 5696, Fiscal Note), which specified that each individual and group health insurance policy is required to provide coverage for physical, speech and occupational therapy services for the treatment of autism spectrum disorders to the extent such services are a covered benefit for other diseases and conditions under such policy.</p>
Florida	<p>Fla. Stat. § 627.6686 and § 641.31098 (2008 Fla. Laws, Chap. 30; SB 2654 of 2008, Bill Analyses)</p> <p>Requires health insurance plans and health maintenance contracts to provide coverage to eligible individuals for well-baby and well-child screening for diagnosing the presence of autism spectrum</p>

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
	disorders, treatment of autism spectrum disorders through speech, occupational and physical therapy and applied behavior analysis. Coverage is limited to treatment that is prescribed by the insured's treating physician in accordance with a treatment plan and is limited to \$36,000 annual and may not exceed \$200,000 in total lifetime benefits.
Illinois	<p><u>Ill. Rev. Stat. ch. 215, § 5/356z.14 (2008 Ill. Laws, P.A. 95-1005, SB 934 of 2008; and 2009 Ill. Laws, P.A. 95-1049, SB 101 of 2008)</u></p> <p>Requires all individual and group accident and health insurance or managed care plans to provide coverage for the diagnosis and treatment of autism spectrum disorders for individuals less than 21 years of age. Coverage is to include applied behavioral analysis and other treatments with a maximum benefit of \$36,000 per year. The law was amended in 2009 by <u>2009 Ill. Laws, P.A. 95-1049 (SB 101 of 2008)</u> to require insurance coverage for habilitative services for children less than 19 years of age with a congenital, genetic or early acquired disorder, including autism spectrum disorders. Habilitative services includes occupational therapy, physical therapy, speech therapy and other services prescribed by the insured's treating physician pursuant to a treatment plan to enhance the ability of a child to function with a congenital, genetic or early acquired disorder.</p> <p>► For more information, please see Illinois' fact sheet on insurance coverage for autism.</p>
Indiana	<p><u>Ind. Code § 27-8-14.2-1 et seq. and § 27-13-7-14.7 (HB 1122 of 2001; Fiscal Impact Statement)</u></p> <p>Requires an accident and sickness insurance policy that is issued on a group basis and a group contract with a health maintenance organization to provide coverage for the treatment of a pervasive developmental disorder. Coverage is limited to treatment that is prescribed by the insured's treating physician in accordance with a treatment plan. An insurer may not deny or refuse to issue coverage, or otherwise terminate or restrict coverage on an individual under an insurance policy solely because the individual is diagnosed with a pervasive developmental disorder. An insurer that issues an accident and sickness insurance policy on an individual basis or a health maintenance organization that enters into an individual contract that provides basic health care services must offer to provide coverage for the treatment of a pervasive developmental disorder of an enrollee.</p> <p>► For additional information about the law, please visit the Indiana Resource Center for Autism's webpage.</p>
Iowa	<p><u>Iowa House File 2531 of 2010 (Fiscal Analysis)</u></p> <p>Requires state employee health care plans to provide coverage for the diagnosis and treatment of autism spectrum disorders for individuals under 21 years of age. Treatment is defined as pharmacy care, psychiatric care, psychological care, rehabilitative care and therapeutic care. The law also establishes a \$36,000 annual maximum benefit on coverage for children with autism spectrum disorder. The coverage plan cannot limit the number of visits to an autism service provider for treatment. Coverage must be provided in coordination with requirements established in Iowa Code § 514c.22.</p> <p><u>Iowa Code § 514c.22 (2005 Iowa Acts, Chap. 91; HF 420 of 2005)</u></p> <p>Requires specified insurers to provide coverage benefits for treatment of a biologically based mental illness, including pervasive developmental disorders and autistic disorders.</p>
Kansas	<p><u>2010 Kan. Sess. Laws, Chap. 120 (HB 2160 of 2010; Supplemental Note)</u></p> <p>Requires state employee health insurance plans to provide coverage for the diagnosis and treatment of autism spectrum disorder for any covered individual up to 19 years old. Covered services are defined to include applied behavioral analysis and evidence-based services. The annual benefit cap for children up to age 7 is \$36,000 and for children at least 7 years old and up to age 19, the annual cap is \$27,000. The law also requires the state employees health care commissioner to submit a report to the legislature that includes information on the impact of the mandated coverage for autism spectrum disorder on the state health care benefits program, data on the utilization of coverage and the cost of providing such coverage, and recommendations for whether such coverage should continue.</p> <p><u>2009 Kan. Sess. Laws, Chap. 136 (HB 2214 of 2009)</u></p> <p>The law amends Kan. Stat. Ann. § 40-2,105a (<u>HB 2033 of 2001</u>) to require any group health insurance policy, medical service plan, contract, hospital service corporation contract, hospital and medical service corporation contract, fraternal benefit society or health maintenance organization, which provides medical, surgical or hospital expense coverage to include coverage for the diagnosis and treatment of mental illness. The law re-defines mental illness to include any disorder defined in the DSM-IV.</p>

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
Kentucky	<p>2010 Ky. Acts, Chap. 150; (HB 159 of 2010)</p> <p>Requires large group health benefit plans to provide coverage for the diagnosis and treatment of autism spectrum disorders for individuals between the ages of one through 21 years of age. For individuals between the ages of one through their seventh birthday, the maximum annual benefit amount is \$50,000, and the maximum benefit for individuals between the ages of seven through 21 is \$1,000 per month. Coverage may not be subject to any limits on the number of visits an individual may make to an autism services provider. Treatment of autism spectrum disorders is defined to include medical care, pharmacy care (if covered by the plan), psychiatric care, psychological care, therapeutic care, applied behavior analysis, and rehabilitative and habilitative care. This law also amends <u>Ky. Rev. Stat. § 304.17A-143</u> (1998 Ky. Acts, Chap. 106; SB 63 of 1998), to require individual and small group market health benefit plans to provide coverage for pharmacy care (if covered by the plan), psychiatric care, psychological care, applied behavioral analysis, and habilitative care for the treatment of autism spectrum disorders, in addition to the law's existing coverage for therapeutic and rehabilitative care. The law increases the maximum benefit per month from \$500 to \$1000. Additional definitions related to this law are included in <u>Kentucky Regulations 806 KAR 17:460</u>. The law also amends <u>Ky. Rev. Stat. § 18A.225</u> to require state employee health benefit plans to provide coverage for the diagnosis and treatment of autism spectrum disorder consistent with the requirement for coverage under large group health benefit plans.</p>
Louisiana	<p><u>La. Rev. Stat. Ann. § 22:1050</u> (2008 La. Acts, P.A. 648; HB 958 of 2008; Fiscal Note)</p> <p>Requires health insurance policies, including health maintenance organizations, to provide coverage for the diagnosis and treatment of autism spectrum disorders in individuals less than 17 years of age. Coverage is subject to a maximum benefit of \$36,000 per year and a lifetime maximum benefit of \$140,000. Treatment of autism spectrum disorders is defined to include habilitative or rehabilitative care (including applied behavior analysis), pharmacy, psychiatric, psychological and therapeutic care. 2009 House Bill 406 amended the statute (<u>La. Acts, P.A. 419</u>) to exclude individually, underwritten, guaranteed renewable limited benefit health insurance policies from the provisions in this law.</p>
Maine	<p>2010 Me. Laws, Chap. 635 (LD 1198; SB 446 of 2010; Fiscal Note)</p> <p>Requires all individual health insurance policies and contracts, group health insurance policies, and all individual and group health maintenance organization contracts to provide coverage for the diagnosis and treatment of autism spectrum disorders for individuals five years of age and under. Treatment is defined as habilitative or rehabilitative care, applied behavior analysis, counseling services and therapy services, including speech, occupational and physical therapy. The policy or contract may limit coverage for applied behavior analysis to \$36,000 per year, and the insurance policy or contract may not include any limits on the number of visits. The law also requires the Department of Professional and Financial Regulation, Bureau of Insurance to review and evaluate the financial and social impact and medical efficacy of this mandated health insurance benefit, and submit a report to the Legislature by February 1, 2015.</p> <p><u>Me. Rev. Stat. Ann. tit. 24 § 2325-A; tit. 24-A § 2749-C, § 2843 and § 4234-A</u></p> <p>Requires specified group contracts to provide, at a minimum, benefits for a person receiving medical treatment for specified mental illnesses, including pervasive developmental disorders. Other specified individual and group insurance contracts or policies must make available benefits for the treatment and diagnosis of specified mental illnesses, including pervasive developmental disorder or autism, under terms and conditions that are no less extensive than the benefits provided for medical treatment for physical illnesses.</p> <p>2009 Me. Acts, Chap. 33 (SB 226 of 2009)</p> <p>Requires the Department of Health and Human Services to amend the rules of reimbursement for the provision of supervisory services by board-certified behavior analysts in the MaineCare programs for home and community benefits for persons with mental retardation or autistic disorders, developmental and behavioral clinical services, day habilitation services for persons with mental retardation, early intervention services, community support benefits for persons with mental retardation or autistic disorders, day treatment services, intermediate care facilities for persons with mental retardation and school-based rehabilitative services. The law also requires the Department of Health and Human Services to pursue amendment to the federally approved Medicaid state plan on a timely basis and, after approval, amend the MaineCare rules to provide for reimbursement of board-certified behavior analysts for supervision only.</p>

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
Massachusetts	<p><u>2010 Mass. Acts, Chap. 207</u> (HB 4935 of 2010) Requires specified individual, group and state employee health plans and health maintenance contracts to provide benefits on a nondiscriminatory basis for the diagnosis and treatment of autism spectrum disorder. Treatment is defined to include habilitative or rehabilitative, pharmacy, psychiatric, psychological and therapeutic care. The health plan may not contain an annual or lifetime dollar or unit of service limitation on coverage for autism which is less than the limitations imposed on coverage for physical conditions. The plan may not limit the number of visits an individual may make to an autism services provider. The law allows for exemptions from providing coverage under certain circumstances.</p> <p><u>Mass. Gen. Laws Ann. ch. IV § 32A-22</u> (2008 Mass. Acts, Chap. 256; HB 4423) Requires an individual policy and a group blanket or general policy of accident and sickness insurance or a health maintenance contract that provides hospital and surgical insurance to provide mental health benefits on a nondiscriminatory basis for the diagnosis and treatment of specified biologically-based mental disorders, including autism. Requires the group insurance commission to provide to any active or retired employee of the commonwealth who is insured under the group insurance commission coverage on a nondiscriminatory basis for the diagnosis of treatment of specified biologically-based mental disorders, including autism.</p>
Missouri	<p><u>Missouri House Bill 1311 and House Bill 1341</u> of 2010 (HB 1311 Fiscal Note) Requires all group health benefit plans to provide coverage for the diagnosis and treatment of autism spectrum disorders. Coverage is limited to medically necessary treatment that is ordered by the insured's treating physician or psychologist, in accordance with a treatment plan. Treatment for autism spectrum disorder is defined to include psychiatric, psychological, habilitative or rehabilitative care, applied behavior analysis, therapeutic care and pharmacy care. Coverage for applied behavior analysis is subject to a maximum benefit of \$40,000 per year for individuals through 18 years of age. However, this limit may be exceeded, with approval by the health benefit plan, if the applied behavior analysis services are medically necessary for an individual. The health benefit plan may not place limits on the number of visits an individual makes to an autism service provider. The law requires the department of insurance and other institutions to submit a report to the legislature regarding the implementation of this coverage, including specified costs of this coverage.</p>
Montana	<p><u>Mont. Code Ann. § 33-22-515</u> (2009 Mont. Laws, Chap. 359, SB 234 of 2009, Fiscal Note) Requires specified disability policies, certificates of insurance and membership contracts to provide coverage for the diagnosis and treatment of autism spectrum disorders for a covered child 18 years of age or younger. Coverage must include habilitative or rehabilitative care, medications, psychiatric or psychological care, therapeutic care and other specified care. Coverage for treatment of autism spectrum disorders may be limited to a maximum benefit for \$50,000 per year for a child 8 years of age and younger and to \$20,000 per year for a child 9 years of age through 19 years of age.</p> <p><u>Mont. Code Ann. § 33-22-706</u> Requires a policy or certificate for health insurance or disability insurance to provide a level of benefits for the necessary care and treatment of severe mental illness, including autism, that is no less favorable than that level provided for other physical illness generally. Benefits for treatment of severe mental illness include but are not limited to inpatient services, outpatient services, rehabilitative services, medication and other specified treatments. The law was amended in 2009 by Mont. Laws, Chapter 359 to specify that coverage for a child with autism who is 18 years of age or younger must comply with § 33-22-515.</p>
Nevada	<p><u>Nev. Rev. Stat. § 689A.0435</u> (2009 Nev. Stats., Chap. 331, AB 162 of 2009, Health and Human Services Fiscal Note Public Employees' Benefits Program Fiscal Note) Requires an individual health benefit plan to provide the option of coverage for screening, diagnosis, and treatment of autism spectrum disorders for persons covered by the policy under the age of 18, or if enrolled in high school, until the person reaches the age of 22. Requires health insurance for small employers and group and blank health insurance benefit plans and health care plans issued by a health maintenance organization to provide coverage for screening, diagnosis and treatment of autism spectrum disorders to persons covered by the policy of group health insurance under the age of 18, or if enrolled in high school until the person reaches the age of 22. Treatment of autism spectrum disorders must be identified in a treatment plan and may include medically necessary habilitative or rehabilitative care, prescription care, psychiatric care, psychological care or behavior therapy.</p>

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
New Hampshire	<p><u>2010 N.H. Laws, Chap. 363 (House Bill 569 of 2010)</u> Clarifies and defines treatment of pervasive developmental disorder or autism, as required under N.H. Rev. Stat. Ann. § 417-E:1, to include professional services and treatment programs, including applied behavioral analysis, prescribed pharmaceuticals (subject to the terms and conditions of the policy), direct or consultative services provided by specified licensed professionals, and services provided by licensed speech, occupation or physical therapists. The policy, contract or certificate may limit coverage for applied behavior analysis to \$36,000 per year for children 0 to 12 years of age, and \$27,000 from ages 13 to 21.</p> <p><u>N.H. Rev. Stat. Ann. § 417-E:1</u> Requires specified insurers that provide benefits for disease or sickness to provide benefits for treatment and diagnosis of certain biologically-based mental illness, including pervasive developmental disorder or autism, under the same terms and conditions and which are no less extensive than coverage provided for any other type of health care for physical illness.</p>
New Jersey	<p><u>N.J. Rev. Stat. § 17:48-6ll, § 17:48A-7ff, § 17:48E-35.33, § 17B:26-2.1cc, § 17B:27-46.1ll, § 17B:27A-7.16, § 17B:27A-19.20, § 26:2J-4.34, § 52:14-17.29p and § 52:14-17.46.6b (2009 N.J. Laws, Chap. 115, AB 2238 of 2009)</u> Require specified health insurance policies and health benefit plans to provide coverage for expenses incurred in screening and diagnosing autism or another developmental disability. When the covered person's primary diagnosis is autism or another developmental disability, coverage must be provided for expenses incurred for medically necessary occupational therapy, physical therapy, and speech therapy, as prescribed through a treatment plan. When the covered person is under 21 years of age and the person's primary diagnosis is autism, coverage must be provided for expenses incurred for medically necessary behavioral interventions based on the principles of applied behavioral analysis and related programs, as prescribed through a treatment plan.</p> <p><u>N.J. Rev. Stat. § 17:48-6v, § 17:48A-7u, § 17:48E-35.20, § 17B:26-2.1s, § 17B:27-46.1v, § 17B:27A-7.5, § 17B:27A-19.7 and § 26:2J-4.20</u> Require specified insurers that provide hospital or medical expense benefits to provide coverage for biologically-based mental illness, including pervasive developmental disorder or autism, under the same terms and conditions as provided for any other sickness under contract.</p>
New Mexico	<p><u>N.M. Stat. Ann. § 59A-22-49, § 59A-23-7.9, § 59A-46-50 and § 59A-47-45 (2009 N.M. Laws, Chap. 74, SB 39 of 2009, Fiscal Impact Report)</u> Requires specified insurance policies, health care plans, certificates of health insurance or contracts to provide coverage to an eligible individual who is 19 years of age or younger, or an individual who is 22 years of age or younger and is enrolled in high school for well-baby and well-child screening for diagnosing the presence of autism spectrum disorder and the treatment of autism spectrum disorder through speech therapy, occupational therapy, physical therapy and applied behavioral analysis. Coverage is limited to \$36,000 annually and shall not exceed \$200,000 in total lifetime benefits.</p>
Pennsylvania	<p><u>Pa. Cons. Stat. tit. 40, § 764h (Pa. Laws, Act 2008-62; HB 1150 of 2008; Mandated Benefits Review by the Pennsylvania Health Care Cost Containment Council; Autism Spectrum Disorders Mandated Benefits Review Panel Report by Abt Associates Inc.; Pennsylvania Department of Public Welfare "Where to Get Help with PA's Autism Insurance Law" webpage)</u> Requires a health insurance policy or government program to provide coverage for individuals less than 21 years of age for the diagnostic assessment and treatment of autism spectrum disorders. Maximum benefit of \$36,000 per year.</p>
South Carolina	<p><u>S.C. Code Ann. § 38-71-280 (2007 S.C. Acts, Act 65; SB 20 of 2007; Fiscal Impact Statement)</u> Requires a health insurance plan to provide coverage for the treatment of autism spectrum disorders. Coverage is limited to treatment that is prescribed by the insured's treating medical doctor in accordance with a treatment plan. To be eligible for coverage, an individual must be diagnosed with autism spectrum disorder at age eight or younger and be less than 16 years of age.</p>
Texas	<p><u>Tex. Insurance Code § 1355.015 (2007 Tex. Gen. Laws, Chap. 877; HB 1919 of 2007; Fiscal Note)</u> Requires a health benefit plan to provide coverage for all generally recognized services prescribed in relation to autism spectrum disorder by the enrollee's primary care physician in the treatment plan recommended by the physician. The law defines "generally recognized services" to include applied</p>

Statutes specifically requiring insurance coverage of autism	
State	Statute Summary
	behavior analysis; speech, occupational and physical therapy; medications or nutritional supplements; and other treatments. This coverage may be subject to annual deductibles, copayments and coinsurance that are consistent with annual deductibles, copayments and coinsurance required for other coverage under the health benefit plan. 2009 Tex. Gen. Laws, Chap. 1107 (House Bill 451) amended the law to specify that a health benefit plan must provide coverage to an enrollee who is diagnosed with autism spectrum disorder from the date of diagnosis until the enrollee completes nine years of age. The law previously required coverage to an enrollee older than two years of age and younger than six years of age.
Vermont	2010 Vt. Acts, Act 127 (SB 262 of 2010, Vermont Legislative Joint Fiscal Office Analysis) Requires health insurance plans to provide coverage for the diagnosis and treatment of autism spectrum disorders, including applied behavior analysis for children beginning at 18 months of age and continuing until the child reaches age six or enters first grade, whichever occurs first. Treatment of autism spectrum disorders is defined to include habilitative or rehabilitative care, pharmacy care, psychiatric care, psychological care and therapeutic care. A plan may not limit the number of visits an individual may have with an autism services provider. The law requires specified agencies to evaluate the feasibility and budget impacts of requiring health insurance plans, including Medicaid and the Vermont health access plan, to provide coverage for autism spectrum disorders for children under the age of 18.
Wisconsin	Wis. Stat. § 632.895(12m) and Wis. Stat. § 609.87 (Assembly Bill 75 of 2009; 2009 Wis. Laws, Act 28) Requires specified disability insurance policies and self-insured health plans to provide coverage for treatment for autism spectrum disorder if the treatment is prescribed by a physician, including specified therapies. The statute defines intensive-level and nonintensive-level services. The law was amended in 2010 by Wis. Laws, Act 282 (SB 667) to create Wis. Stat. § 632.895 (12m) (b) 3m , which adds behavior analysts licensed under § 440.312 to the list of professionals qualified to provide intensive-level and nonintensive-level services. Wis. Stat. § 51.01(5a) Defines autism as a developmental disability. Admin. Code, Insurance Commissioner 6.54(3)(a) et seq. specifies that no insurance company may refuse, cancel or deny insurance coverage solely on the basis of the applicant's or insured's physical condition or developmental disability.

Statutes that may require limited insurance coverage of autism	
State	Statute Summary
California	Cal. Insurance Code § 10144.5 Requires every policy of disability insurance that covers hospital, medical, or surgical expenses in this state to provide coverage for the diagnosis and medically necessary treatment of severe mental illnesses, including autism, for a person of any age under the same terms and conditions applied to other medical conditions. A March 2009 letter issued by the California Department of Managed Health Care clarifies that health plans must cover all basic health care services required under the Knox-Keene Act, including speech, physical and occupational therapies for persons with autism spectrum disorders, when those health care services are medically necessary.
District of Columbia	D.C. Code Ann. § 31-3271 and § 31-3272 (2007 D.C. Stat., Act 16-0493 ; B16-711 of 2007) Defines habilitative services as occupational, physical and speech therapy for the treatment of a child with a congenital or genetic birth defect to enhance the child's ability to function. Congenital or genetic birth defect is defined as a defect existing at or from birth, including a hereditary defect; includes autism or an autism spectrum disorder. Requires health insurers to provide habilitative services for children less than 21 years of age. The coverage shall not be more restrictive than coverage provided for any other illness, condition or disorder. A health insurer shall not be required to provide reimbursement for habilitative services delivered through early intervention or school services.

Statutes that may require limited insurance coverage of autism	
State	Statute Summary
Georgia	<u>Ga. Code § 33-24-59.10</u> (HB 565 of 2001) An insurer that provides benefits for neurological disorders shall not deny providing benefits for neurological disorders because of a diagnosis of autism.
Maryland	<u>Md. Insurance Code Ann. § 15-835</u> (2002 Md. Laws, Chap. 382; <u>HB 692</u>) Requires insurers, nonprofit health service plans and health maintenance organizations to provide coverage of habilitative services for children less than 19 years of age. Habilitative services include occupational, physical and speech therapy for the treatment of a child with a congenital or genetic birth defect to enhance the child's ability to function. The definition of congenital or genetic birth defect includes autism spectrum disorder.
New York	<u>N.Y. Insurance Law § 3216</u> Requires every policy that provides coverage for hospital, surgical or medical care coverage to not exclude coverage for the diagnosis and treatment of medical conditions otherwise covered by the policy solely because the treatment is provided to diagnose or treat autism spectrum disorder.
Oklahoma	2010 Okla. Sess. Laws, Chap. 166 (<u>SB 2045</u> of 2010) Requires all individual and group health insurance policies that provide medical and surgical benefits to provide the same coverage and benefits to any individual under the age of 18 years who has been diagnosed with an autistic disorder as it would provide coverage and benefits to an individual who has not been diagnosed with an autistic disorder.
Oregon	<u>Or. Rev. Stat. § 743A.190</u> (2007 Or. Laws, Chap. 872; <u>HB 2918</u>) Requires specified health benefit plans to provide coverage for an enrolled child less than 18 years of age who is diagnosed with a pervasive developmental disorder or autism all medical services, including medical and rehabilitative services, that are medically necessary and are otherwise covered under the plan. Rehabilitative services include physical, occupational or speech therapy services to restore or improve function.
Tennessee	<u>Tenn. Code Ann. § 56-7-2367</u> (2006 Tenn. Pub. Acts, Chap. 894; <u>SB 2719</u>) Defines autism spectrum disorder as a neurological disorder. Requires that contracts and policies that provide benefits for neurological disorders to provide benefits and coverage for treatment of children less than 12 years of age with autism.
Virginia	<u>Va. Code § 38.2-3412.1:01</u> (1999 Va. Acts, Chap. 941; <u>SB 430</u>) Requires specified insurers that provide coverage for health care services to provide coverage for biologically based mental illnesses, including autism. <u>Va. Code § 2.2-2818</u> and <u>§ 2.2-2818.2</u> (2009 Va. Acts, Chap. 317, <u>SB 1351</u> , <u>Fiscal Impact Statement</u> and <u>2009 Va. Acts, Chap. 247</u> , <u>HB 2557</u> , <u>Fiscal Impact Statement</u>) Require the Department of Human Resource Management to establish a plan for providing health insurance coverage for state employees and retired state employees. The plan is required to include coverage for biologically based mental illness, including autism.

Sources: Health Insurance Mandates in the States 2009, The Council for Affordable Health Insurance; The National Association of Insurance Commissioners, 2006; State Autism Profiles, Easter Seals, 2008; The National Conference of State Legislatures, 2010.

Denver Office

Tel: 303-364-7700 | Fax: 303-364-7800 | 7700 East First Place | Denver, CO 80230

Washington Office

Tel: 202-624-5400 | Fax: 202-737-1069 | 444 North Capitol Street, N.W., Suite 515 | Washington, D.C. 20001

©2011 National Conference of State Legislatures. All Rights Reserved.

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

Memorandum

January 20, 2011

To: Rep. Wes Keller
Chair, House Health and Social Services Committee

From: Rep. Pete Petersen

A handwritten signature in cursive script, appearing to read "Pete Petersen", written over a horizontal line.

Re: Hearing Request for House Bill 79

On behalf of Rep. Kawasaki and myself, I respectfully request that House Bill 79 be scheduled for a hearing in the House Health and Social Services Committee. Please feel free to contact me, or my aide David Dunsmore, at 465-4939 with any questions, thoughts, or ideas.

Attached you will find a background packet for House Bill 25 including a current version of the bill, a sponsor statement, a sectional analysis, and background information about autism and autism treatment.

Thank you for your consideration.

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen Serving Northeast Anchorage and Muldoon

Table of Contents: Background Information for HB 79 Insurance Coverage for Autism Spectrum Disorders

1. Current bill language
2. Sponsor statement
3. Sectional analysis
4. National Institute of Neurological Disorders and Stroke "Autism Fact Sheet"
5. Alaska Governor's Council on Disabilities and Special Education "Autism Needs and Issues"
6. Autism Speaks "Argument in Support of Private Insurance Coverage of Autism-Related Services"
7. Letter from Dr. Gina Green concerning medically necessary treatment for autism
8. Pediatrics journal article "Randomized, Controlled Trial of an Intervention for Toddlers With Autism: The Early Start Denver Model"
9. Infants & Young Children journal article "Early Intervention in Autism"

Alaska State Legislature

State Capitol, Room 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen Serving Northeast Anchorage and Muldoon

Sponsor Statement

HB 79 INSURANCE COVERAGE FOR AUTISM SPECTRUM DISORDERS

Autism is a devastating disorder affecting at least 1 in 100 children, accounting for 1% of America's youth and 1 in 58 boys, according to the most recent study by the Center for Disease Control and Prevention. Despite being treatable, many children diagnosed with an Autism Spectrum Disorder (ASD) never receive the treatment they need. Families go bankrupt mortgaging their future, trying to provide their children with the treatment to ameliorate their condition. Families are forced to dig into their savings, retirement funds, and their other children's college savings because ASD is not covered by insurance plans. In fact, most insurance plans discriminate against autistic children and explicitly exclude the treatment of ASD, even when the service is otherwise covered by the health plan.

HB 79 is a market-based bill that will allow families to afford medically necessary treatment for autistic children, creating millions of dollars in long term savings for special education and other support costs. This bill will also create job opportunities for autism service providers by ensuring that insured Alaskans will be able to afford coverage for their autistic children.

While there is no cure for autism, research has shown that early diagnosis and treatment can significantly lessen the symptoms of ASD. Currently there are very limited resources in Alaska for the diagnosis and treatment of ASD, and insurance coverage for autism treatment would help attract autism treatment professionals to Alaska.

HB 79 would require insurance coverage for autism spectrum disorders, including the behavior therapies that after 30 years of study have shown to be the only effective treatment of these disorders. Treatment has been shown to improve the symptoms of ASD and in some cases even eliminate the need for special education services for a child with ASD. The cost savings in special education alone would amount to approximately \$208,500 per capita during the school years. This number rises to over \$1.08 million over the autistic person's lifespan.

The incremental societal cost of not treating autism has been estimated by Michael Ganz, a Harvard economist, to be approximately \$3.2 million per capita. The cost to policy holders to implement such coverage is minimal: estimated at less than a 1% increase in their premiums.

Twenty-three states have adopted laws similar to HB 79, and these laws have been successful in ensuring autistic children receive the treatment they need and have had minimal effects on health insurance premiums.

Insurance coverage of ASD would not only provide a much needed service to those families burdened with the effects of a child with autism, but also save the state and taxpayers exponentially over the lifespan of those diagnosed with autism. Though there is no cure for ASD, this legislation would help significantly to treat those suffering from these disorders. In addition, a state that covers ASD treatment will be desirable to those in the field and will bring jobs and professionals in the field to Alaska. It will also allow more flexibility for families with autistic children who wish to move to Alaska to do so. Prompt passage of this legislation would allow the state to reap the health and economic benefits that would result from ensuring Alaskans with autism receive the treatment they need.

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

HB 79

Insurance Coverage for Autism Spectrum Disorders Sectional Analysis

Prepared by David Dunsmore, Office of Rep. Pete Petersen

Section 1 of this bill amends AS 21.42 by creating a new section AS 21.42.397 relating to insurance coverage for autism spectrum disorders.

Subsection (a) requires insurance plans to cover medically necessary treatment for autism spectrum disorders, and exempts plans offered by fraternal benefit societies.

Subsection (b) further defines the coverage that must be provided.

Subsection (c) establishes that this section does not limit coverage already provided.

Subsection (d) prohibits an insurance company from denying coverage to someone because they have an autism spectrum disorder.

Subsection (e) defines "autism service provider," "autism spectrum disorders," "health care insurance plan," "health care insurance," and "medically necessary."

Section 2 of this bill establishes that the provisions of section 1 only apply to insurance policies issued after January 1, 2012.

Section 3 of this bill establishes an immediate effective date for this act.



Autism Fact Sheet

[See a list of all NINDS Disorders](#)

[Get Web page suited for printing](#)

[Email this to a friend or colleague](#)

[Request free mailed brochure](#)

[Autismo](#)

Table of Contents (click to jump to sections)

[What is autism?](#)

[What are some common signs of autism?](#)

[How is autism diagnosed?](#)

[What causes autism?](#)

[What role does inheritance play?](#)

[Do symptoms of autism change over time?](#)

[How is autism treated?](#)

[What research is being done?](#)

[Where can I get more information?](#)

What is autism?

Autism spectrum disorder (ASD) is a range of complex neurodevelopment disorders, characterized by social impairments, communication difficulties, and restricted, repetitive, and stereotyped patterns of behavior. Autistic disorder, sometimes called autism or classical ASD, is the most severe form of ASD, while other conditions along the spectrum include a milder form known as Asperger syndrome, the rare condition called Rett syndrome, and childhood disintegrative disorder and pervasive developmental disorder not otherwise specified (usually referred to as PDD-NOS). Although ASD varies significantly in character and severity, it occurs in all ethnic and socioeconomic groups and affects every age group.

Experts estimate that three to six children out of every 1,000 will have ASD. Males are four times more likely to have ASD than females.

[top](#)

What are some common signs of autism?

The hallmark feature of ASD is impaired social interaction. A child's primary caregivers are usually the first to notice signs of ASD. As early as infancy, a baby with ASD may be unresponsive to people or focus intently on one item to the exclusion of others for long periods of time. A child with ASD may appear to develop normally and then withdraw and become indifferent to social engagement.

Children with ASD may fail to respond to their names and often avoid eye contact with other people. They have difficulty interpreting what others are thinking or feeling because they can't understand social cues, such as tone of voice or facial expressions, and don't watch other people's faces for clues about appropriate behavior. They lack empathy.

Many children with ASD engage in repetitive movements such as rocking and twirling, or in self-abusive behavior such as biting or head-banging. They also tend to start speaking later than other children and may refer to themselves by name instead of "I" or "me." Children with ASD don't know how to play interactively with other children. Some speak in a sing-song voice about a narrow range of favorite topics, with little regard for the interests of the person to whom they are speaking.

Children with ASD appear to have a higher than normal risk for certain co-occurring conditions, including Fragile X syndrome (which causes mental retardation), tuberous sclerosis (in which tumors grow on the brain), epileptic seizures, Tourette syndrome, learning disabilities, and attention deficit disorder. About 20

to 30 percent of children with ASD develop epilepsy by the time they reach adulthood. While people with schizophrenia may show some autistic-like behavior, their symptoms usually do not appear until the late teens or early adulthood. Most people with schizophrenia also have hallucinations and delusions, which are not found in autism.

[top](#)

How is autism diagnosed?

ASD varies widely in severity and symptoms and may go unrecognized, especially in mildly affected children or when it is masked by more debilitating handicaps. Very early indicators that require evaluation by an expert include:

- ▶ no babbling or pointing by age 1
- ▶ no single words by 16 months or two-word phrases by age 2
- ▶ no response to name
- ▶ loss of language or social skills
- ▶ poor eye contact
- ▶ excessive lining up of toys or objects
- ▶ no smiling or social responsiveness.

Later indicators include:

- ▶ impaired ability to make friends with peers
- ▶ impaired ability to initiate or sustain a conversation with others
- ▶ absence or impairment of imaginative and social play
- ▶ stereotyped, repetitive, or unusual use of language
- ▶ restricted patterns of interest that are abnormal in intensity or focus
- ▶ preoccupation with certain objects or subjects
- ▶ inflexible adherence to specific routines or rituals.

Health care providers will often use a questionnaire or other screening instrument to gather information about a child's development and behavior. Some screening instruments rely solely on parent observations, while others rely on a combination of parent and doctor observations. If screening instruments indicate the possibility of ASD, a more comprehensive evaluation is usually indicated.

A comprehensive evaluation requires a multidisciplinary team, including a psychologist, neurologist, psychiatrist, speech therapist, and other professionals who diagnose children with ASD. The team members will conduct a thorough neurological assessment and in-depth cognitive and language testing. Because hearing problems can cause behaviors that could be mistaken for ASD, children with delayed speech development should also have their hearing tested.

Children with some symptoms of ASD but not enough to be diagnosed with classical autism are often diagnosed with PDD-NOS. Children with autistic behaviors but well-developed language skills are often diagnosed with Asperger syndrome. Much rarer are children who may be diagnosed with childhood disintegrative disorder, in which they develop normally and then suddenly deteriorate between the ages of 3 to 10 years and show marked autistic behaviors. Girls with autistic symptoms may have Rett syndrome, a sex-linked genetic disorder characterized by social withdrawal, regressed language skills, and hand wringing.

[top](#)

What causes autism?

Scientists aren't certain about what causes ASD, but it's likely that both genetics and environment play a role. Researchers have identified a number of genes associated with the disorder. Studies of people with ASD have found irregularities in several regions of the brain. Other studies suggest that people with ASD have abnormal levels of serotonin or other neurotransmitters in the brain. These abnormalities suggest

that ASD could result from the disruption of normal brain development early in fetal development caused by defects in genes that control brain growth and that regulate how brain cells communicate with each other, possibly due to the influence of environmental factors on gene function. While these findings are intriguing, they are preliminary and require further study. The theory that parental practices are responsible for ASD has long been disproved.

[top](#)

What role does inheritance play?

Twin and family studies strongly suggest that some people have a genetic predisposition to autism. Identical twin studies show that if one twin is affected, there is a 90 percent chance the other twin will be affected. There are a number of studies in progress to determine the specific genetic factors associated with the development of ASD. In families with one child with ASD, the risk of having a second child with the disorder is approximately 5 percent, or one in 20. This is greater than the risk for the general population. Researchers are looking for clues about which genes contribute to this increased susceptibility. In some cases, parents and other relatives of a child with ASD show mild impairments in social and communicative skills or engage in repetitive behaviors. Evidence also suggests that some emotional disorders, such as manic depression, occur more frequently than average in the families of people with ASD.

[top](#)

Do symptoms of autism change over time?

For many children, symptoms improve with treatment and with age. Children whose language skills regress early in life—before the age of 3—appear to have a higher than normal risk of developing epilepsy or seizure-like brain activity. During adolescence, some children with ASD may become depressed or experience behavioral problems, and their treatment may need some modification as they transition to adulthood. People with ASD usually continue to need services and supports as they get older, but many are able to work successfully and live independently or within a supportive environment.

[top](#)

How is autism treated?

There is no cure for ASD. Therapies and behavioral interventions are designed to remedy specific symptoms and can bring about substantial improvement. The ideal treatment plan coordinates therapies and interventions that meet the specific needs of individual children. Most health care professionals agree that the earlier the intervention, the better.

Educational/behavioral interventions: Therapists use highly structured and intensive skill-oriented training sessions to help children develop social and language skills, such as Applied Behavioral Analysis. Family counseling for the parents and siblings of children with ASD often helps families cope with the particular challenges of living with a child with ASD.

Medications: Doctors may prescribe medications for treatment of specific ASD-related symptoms, such as anxiety, depression, or obsessive-compulsive disorder. Antipsychotic medications are used to treat severe behavioral problems. Seizures can be treated with one or more anticonvulsant drugs. Medication used to treat people with attention deficit disorder can be used effectively to help decrease impulsivity and hyperactivity.

Other therapies: There are a number of controversial therapies or interventions available for people with ASD, but few, if any, are supported by scientific studies. Parents should use caution before adopting any unproven treatments. Although dietary interventions have been helpful in some children, parents should be careful that their child's nutritional status is carefully followed.

[top](#)

What research is being done?

In 1997, at the request of Congress, the National Institutes of Health (NIH) formed its Autism Coordinating Committee (NIH/ACC) to enhance the quality, pace and coordination of efforts at the NIH to find a cure for autism (<http://www.nimh.nih.gov/health/topics/autism-spectrum-disorders-pervasive-developmental-disorders/nih-initiatives/nih-autism-coordinating-committee.shtml>). The NIH/ACC

involves the participation of seven NIH Institutes and Centers: the National Institute of Neurological Disorders and Stroke (NINDS), the *Eunice Kennedy Shriver* National Institute of Child Health and Human Development, the National Institute of Mental Health, the National Institute on Deafness and Other Communication Disorders, the National Institute of Environmental Health Sciences, the National Institute of Nursing Research, and the National Center on Complementary and Alternative Medicine. The NIH/ACC has been instrumental in the understanding of and advances in ASD research. The NIH/ACC also participates in the broader Federal Interagency Autism Coordinating Committee (IACC) that is composed of representatives from various component agencies of the U.S. Department of Health and Human Services, as well as the U.S. Department of Education and other government organizations.

In fiscal years 2007 and 2008, NIH began funding the 11 Autism Centers of Excellence (ACE), coordinated by the NIH/ACC. The ACEs are investigating early brain development and functioning, social interactions in infants, rare genetic variants and mutations, associations between autism-related genes and physical traits, possible environmental risk factors and biomarkers, and a potential new medication treatment.

top

Where can I get more information?

For more information on neurological disorders or research programs funded by the National Institute of Neurological Disorders and Stroke, contact the Institute's Brain Resources and Information Network (BRAIN) at:

BRAIN
P.O. Box 5801
Bethesda, MD 20824
(800) 352-9424
<http://www.ninds.nih.gov>

Information also is available from the following organizations:

Association for Science in Autism Treatment

P.O. Box 188
Crosswicks, NJ 08515-0188
info@asatonline.org
<http://www.asatonline.org>

Autism National Committee (AUTCOM)

P.O. Box 429
Forest Knolls, CA 94933
<http://www.autcom.org>

Autism Network International (ANI)

P.O. Box 35448
Syracuse, NY 13235-5448
jjincl@svr.edu
<http://www.ani.ac>

Autism Research Institute (ARI)

4182 Adams Avenue
San Diego, CA 92116
director@autism.com
<http://www.autismresearchinstitute.com>
Tel: 866-366-3361
Fax: 619-563-6840

Autism Society of America

7910 Woodmont Ave.
Suite 300
Bethesda, MD 20814-3067
<http://www.autism-society.org>
Tel: 301-657-0881 800-3AUTISM (328-8476)
Fax: 301-657-0869

Autism Speaks, Inc.

2 Park Avenue
11th Floor
New York, NY 10016
contactus@autismspeaks.org
<http://www.autismspeaks.org>
Tel: 212-252-8584 California: 310-230-3568
Fax: 212-252-8676

Birth Defect Research for Children, Inc.

800 Celebration Avenue
Suite 225
Celebration, FL 34747
betty@birthdefects.org
<http://www.birthdefects.org>
Tel: 407-566-8304
Fax: 407-566-8341

MAAP Services for Autism, Asperger Syndrome, and PDD

P.O. Box 524
Crown Point, IN 46308
info@aspergersyndrome.org
<http://www.aspergersyndrome.org/>
Tel: 219-662-1311
Fax: 219-662-1315

National Dissemination Center for Children with Disabilities

U.S. Dept. of Education, Office of Special Education Programs
1825 Connecticut Avenue NW, Suite 700
Washington, DC 20009

National Institute of Child Health and Human Development (NICHD)

National Institutes of Health, DHHS
31 Center Drive, Rm. 2A32 MSC 2425

nichcv@aed.org
<http://www.nichcv.org>
Tel: 800-695-0285 202-884-8200
Fax: 202-884-8441

Bethesda, MD 20892-2425
<http://www.nichd.nih.gov>
Tel: 301-496-5133
Fax: 301-496-7101

National Institute on Deafness and Other Communication Disorders Information Clearinghouse

1 Communication Avenue
Bethesda, MD 20892-3456
nidcdinfo@nidcd.nih.gov
<http://www.nidcd.nih.gov>
Tel: 800-241-1044 800-241-1055 (TTD/TTY)

National Institute of Environmental Health Sciences (NIEHS)

National Institutes of Health, DHHS
111 T.W. Alexander Drive
Research Triangle Park, NC 27709
webcenter@niehs.nih.gov
<http://www.niehs.nih.gov>
Tel: 919-541-3345

National Institute of Mental Health (NIMH)

National Institutes of Health, DHHS
6001 Executive Blvd. Rm. 8184, MSC 9663
Bethesda, MD 20892-9663
nimhinfo@nih.gov
<http://www.nimh.nih.gov>
Tel: 301-443-4513/866-415-8051 301-443-8431 (TTY)
Fax: 301-443-4279

top

"Autism Fact Sheet," NINDS. Publication date September 2009.

NIH Publication No. 09-1877

Back to [Autism Information Page](#)

See a list of all NINDS Disorders

Publicaciones en Español

► **Autismo**

Prepared by:
Office of Communications and Public Liaison
National Institute of Neurological Disorders and Stroke
National Institutes of Health
Bethesda, MD 20892

NINDS health-related material is provided for information purposes only and does not necessarily represent endorsement by or an official position of the National Institute of Neurological Disorders and Stroke or any other Federal agency. Advice on the treatment or care of an individual patient should be obtained through consultation with a physician who has examined that patient or is familiar with that patient's medical history.

All NINDS-prepared information is in the public domain and may be freely copied. Credit to the NINDS or the NIH is appreciated.

Last updated December 20, 2010

National Institute of Neurological Disorders and Stroke

[Home](#) | [About NINDS](#) | [Disorders A - Z](#) | [Research Funding](#) | [News From NINDS](#) | [Find People](#) | [Training](#) | [Research](#) | [American Recovery and Reinvestment Act](#)

[Careers@NINDS](#) | [FOIA](#) | [Accessibility Policy](#) | [Contact Us](#) | [Privacy Statement](#)



Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen Serving Northeast Anchorage and Muldoon

Table of Contents: Background Information for HB 79 Insurance Coverage for Autism Spectrum Disorders

1. Hearing Request Memo
2. Sponsor Statement
3. Current Bill
4. Sectional Analysis
5. Supporting Documents
 - a. Governor's Council on Disabilities and Special Education, "Autism Insurance Reform Fact Sheet"
 - b. Pat Mirinda PhD, and Karen Bopp PhD, "Autism Intervention Research Findings"
 - c. Pediatrics journal article, "Randomized, Controlled Trial of an Intervention for Toddlers With Autism: The Early Start Denver Model"
 - d. Infants & Young Children Article, "Early Intervention in Autism" Christina Corsello PhD
 - e. Governor's Council on Disabilities and Special Education, "Autism Issues and Needs"
 - f. Autism Speaks, "Arguments in Support of Private Insurance Coverage"
 - g. "Applied Behavioral Analysis(ABA) - Based Interventions for Young Children with Autism Spectrum Disorders."
 - h. Lori Unumb, Autism Speaks, "Insurance Coverage for Autism in Alaska"
 - i. Michael Ganz, MS, PhD, "The Lifetime Distribution of the Incremental Societal Costs of Autism"
 - j. Kristin Sainani MS PhD, "Breaking Through"
 - k. Center for Disease Control and Prevention "Autism Spectrum Disorders"
 - l. State of Alaska Department of Health & Social Services "Overview of Autism Spectrum Disorders"
 - m. "UAA Center for Human Development: Workforce Development for Serving Young Children with Autism"
 - n. "Health Coverage of Alaska Population"
 - o. "Autism Spectrum Disorders - Alaska Statistics, Incidence, Prevalence, Rates"
 - p. The Fiscal Impact of Autism Insurance Reform

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen Serving Northeast Anchorage and Muldoon

- q. "Insurance Coverage for Autism Treatment & Applied Behavior Analysis" State of Missouri Department of Insurance, Financial Institutions & Professional Registration
6. Letters of Support
 - a. Jeff Jesse, Alaska Mental Health Trust
 - b. Rebecca Shaffer Stelzner, Autism Speaks
 - c. Letter from Dr. Gina Green concerning medically necessary treatment for autism
 - d. Donna Swihart, Governor's Council on Disabilities and Special Education
 - e. Key Campaign
 - f. Meg Loomis, National Association of Social Workers, Alaska Chapter
 - g. Stone Soup Group
 - h. Jan Plummer, Parent
 - i. Ellen Pryor, Occupational Therapist
7. List of Invited Testimony

GOVERNOR'S COUNCIL ON DISABILITIES AND SPECIAL EDUCATION

Autism Insurance Reform

(The Council supports HB 79, Requiring Insurance Coverage for Autism Spectrum Disorders)

WHAT:

- **Autism is a disorder affecting at least 1 in 110 children with approximately 1 in 500 requiring significant clinical treatment.** Alaska currently has around 1,512 children and youth under the age of 21 who have autism; approximately 454 need significant clinical treatment.

RECOMMENDED INSURANCE REFORM

- **The Governor's Council on Disabilities and Special Education recommends that private, state employee and university employee insurance policies provide coverage for the diagnosis and treatment of autism spectrum disorders, including but not limited to applied behavior analysis, the leading evidence-based intervention for autism.**
 - ✓ Must be prescribed by a licensed physician, psychologist or advanced nurse practitioner.
 - ✓ Must be provided by an autism service provider as identified in a treatment plan developed following a comprehensive evaluation.
 - ✓ Must identify the medically necessary pharmacy care, psychiatric care, psychological care, rehabilitative care and therapeutic care.

WHY:

- **Most insurance policies specifically exclude coverage for treating autism, even when the services are otherwise covered by the health plan.**
- **Because Alaska law does not require insurance coverage for autism services, families that do not qualify for DHSS services pay out of pocket, often as much as \$50,000 per year or more; in some instances, bearing this burden results in divorce or bankruptcy.** Families that cannot afford to do so, go without crucial intervention.
- **Autism is treatable.** 40 years of research shows that with treatment, many children overcome the severe symptoms of their disorder.
 - ✓ About half the children who receive intensive early intervention achieve normal functioning after 2-3 years of treatment
 - ✓ There is an average gain of 22 IQ points
 - ✓ 1/3 gained 45 IQ points
 - ✓ Nearly 50% of those receiving intensive early intervention do not require lifelong services and supports

(Continued on back side)

Autism Insurance Reform

(The Council supports HB 79, Requiring Insurance Coverage for Autism Spectrum Disorders)

- **The earlier the diagnosis, the more effective treatment is.** The diagnostic process involves a comprehensive assessment (neuro-developmental pediatrics, psychology, speech, occupational and physical therapy, ophthalmology, audiology) by a multidisciplinary team. Only those children who meet specific medical criteria are diagnosed with autism.

- **Treatment equals savings.** With treatment, Alaska will see savings of \$208,500 per capita in avoided special education costs and lifetime savings of \$1.08 million per capita. Treatment may include the following medically necessary services.
 - ✓ Pharmacy, psychiatric, psychological, rehabilitative and therapeutic care.
 - ✓ Habilitative care includes applied behavior analysis (the design, implementation and evaluation of environmental modifications to produce socially significant improvement in human behavior or to prevent the loss of an attained skill or function.

- **Without treatment it is estimated that it will cost the state \$3.2 million per capita.** (Michael Ganz, Harvard economist)

- **Coverage of medically necessary autism treatment in Alaska will enable many children to access the services they need and live more productive lives.**

- **The costs of this insurance reform are small and will have very little impact on the cost of health insurance premiums for the individual consumer.**
 - ✓ **According to a February 9, 2010 actuarial study conducted by Oliver Wyman Actuarial Consulting, Inc.** the "Middle" estimate is that, in the long-term, the premium increase associated with the mandated benefits for private insurance plans would be about 0.39% of insured premiums across all markets or \$1.34 per policyholder per month. **Note:** the original estimate was 0.02% or \$3.60 per policyholder per month; it was revised based on the actual experiences of states that have enacted autism insurance reform.
 - ✓ **The Council estimates** government programs such as the State of Alaska and/or the university system would have cost increases comparable to large insured groups. This would translate into an increased cost to the State of Alaska of \$1.34 per state employee per month. **Note:** the Division of Insurance's actuarial consultants, Buck Consultants, estimated a rate of 1-3% or \$3.20 per member per month based on the nationwide trends of children being diagnosed with autism over the past 10 years. However, the actual experiences of government insurance programs that implemented autism insurance reform were closer to the \$1.34 per member per month figure cited above.
 - ✓ South Carolina's State Employee Health Plan experience has been far less than \$1.34. In year one it was 20 cents per member per month and in year two it was 44 cents per member per month.

What Does Our Research Mean for Autism Early Intervention?

Pat Mirenda, Ph.D. and Karen D. Bopp, Ph.D.

University of British Columbia

The following information is a summary of the implications of what recent UBC-based research -- funded by the Ministry of Children and Family Development, the Human Early Learning Partnership and the National Alliance for Autism Research/Autism Speaks -- might mean for early intervention designed for young children with autism spectrum disorders. This summary is based on the research described in five of the six webcasts—available via SET BC at <http://www.setbc.org/>—produced in October 2008.

Knowing what skills are related to development in children with autism spectrum disorder (ASD), can help us to understand why some children make a lot of progress in treatment and others, at present, do not. If we understand the relationship between the skills that children with ASD have before they start intervention and how they progress over time, we might be able to do something - for example, recommend that certain skills be targeted in early intervention which might ultimately lead to better outcomes for those children.

Overall, the research found that children who had the following skills before they started intervention had better outcomes over time.



Predicting Early Vocabulary Development in Children with Autism Spectrum Disorder

(with Veronica Smith, Ph.D., and Anat Zaidman-Zait, Ph.D.)

Synopsis:

- Early intervention programs should assess a child's ability to imitate sounds and words, use gestures to share and label (e.g., pointing, waving, etc.), and engage in pretend play (e.g., pretending a block is a car, or playing dress-up).
- These skills should be targets for early intervention if a child is not able to do them.

Early Word Learning in Children with Autism Spectrum Disorder and Early Predicate Development in Children with Autism Spectrum Disorder

(with Jenea Peralejo, M.A., and Judith Johnston, Ph.D.)

Synopsis:

- Children with autism learn words in the same sequence or pattern as typically developing children—they just learn words more slowly.
- Speech-language pathologists and other professionals can use typical vocabulary development to guide the goals they set during early intervention.
- Early treatment should focus on teaching action and descriptive words (also known as predicates – e.g., eat, love, hungry, big, red, under, yucky, out, etc.), and not just focus on object words (also known as nominals – e.g., ball, dog, mum, dad, school, etc.).



What Predicts General Language Development in Children with Autism?

Synopsis:

- The ability to engage in simple social or people games and other play routines and to point to objects and label them socially to another person are both important.
- These skills require children to be able to *take turns, imitate actions and words, and point in order to label and share information.*
- If young children with ASD do not have these skills, they should be included in early intervention programs.
- All of these skills occur during social play—not play with toys, but play with people—so lots of social play is important!



THE UNIVERSITY OF
BRITISH COLUMBIA



Ministry of
Children and Family
Development

Are Problem Behaviors Related to Language Development in Children with ASD?

Synopsis:

- The ability to pay attention to people and activities and to interact socially with other people are both important for young children with ASD in order for them to learn language.

To teach children **better attention skills**, parents and professionals can:

- Use toys and activities that are motivating to the child. When something is motivating then a child is more likely to attend and they are also more likely to interact with another person.
- Structure or arrange the environment to gain the child's attention by reducing the number of distractions in a room. For example, taking down colourful mobiles from the ceiling, facing the child towards the walls of the room instead of toward an open area.
- Be predictable and teach within familiar routines – Doing something over and over in a predictable way allows the child to focus on the language involved within the routine rather than worrying about what comes next.
- Use visual/picture supports – pictures do not disappear like spoken words and so the child has a longer time to take in the information.
- Use visual schedules – visual schedules allow a child to see what is happening next – when there will be a break etc. – this allows them to concentrate more on the task at hand.
- Provide choices to give the child a sense of control.
- Get down to the child's eye level to help them focus.
- Use simple language with lots of expression to emphasize the key message.
- Teach or target attending skills directly within early intervention.

To teach children to **interact socially**, parents and professionals can:

- Make sure that learning is fun!
- Provide activities that require social skills such as turn-taking, imitation, and sharing another person's attention to a favourite toy.
- Include person-to-person games and routines (e.g., tickle play, chase, songs with actions, peek-a-boo, horsey rides, etc.)

October, 2008

© Pat Mirenda, Ph.D., and Karen Bopp, Ph.D.

PEDIATRICS®

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Randomized, Controlled Trial of an Intervention for Toddlers With Autism: The Early Start Denver Model

Geraldine Dawson, Sally Rogers, Jeffrey Munson, Milani Smith, Jamie Winter,
Jessica Greenson, Amy Donaldson and Jennifer Varley

Pediatrics 2010;125:e17-e23; originally published online Nov 30, 2009;

DOI: 10.1542/peds.2009-0958

The online version of this article, along with updated information and services, is
located on the World Wide Web at:

<http://www.pediatrics.org/cgi/content/full/125/1/e17>

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2010 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



Randomized, Controlled Trial of an Intervention for Toddlers With Autism: The Early Start Denver Model

AUTHORS: Geraldine Dawson, PhD,^{a,b,c} Sally Rogers, PhD,^d Jeffrey Munson, PhD,^{e,f} Milani Smith, PhD,^e Jamie Winter, PhD,^e Jessica Greenson, PhD,^e Amy Donaldson, PhD,^g and Jennifer Varley, MS^e

^a*Autism Speaks*; ^b*Department of Psychiatry, University of North Carolina, Chapel Hill, North Carolina*; ^c*Department of Psychology, University of Washington Autism Center, Center on Human Development and Disability, and Department of Psychiatry and Behavioral Sciences, University of Washington, Seattle, Washington*; ^d*MIND Institute, Department of Psychiatry, University of California Davis, Sacramento, California*; and ^e*Department of Speech and Hearing Science, Portland State University, Portland, Oregon*

KEY WORDS

autism, behavioral intervention, cognitive function, developmental outcomes, early intervention

ABBREVIATIONS

ASD—autism spectrum disorder
ESDM—Early Start Denver Model
ABA—applied behavior analysis
A/M—assess and monitor
PDD—pervasive developmental disorder
NOS—not otherwise specified
MSEL—Mullen Scales of Early Learning
ADOS—Autism Diagnostic Observation Schedule
VABS—Vineland Adaptive Behavior Scales
RBS—Repetitive Behavior Scale

This trial has been registered at www.clinicaltrials.gov (identifier NCT00090415).

www.pediatrics.org/cgi/doi/10.1542/peds.2009-0958

doi:10.1542/peds.2009-0958

Accepted for publication Jul 17, 2009

Address correspondence to Geraldine Dawson, PhD, Autism Speaks, 4120 Bioinformatics Building, University of North Carolina, Chapel Hill, North Carolina. E-mail: gdawson@autismspeaks.org

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2009 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: *Sally Rogers and Geraldine Dawson are authors of Early Start Denver Model for Young Children with Autism from which they receive royalties.*



WHAT'S KNOWN ON THIS SUBJECT: Previous studies on the efficacy of early behavioral intervention for improving outcomes for preschool-aged children with autism have yielded promising results. However, no randomized clinical trials of early developmental behavioral intervention designed for toddlers with autism have been conducted to date.



WHAT THIS STUDY ADDS: This study assessed the efficacy of the Early Start Denver Model, a comprehensive developmental behavioral intervention, for improving outcomes of toddlers with ASD. The intervention, which was initiated when children were less than 2½ years, resulted in significant improvements in IQ, language, adaptive behavior, and autism diagnosis.

abstract

OBJECTIVE: To conduct a randomized, controlled trial to evaluate the efficacy of the Early Start Denver Model (ESDM), a comprehensive developmental behavioral intervention, for improving outcomes of toddlers diagnosed with autism spectrum disorder (ASD).

METHODS: Forty-eight children diagnosed with ASD between 18 and 30 months of age were randomly assigned to 1 of 2 groups: (1) ESDM intervention, which is based on developmental and applied behavioral analytic principles and delivered by trained therapists and parents for 2 years; or (2) referral to community providers for intervention commonly available in the community.

RESULTS: Compared with children who received community-intervention, children who received ESDM showed significant improvements in IQ, adaptive behavior, and autism diagnosis. Two years after entering intervention, the ESDM group on average improved 17.6 standard score points (1 SD: 15 points) compared with 7.0 points in the comparison group relative to baseline scores. The ESDM group maintained its rate of growth in adaptive behavior compared with a normative sample of typically developing children. In contrast, over the 2-year span, the comparison group showed greater delays in adaptive behavior. Children who received ESDM also were more likely to experience a change in diagnosis from autism to pervasive developmental disorder, not otherwise specified, than the comparison group.

CONCLUSIONS: This is the first randomized, controlled trial to demonstrate the efficacy of a comprehensive developmental behavioral intervention for toddlers with ASD for improving cognitive and adaptive behavior and reducing severity of ASD diagnosis. Results of this study underscore the importance of early detection of and intervention in autism. *Pediatrics* 2010;125:e17–e23

Autism spectrum disorder (ASD) is characterized by impairments in social reciprocity and communication, and stereotyped and repetitive behaviors, with onset during early childhood. Intellectual disability is present in a large proportion of individuals.¹ With a prevalence of 1 per 150,² autism costs the United States \$35 billion per year.³ The lifetime per-capita societal cost of autism is \$3.2 million, with lost productivity and adult care among the largest costs.⁴ Thus, early-intervention methods that can improve outcome for individuals with ASD are of high importance.

The 1987 report by Lovaas⁵ of an early behavioral intervention that resulted in 49% of children in the study being mainstreamed into regular classrooms and showing significant IQ gains created a groundswell of interest among parents and professionals in early intervention and raised questions about early plasticity in children with autism.⁶ Although subsequent intervention studies, including a randomized, controlled trial,⁷ have documented improvements in IQ for a subgroup of children, questions regarding the efficacy of early intervention have remained. Many of the studies lacked methodologic rigor. Authors of a recent meta-analysis of the efficacy of early behavioral intervention argued that stronger evidence that early behavioral intervention results in better outcomes than standard care is still needed.⁸

Our study was a randomized, controlled trial of early intensive behavioral intervention for young children with ASD that was funded by the National Institute of Mental Health (Dr Dawson, principal investigator). It was hypothesized that the early intervention would result in significant improvements in cognitive abilities of young children with ASD. The study differed from previous ones in several

ways. First, we maintained a high level of methodologic rigor, including gold-standard diagnostic criteria, randomization, comprehensive outcome measures conducted by naive examiners, high retention rates, and measures of fidelity of implementation of a manualized intervention.

Second, to our knowledge, our study is the first randomized, controlled trial of intervention for toddlers with autism; all children were younger than 30 months at entry. Given the recent recommendation by the American Academy of Pediatrics that 18-month-old children be screened for ASD,⁹ it is imperative that the efficacy of early-intervention models appropriate for toddlers with ASD be demonstrated.

Third, the intervention, the Early Start Denver Model (ESDM),¹⁰ is a comprehensive early behavioral intervention for infants to preschool-aged children with ASD that integrates applied behavior analysis (ABA) with developmental and relationship-based approaches. The ESDM was designed to address the needs of toddlers with ASD as young as 12 months. The intervention is provided in a toddler's natural environment (the home) and is delivered by trained therapists and parents. In our study, children received structured intervention at high intensity, consistent with the National Research Council's recommendation.¹¹

PATIENTS AND METHODS

Study Procedures

Forty-eight children between 18 and 30 months of age diagnosed with autistic disorder or pervasive developmental disorder (PDD), not otherwise specified (NOS), were randomly assigned to 1 of 2 groups: (1) the ESDM group received yearly assessments, 20 hours/week of the ESDM intervention from University of Washington clinicians, parent training, and parent delivery for 5 or more hours/week of ESDM, in addition to whatever community ser-

vices the parents chose; and (2) the assess-and-monitor (A/M) group received yearly assessments with intervention recommendations and referrals for intervention from commonly available community providers in the greater Seattle region.

Children were evaluated by experienced examiners naive to intervention status at baseline (preintervention), 1 year after onset of the intervention, and at either 2 years after onset of the intervention or at 48 months of age, whichever yielded a longer time frame.

Participants

Participants were recruited through pediatric practices, Birth to Three centers, preschools, hospitals, and state and local autism organizations. Exclusion criteria included (1) a neurodevelopmental disorder of known etiology (eg, fragile X syndrome), (2) significant sensory or motor impairment, (3) major physical problems such as a chronic serious health condition, (4) seizures at time of entry, (5) use of psychoactive medications, (6) history of a serious head injury and/or neurologic disease, (7) alcohol or drug exposure during the prenatal period, and (8) ratio IQ below 35 as measured by mean age equivalence score/chronological age on the visual reception and fine motor subscales of the Mullen Scales of Early Learning (MSEL).¹² Children who developed seizures during the course of the study were not excluded. Inclusion criteria included age below 30 months at entry, meeting criteria for autistic disorder on the Toddler Autism Diagnostic Interview,¹³ meeting criteria for autism or ASD on the Autism Diagnostic Observation Schedule,¹⁴ and a clinical diagnosis based on *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition* (DSM-IV) criteria¹⁵ using all available information, residing within 30 minutes of the University of Washington,

and willingness to participate in a ≥ 2 -year intervention. At baseline, 18 children in the A/M group and 21 in the ESDM group received a DSM-IV diagnosis of autistic disorder. Six children in the A/M group and 3 in the ESDM group received a diagnosis of PDD NOS. This difference was not significant (Fisher's exact test, $P = .231$). The ethnicities involved were Asian (12.5%), white (72.9%), Latino (12.5%), and multiracial (14.6%). The male-to-female ratio reflected the expected ratio in ASD of 3.5:1.

Retention rates were 100% (1-year) and 100% (2-year) for the ESDM group and 96% (1-year) and 88% (2-year) for the A/M group, which yielded a sample size of 24 in the ESDM and 21 in the A/M group at outcome. Figure 1 shows the participant flowchart.

Measures

Autism Diagnostic Interview—Revised

The toddler version of the Autism Diagnostic Interview—Revised¹³ is a semi-structured parent interview that assesses autism symptoms across 3 domains: social relatedness; communication; and repetitive, restricted behaviors.

Autism Diagnostic Observation Schedule

The Autism Diagnostic Observation Schedule (ADOS), WPS version,¹⁴ is a semistructured standardized observation that measures autism symptoms in social relatedness, communication, play, and repetitive behaviors. A standardized severity score based on codes within these domains can be calculated to compare autism symptoms across modules.¹⁶

Mullen Scales of Early Learning (MSEL)

The MSEL¹² are a standardized developmental test for children from birth to 68 months of age. Four of the 5 subscales




FIGURE 1
Participant flowchart.

were administered: fine motor, visual reception, expressive language, and receptive language. *T* scores for subscales have a mean of 50 (SD: 10). The early-learning composite score is a standard score with mean of 100 (SD: 15).

Vineland Adaptive Behavior Scales

The Vineland Adaptive Behavior Scales (VABS)¹⁷ are a parent interview that assesses social, communication, motor, and daily living skills. They provide age-equivalent and standard scores for several subscales, including expressive and receptive language and social adaptive functioning.

Repetitive Behavior Scale

The Repetitive Behavior Scale (RBS)¹⁸ is a parent questionnaire that characterizes the severity of repetitive behaviors, yielding 6 subdomain scores (eg,

sameness, self-injurious behavior) and a total score.

Randomization

Participants were stratified into 2 groups on the basis of composite IQ at entry (<55 and 55) and gender to ensure comparable IQ and gender ratios between groups. Within each of these strata, randomization was conducted by using random permuted blocks of 4. The intervention groups did not differ at baseline in severity of autism symptoms based on ADOS scores, chronological age, IQ, gender, or adaptive behaviors (see Table 1).

Intervention Groups

ESDM Group

The ESDM group was provided with intervention by trained therapists for

TABLE 1 Baseline Measures for ESDM and A/M Groups

	A/M Group			ESDM Group			F	MS	P
	Mean	SD	N	Mean	SD	N			
Age at study entry, mo	23.1	3.9	24	23.9	4.0	24	0.48	7.52	.490
MSEL									
Early-learning composite ^a	59.4	8.6	24	61.0	9.2	24	0.40	31.69	.530
Receptive language ^b	21.2	3.8	24	21.1	4.7	24	0.01	0.19	.920
Expressive language ^b	26.0	8.6	24	24.5	7.2	24	0.48	30.08	.492
Visual reception ^b	30.8	8.9	24	33.2	11.0	24	0.70	70.08	.406
Fine motor ^b	30.6	10.7	24	33.9	11.9	24	1.02	130.02	.318
VABS									
Adaptive behavior composite ^a	69.9	7.3	24	69.5	5.7	24	0.04	1.69	.844
Communication ^a	69.6	7.3	24	68.4	7.6	24	0.32	17.52	.577
Socialization ^a	72.4	9.4	24	73.8	7.7	24	0.29	21.33	.594
Daily living skills ^a	86.8	10.0	24	87.3	11.4	24	0.03	3.52	.381
Motor skills ^a	72.5	6.5	24	70.9	6.2	24	0.78	31.69	.862
ADOS severity score	6.9	1.7	24	7.2	1.7	24	0.35	1.02	.557
RBS total	21.5	19.2	24	15.2	10.8	24	1.93	468.75	.171

No significant differences among baseline measures were found ($P > .10$ on all measures).

^a Standard score (mean: 100 [SD: 15]).

^b T score (mean: 50 [SD: 10]).

2-hour sessions, twice per day, 5 days/week, for 2 years. A detailed intervention manual and curriculum were used.¹⁹ One or both parents were provided with parent training from the primary therapist during semimonthly meetings, during which the principles and specific techniques of ESDM were taught. Parents were asked to use ESDM strategies during daily activities and to keep track of the number of hours during which they used these strategies. ESDM uses teaching strategies that involve interpersonal exchange and positive affect, shared engagement with real-life materials and activities, adult responsivity and sensitivity to child cues, and focus on verbal and nonverbal communication, based on a developmentally informed curriculum that addresses all developmental domains. Teaching strategies are consistent with the principles of ABA, such as the use of operant conditioning, shaping, and chaining. Each child's plan is individualized. There is a strong parent-family role responsive to each family's unique characteristics. Parents are taught the basic ESDM strategies and asked to use them during everyday activities such as feeding, bath time, and play. Parents chose teaching

objectives from the curriculum that they viewed as high priority.

Intervention programs were supervised by a graduate-level, trained lead therapist who had a minimum of 5 years' experience providing early intervention to young children with autism, with ongoing consultation from a clinical psychologist, speech-language pathologist, and developmental behavioral pediatrician. An occupational therapist provided consultation as needed. Intervention objectives and strategies were reviewed, and the intervention was observed at least bi-weekly by the lead therapist and every 3 months by the speech-language pathologist. Intervention was delivered by therapists who typically held a baccalaureate degree, received 2 months of training by the lead therapist, and met weekly with the lead therapist. Therapists were trained to competence, defined as completing coursework, passing tests, mastering the intervention, demonstrating fidelity of 85% of maximum scores on the fidelity instrument, and maintaining ongoing fidelity.²⁰

ESDM intervention hours were systematically recorded. Although 20

therapist-delivered intervention hours per week were made available, the actual mean was 15.2 hours (SD: 1.4) because of illnesses, vacations, and so on. Parents reported spending an average of 16.3 hours/week (SD: 6.2) using ESDM strategies. The ESDM group reported an average of 5.2 hours/week (SD: 2.1) in other therapies (eg, speech therapy, developmental preschool) over the study enrollment period. Other therapies were documented by using an intervention history interview administered every 6 months.

A/M Group

Children who were randomly assigned to the A/M group received comprehensive diagnostic evaluations, intervention recommendations, and community referrals at baseline and again at each of the 2 follow-up assessments. Families were given resource manuals and reading materials at baseline and twice yearly throughout the study. The A/M group reported an average of 9.1 hours of individual therapy and an average of 9.3 hours/week of group interventions (eg, developmental preschool) across the 2-year period during which the intervention study was conducted. In the greater Seattle area, there are a number of Birth to Three centers that provide interventions, speech and language therapy, and occupational therapy. Developmental preschool programs vary but typically include special education and related services. There are a number of private ABA providers in the community.

Data Analysis

The effect of ESDM intervention was assessed by using repeated-measures analysis of variance, with a priori contrasts that compared baseline scores with 1- and 2-year outcome scores. The primary outcome measures were the MSEL composite standard score and the VABS composite standard score.

TABLE 2 Child Outcomes After 1 and 2 Years of Study Participation

	1-y Outcome						2-y Outcome						Group × Time (Baseline vs 1-y)			Group × Time (Baseline vs 2-y)			
	A/M (N = 23)			ESDM (N = 24)			A/M (N = 21)			ESDM (N = 24)			F	MS	P	F	MS	P	
	Mean	SD	Δ	Mean	SD	Δ	Mean	SD	Δ	Mean	SD	Δ							
Chronological age, mo	38.1	3.8	15.3	38.8	4.4	14.9	52.1	4.3	29.3	52.4	3.4	28.5	0.95	2.18	.334	1.27	6.91	.266	
MSEL																			
Early-learning composite	64.0	13.8	4.4	76.4	23.4	15.4	66.3	15.3	7.0	78.6	24.2	17.6	5.99	1416.90	.018	4.31	1264.38	.044	
Receptive language	31.1	11.1	9.8	38.9	15.4	17.8	31.5	10.6	10.2	40.0	16.3	18.9	4.00	745.21	.051	4.14	843.56	.048	
Expressive language	33.0	11.5	6.7	36.1	14.2	11.6	30.0	9.2	4.0	36.6	13.6	12.1	1.99	290.43	.165	4.88	748.07	.033	
Visual reception	29.0	10.7	-1.7	38.8	16.4	5.6	34.5	13.0	4.5	41.0	17.9	7.8	4.22	621.97	.046	0.63	126.23	.433	
Fine motor	26.1	8.6	-5.0	32.7	11.7	-1.3	28.5	9.5	-2.8	33.5	12.2	-0.4	1.32	161.35	.256	0.46	63.81	.503	
VABS	63.7	8.8	-6.3	65.7	9.8	-3.8	59.1	8.8	-11.2	68.7	15.9	-0.8	0.85	71.61	.360	7.05	1181.82	.011	
Communication	71.0	13.0	1.2	73.5	11.7	5.0	69.4	15.8	-0.7	82.1	21.8	13.7	1.38	175.69	.246	6.38	2300.98	.015	
Socialization	68.9	12.1	-3.5	70.0	9.9	-3.8	63.1	9.3	-8.9	69.2	11.6	-4.6	0.01	1.15	.934	1.29	204.57	.263	
Daily living skills	65.3	7.1	-7.4	65.6	8.6	-5.3	58.0	8.1	-14.5	64.7	12.4	-6.2	0.89	51.78	.350	6.73	773.34	.013	
Motor skills	70.7	12.2	-15.9	75.1	14.4	-12.2	64.1	12.3	-23.1	77.4	19.8	-9.9	0.99	157.43	.326	7.40	1881.65	.009	
ADOS severity score	7.3	2.1	0.4	6.5	1.5	-0.7	7.3	1.8	0.3	7.0	1.9	-0.2	3.38	13.15	.072	0.66	3.29	.422	
RBS total	23.3	17.5	1.0	15.5	12.3	0.9	22.0	16.3	-0.6	16.7	13.1	2.5	0.001	0.19	.976	0.37	92.50	.545	

Δ indicates mean change from baseline.

Secondary outcome measures were the ADOS severity score,¹⁶ the RBS,¹⁸ MSEL, and VABS subscale scores, and changes in diagnostic status (autistic disorder, PDD NOS, and no diagnosis).

RESULTS

No serious adverse effects related to the intervention were reported during the 2-year period.

1-Year Outcome

Table 2 displays statistics for 1- and 2-year outcomes, change scores relative to baseline, and group comparisons for primary and secondary measures. Significant intervention effects were found for cognitive ability after 1 year on the MSEL composite standard scores. The ESDM group demonstrated an average IQ increase of 15.4 points (>1 SD) compared with an increase of 4.4 points in the A/M group. The visual reception subscale was the only individual subscale on the MSEL on which the groups significantly differed at the 1-year outcome. The ESDM group gained 5.6 T-score points, whereas the A/M group declined 1.7 points. The ESDM group improved 17.8 points on receptive language compared with a 9.8-point

improvement in the A/M group, a difference that fell just short of statistical significance.

As a whole, children gained raw score points in the daily living skills subscale of the VABS; however, progress was much slower in relation to the VABS normative sample between baseline and 1 year. The groups did not differ in terms of adaptive behavior, measured by the VABS composite standard score, after 1 year (the ESDM group showed a 3.8-point decline, and the A/M group showed a 6.3-point decline). The groups did not differ in terms of their ADOS severity scores or RBS total score after 1 year of intervention.

2-Year Outcome

Two years after the baseline assessment, the ESDM group showed significantly improved cognitive ability, measured by MSEL composite standard scores, which increased 17.6 points compared with 7.0 points in the A/M group. The bulk of this change seems to have been a result of receptive and expressive language, which showed increases of 18.9 and 12.1 points, respectively, for

the ESDM group, whereas the A/M group improved 10.2 and 4.0 points, respectively.

The ESDM and A/M groups significantly differed in terms of their adaptive behavior as measured by the VABS composite standard scores at the 2-year outcome (see Fig 2). The ESDM group showed similar standard scores at the 1- and 2-year outcomes, indicating a steady rate of development, whereas the A/M group, on average, showed an 11.2-point average decline. Thus, the A/M group's delays in overall adaptive behavior became greater when compared with the normative sample. The A/M group showed average declines in standard scores that were twice as great as those in the ESDM group in the domains of socialization, daily living skills, and motor skills. The groups did not differ in terms of their ADOS severity scores or RBS total score after 2 years of intervention.

Diagnosis

At baseline, the diagnoses in each group were not significantly different (Fisher's exact test, $P = .461$) and were distributed as follows:




FIGURE 2 Mean scores on the MSEL (left) and the VABS composite (right) for children in the ESDM and A/M groups 1 and 2 years after entering study. Error bars indicate ± 1 SD.

ESDM, 21 with autistic disorder and 3 with PDD NOS; A/M, 18 with autistic disorder and 6 with PDD NOS. At the 2-year outcome, 15 (62.5%) children in the ESDM group had the same diagnosis (14 with autistic disorder, 1 with PDD NOS) and 15 (71.4%) children in the A/M group had the same diagnosis (all 15 with autistic disorder). Diagnosis improved (baseline autistic disorder to PDD NOS at year 2) for 7 (29.2%) children in the ESDM group but for only 1 (4.8%) child in the A/M group. However, the diagnosis changed from PDD NOS at baseline to autistic disorder at year 2 for 2 (8.3%) children in the ESDM group and 5 (23.8%) children in the A/M group. Thus, children who received ESDM were significantly more likely to have improved diagnostic status at the 2-year outcome compared with children in the A/M group, as assessed by using Fisher's exact test 2 (intervention groups) \times 2 (improved versus worsened diagnosis) contingency table ($P = .041$). Fisher's exact test for the 2 (intervention groups) \times 3 (diagnostic change: no change versus improved versus worsened diagnosis) contingency table was just short of significance ($P = .060$).

DISCUSSION

Recommendations by the American Academy of Pediatrics⁹ that all children be screened for autism at 18 months of age oblige the development of interventions that are appropriate for toddlers with ASD. To our knowledge, this study is the first to demonstrate the efficacy of an intensive intervention designed for toddlers with ASD as young as 12 months of age. After 2 years of intervention, children provided with the ESDM¹⁹ showed significant improvements in IQ, adaptive behavior, and diagnostic status compared with children who received community interventions. Consistent evidence of improvement in communicative abilities in the ESDM group was found, as demonstrated by gains in receptive and expressive language scores on the MSEL subscales and the VABS communication subscale. Significant improvement for the ESDM group was found for overall adaptive behavior, communication, daily living skills, and motor skills. Specifically, the ESDM group, although still significantly delayed in adaptive behavior, was able to keep pace with the rate of change of the VABS normative

sample, whereas the community-based intervention group continued to fall farther behind in adaptive behavior. Given the importance of adaptive behavior for everyday functioning at home and school, the fact that the ESDM group did not continue to fall farther behind is likely to affect ability to function in less-restrictive environments. This demonstrates that the ESDM intervention accelerates overall development and is generalizing to everyday life. Whereas 71% of the children in the group that received community-based intervention retained their diagnosis of autistic disorder over the 2-year period, only 56% of children in the ESDM group did so. The diagnosis of 7 children (30%) in the ESDM group changed from autistic disorder to PDD NOS, whereas this only occurred for 1 child (5%) in the community-intervention group. These diagnostic assessments were conducted by experienced clinicians who were naive with respect to intervention-group status. However, this change in diagnostic severity was not reflected in significant differences in the ADOS severity scores. This lack of correspondence between measures is difficult to interpret, because the child's performance in the ADOS contributes to clinical diagnosis. However, other behaviors, including parental report, also contribute to overall clinical diagnosis. The repetitive-behavior scores also did not change over time in either group.

CONCLUSIONS

The outcomes of this study, which involve an increase in IQ scores of 17 points (>1 SD) and significant gains in language and adaptive behavior, compare favorably with other controlled studies of intensive early intervention (eg, Smith et al [2000],⁷ which delivered discrete trial intervention for >2

years for 25–40 hours/week). The group differences reported from our study are larger than those produced by other comparative trials of developmental behavioral approaches, which were conducted for briefer periods of time and with fewer hours of delivery per week.^{21,22} Whether the children will sustain their gains over a longer term is an important question that will require follow-up study.

REFERENCES

- Baird G, Simonoff E, Pickles A, et al. Prevalence of disorders of the autism spectrum in a population cohort of children in South Thames: the Special Needs and Autism Project (SNAP). *Lancet*. 2006;368(9531):210–215
- Yeargin-Allsopp M, Rice C, Karapurkar T, Doernberg N, Coyle C, Murphy C. Prevalence of autism in a U.S. metropolitan area. *JAMA*. 2003;289(1):49–55
- Ganz ML. The costs of autism. In: Molden SO, Rubenstein JLR, eds. *Understanding Autism: From Basic Neuroscience to Treatment*. Boca Raton, FL: Taylor and Francis Group; 2006
- Ganz ML. The lifetime distribution of the incremental societal costs of autism. *Arch Pediatr Adolesc Med*. 2007;161(4):343–349
- Lovaas OI. Behavioral treatment and normal educational and intellectual functioning in young autistic children. *J Consult Clin Psychol*. 1987;55(1):3–9
- Dawson G. Early behavioral intervention, brain plasticity, and the prevention of autism spectrum disorder. *Dev Psychopathol*. 2008;20(3):775–803
- Smith T, Groen AD, Wynn JW. Randomized trial of intensive early intervention for children with pervasive developmental disorder. *Am J Ment Retard*. 2000;105(4):269–285
- Spreckley M, Boyd R. Efficacy of applied behavioral intervention in preschool children with autism for improving cognitive, language, and adaptive behavior: a systematic review and meta-analysis. *J Pediatr*. 2008; In press
- Johnson CP, Myers SM; American Academy of Pediatrics, Council on Children With Disabilities. Identification and evaluation of children with autism spectrum disorders. *Pediatrics*. 2007;120(5):1183–1215
- Smith M, Rogers S, Dawson G. The Early Start Denver Model: a comprehensive early intervention approach for toddlers with autism. In: Handleman JS, Harris SL, eds. *Preschool Education Programs for Children With Autism*. 3rd ed. Austin, TX: Pro-Ed Corporation, Inc; 2008:65–101
- National Research Council, Division of Behavioral and Social Sciences Education. *Educating Children With Autism*. Washington, DC: National Academy Press; 2001
- Mullen EM. *Mullen Scales of Early Learning: AGS Edition*. Circle Pines, MN: American Guidance Service; 1995
- Lord C, Rutter M, Le Couteur A. Autism Diagnostic Interview-Revised: a revised version of a diagnostic interview for caregivers of individuals with possible pervasive developmental disorders. *J Autism Dev Disord*. 1994;24(5):659–685
- Lord C, Rutter M, DiLavore PC, Risi S. *Autism Diagnostic Observation Schedule*. Los Angeles, CA: Western Psychological Services; 1999
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*. 4th ed. Washington, DC: American Psychiatric Association; 1994
- Gotham K, Pickles A, Lord C. Standardizing ADOS scores for a measure of severity in autism spectrum disorders. *J Autism Dev Disord*. 2009;39(5):693–705
- Sparrow S, Balla D, Cicchetti D. *Vineland Adaptive Behavior Scales: Interview Edition*. Circle Pines, MN: American Guidance Service; 1984
- Bodfish JW, Symons FJ, Lewis MH. *The Repetitive Behavior Scale: A Test Manual*. Morganton, NC: Western Carolina Center Research Reports; 1998
- Rogers SJ, Dawson G. *Early Start Denver Model for Young Children with Autism*. New York, NY: Guilford Press; 2009
- Bond GR, Evans L, Salyers MP, Williams J, Kim HW. Measurement of fidelity in psychiatric rehabilitation. *Ment Health Serv Res*. 2000;2(2):75–87
- Jocelyn LJ, Casiro OG, Beattie D, Bow J, Kneisz J. Treatment of children with autism: a randomized controlled trial to evaluate a caregiver-based intervention program in community day-care centers. *J Dev Behav Pediatr*. 1998;19(5):326–334
- Aldred C, Green J, Adams C. A new social communication intervention for children with autism: pilot randomised controlled treatment study suggesting effectiveness. *J Child Psychol Psychiatry*. 2004;45(8):1420–1430

ACKNOWLEDGMENTS

This study was supported by National Institute of Mental Health grant U54MH066399 (to Dr Dawson).

We acknowledge the contributions of the parents and children who took part in this study and the support and effort of numerous undergraduate and graduate students and staff who are part of the University of Washington Autism Center.

Randomized, Controlled Trial of an Intervention for Toddlers With Autism: The Early Start Denver Model

Geraldine Dawson, Sally Rogers, Jeffrey Munson, Milani Smith, Jamie Winter, Jessica Greenon, Amy Donaldson and Jennifer Varley

Pediatrics 2010;125:e17-e23; originally published online Nov 30, 2009;

DOI: 10.1542/peds.2009-0958

Updated Information & Services	including high-resolution figures, can be found at: http://www.pediatrics.org/cgi/content/full/125/1/e17
References	This article cites 12 articles, 3 of which you can access for free at: http://www.pediatrics.org/cgi/content/full/125/1/e17#BIBL
Citations	This article has been cited by 6 HighWire-hosted articles: http://www.pediatrics.org/cgi/content/full/125/1/e17#otherarticles
Post-Publication Peer Reviews (P³Rs)	One P ³ R has been posted to this article: http://www.pediatrics.org/cgi/eletters/125/1/e17
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Developmental/Behavior http://www.pediatrics.org/cgi/collection/developmental:behavior
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.pediatrics.org/misc/Permissions.shtml
Reprints	Information about ordering reprints can be found online: http://www.pediatrics.org/misc/reprints.shtml

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



Early Intervention in Autism

Christina M. Corsello, PhD

We now know that professionals can diagnose children with autism when they are as young as 2 years of age (Lord, 1995). Screening and the role of the pediatrician have become even more critical as we have recognized the stability of early diagnosis over time and the importance of early intervention. At this point, experts working with children with autism agree that early intervention is critical. There is professional consensus about certain crucial aspects of treatment (intensity, family involvement, focus on generalization) and empirical evidence for certain intervention strategies. However, there are many programs developed for children with autism that differ in philosophy and a lack of research comparing the various intervention programs. Most of the programs for children with autism that exist are designed for children of preschool age, and not all are widely known or available. While outcome data are published for some of these programs, empirical studies comparing intervention programs are lacking. In this review, existing intervention programs and empirical studies on these programs will be reviewed, with a particular emphasis on the birth to 3 age group. **Key words:** *autism, early intervention, treatment*

BACKGROUND

Autism is a developmental disorder that was first described by Leo Kanner in 1943, in a classic article that included case studies of 11 children. Since that time, the diagnostic criteria have evolved based on continued observations and research, resulting in the current criteria in the *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition or DSM-IV* (American Psychiatric Association, 1994) and the *International Classification of Diseases or ICD-10* (World Health Organization, 1993). At the present time, *autistic disorder* is defined in terms of qualitative impairments in social interaction and communication, and restricted, repetitive, and stereotyped patterns of behaviors, interests, and activities, with impairments in one of these areas prior to the age of 3 years.

In addition to autistic disorder, there are 4 other specific diagnoses included within the autistic spectrum disorders (ASD) category, which is a term now preferred by most parents and professional organizations (Filipek

et al., 2000; Lord & McGee, 2001). Included among them are 2 disorders that are defined by a regression in skills: Rett syndrome and childhood disintegrative disorder. These will not be the focus of this article. Recently, a specific gene has been linked with Rett syndrome (Cheadle et al, 2000). Childhood disintegrative disorder is a very rare disorder, with reported prevalence rates of 0.6 per 100,000 (Chakrabarti & Fombonne, 2001). This disorder involves a period of normal development in the first 2 years of life, followed by a regression in a number of skill areas prior to the age of 4 years, resulting in autistic symptoms.

The other 2 ASD diagnoses are Asperger's disorder and pervasive developmental disorder - not otherwise specified (PDD-NOS). Asperger's disorder, like Autistic disorder, includes qualitative impairments in reciprocal social interactions, and restricted, repetitive, and stereotyped patterns of behaviors, interests, and activities. However, unlike Autistic disorder, it does not require qualitative impairments in communication. In addition, this diagnosis requires that there is no clinically significant language delay prior to 3 years of age, no cognitive delays, and that the criteria for another specific PDD have not been met. If children who have ever met criteria for autistic disorder are ruled out, the diagnosis

From the University of Michigan, Ann Arbor.

Corresponding author: Christina M. Corsello, PhD, University of Michigan, 1111 East Catherine St, 2nd Floor, Ann Arbor, MI 48109 (e-mail: um.autism@umich.edu).

of Asperger's disorder is very rare (Miller & Ozonoff, 1997). Nevertheless, the diagnosis of Asperger's disorder is often used for milder cases of high-functioning autism. The final diagnosis within this general category is PDD-NOS. This disorder is characterized by qualitative impairments in social interaction, accompanied by either qualitative impairments in communication or restricted, repetitive, and stereotyped patterns of behaviors, interests, and activities. There is still controversy about this diagnosis, including whether it is "almost autism" or "atypical autism" (Towbin, 1997).

Recent epidemiological studies have reported rates of ASDs as high as 66 per 10,000 (Fombonne, 2002), which is a surprising increase over rates reported in the past. Early identification has increased in importance, as many studies have found that children with ASDs who receive services prior to 48 months of age make greater improvements than those who enter programs after 48 months of age (Harris & Weiss, 1998; Sheinkopf & Siegel, 1998).

Over the past 10 to 15 years, there has been evidence that children with ASDs can be reliably diagnosed as young as 2 years of age (Lord, 1995). One of the largest errors in diagnoses of 2-year-olds referred for autism is underdiagnosing children on the basis of clinical impression when their scores on standardized measures are consistent with a diagnosis of autism (Lord & Risi, 1998). Possible contributors to this bias are the variability in behaviors of 2-year-olds who have ASDs (Lord, 1995) and the lack of repetitive behaviors in autism that are often present in 3-year-olds, but may not be present in 2-year-olds with autism (Cox et al., 1999; Lord, 1995; Stone et al., 1999).

In this review, early intervention programs and empirical studies available on each of the programs (Table 1) will be reviewed, with a specific focus on the birth to 3 age group. When reviewing empirical support and programs, it is important to differentiate program outcome studies, which are designed to determine if a program is having the desired effect,

from controlled empirical studies, which are designed to determine if the program or specific aspects of the program are clearly responsible for the changes observed.

When reviewing research on intervention for children with ASDs, there are several important considerations. These include the age groups included in the study, the control group, the control condition, and the outcome measures (Table 1). When reviewing programs, there are several components to cover, including method of intervention, the format, the setting, who implements the program, and whether it is child- or adult-directed (Table 2). Within this review, we will first focus on issues relevant to early intervention, followed by a review of programs and empirical support for programs, and suggested next steps with regard to intervention with very young children.

INTERVENTIONS

Over the years, there have been many treatments developed for children with autism, evolving from different philosophies. These include behavioral interventions, developmental interventions, and cognitive-behavioral interventions. While each program is based on a different philosophy and uses unique intervention strategies, there is also considerable overlap in components of the programs.

Two aspects of intervention that are common to most intervention programs designed for ASDs and have empirical support include the intensity of the program and the age at which children should begin intervention. Dawson and Osterling (1997), based on a review of programs for children with autism, report that most programs involve 15 to 25 hours of intervention a week. There is also empirical evidence that children who enter programs at younger ages make greater gains than those who enter programs at older ages (Harris & Handleman, 2000; Sheinkopf & Siegel, 1998). These studies generally compare children who are older than 4 or 5 years

Table 1. Intervention studies*

Method	Authors	Subjects/groups	Age, mo	Outcome measure	Findings
TEACCH Home Program	Ozonoff & Cathcart (1998)	11 TEACCH 11 control	31-69	PEP-R	TEACCH had significant gains in PEP-R scores when compared with controls
Discrete Trial	Lovaas (1987)	19 for 40 h 19 for 10 h 21 no treatment	$M = 32$ $M = 35$	IQ score Educational placement Educational support	Intense intervention group: 47% in regular education 31 point IQ gain
Discrete Trial	McEachin, Smith, & Lovaas (1993)	19 for 40 h 19 for 10 h	$M = 32$ $M = 35$	IQ score Adaptive behavior score	Intense intervention group: IQ higher Vineland score higher
Discrete Trial	Smith, Groen, & Wynn (2000)	15 for 30 h 13 for 5 h by parents, 15 h special classes	18-42	IQ Language Behavioral measure Adaptive measure Class placement	27% in regular education 16 point IQ gain Little difference in behavior Little difference in adaptive scores
Discrete Trial & Incidental Teaching	Luiselli, Cannon, Ellis, & Sisson (2000)	8 younger than 3 y 8 older than 3 y	$M = 2.63$ y $M = 3.98$ y	ELAP or LAP	Duration of treatment was only predictor of change
Applied Behavior Analysis	Harris & Handleman (2000)	27 subjects No control group	31-65	Class placement	IQ and age predicted class placement
Incidental Teaching	McGee, Morrier, & Daly (1999)	28 subjects No control group	29	Verbal sample Peer proximity	82% using meaningful words 71% improved in peer proximity
LEAP	Strain & Hoyson (2000)	6 subjects No control group	30-53	Class placement LAP CARS	Improvements in all areas

*PEP-R, Psychoeducational Profile - Revised; M, mean; ELAP, Early Learning Accomplishment Profile; LAP, Learning Accomplishment Profile; IQ, intelligence quotient; LEAP, Lifeskills and Education for Students with Autism and other Pervasive Developmental Disorders; CARS, Childhood Autism Rating Scale; mo, months; and h, hours.

Table 2. Intervention programs

Method	Authors/program	H/wk	Format	Setting	Implementer	Adult- or child-directed
Incidental Teaching	Walden Infant Toddler Program	30+	Group	Child care center	Parents	Child
			1 to 1	Home	Educational staff	
Social Pragmatic Developmental Approach	Wetherby & Prizant	Variable	1 to 1	Home	Parent Therapist Teacher	Child
Structured Teaching	TEACCH	Variable	Group	Classroom Home	Parents School staff	Adult
Discrete Trial	Lovaas (1987)	40	1 to 1	Home	Student therapists Trained consultants	Adult
Discrete Trial	Douglass Developmental Disabilities Center	35-45	1 to 1 Small group	Class Home	School staff Parents Student therapists	Adult
Pivotal Response Intervention	Koegel, Koegel, & Harrows (1999)	Variable	1 to 1 Group	Inclusive setting	Highly skilled specialists Family Consultants School staff	Child
				Home Preschool		
Behavioral and Inclusion	LEAP*	15	Group	Integrated classroom	Teacher	Adult and child
Developmental	Greenspan	Variable	1 to 1	Home	Parents, educational staff	Child
Developmental	Denver Model	22	Group	Classroom	Trained staff	Child

*LEAP indicates Lifeskills and Education for Students with Autism and other Pervasive Developmental Disorders.

with those who are younger than 4 or 5 years. One study comparing children younger than 3 years with those older than 3 years did not find age differences in improvement (Luiselli, Cannon, Ellis, & Sisson, 2000), which may suggest that 4 years of age is young enough to lead to significant gains. A potentially complicating factor is that children tend to make intelligence quotient (IQ) gains regardless of intervention at the younger ages (Gabriels, Hill, Pierce, & Wehner, 2001; Lord & Schopler, 1989). This also leads to difficulties in interpreting changes in IQ scores, which are often used as an outcome measure.

Most early intervention programs are designed for preschool-aged children, although they may include younger children in their programs as well. It is only more recently that we have been able to identify children with autism as young as 2 years of age. There are a few programs that are specifically designed for children between birth and 3 years of age. We will first cover the programs designed specifically for the birth to 3 age group,

followed by widely available preschool programs, and finally preschool programs that are less widely available.

EARLY INTERVENTION PROGRAMS DESIGNED FOR TODDLERS

Walden Toddler program

The Walden Toddler Program (McGee, Morrier, & Daly, 2001) is a program designed specifically for toddlers with autism. The program is based on a typical daycare model, with a focus on using incidental teaching and social inclusion. Incidental teaching is a method of applied behavior analysis (ABA) that uses behavioral principles within natural learning contexts. The environment includes toys and activities that are appealing to young children, and the adult expands on requests and activities that the child initiates. The program is very structured and works on individual goals within planned activities. The program includes typical toddlers and toddlers

with autism, between the ages of 15 and 36 months. There are no controlled empirical studies of this program, but program evaluation data found that 82% of the toddlers used meaningful words when they left the program and 71% of the children showed improvements in their proximity to other children.

Social pragmatic communication approach

Amy Wetherby (Wetherby & Prizant, 1999) has also developed strategies for teaching communication to young children with ASDs, based on a pragmatic communication developmental approach. She has not developed a comprehensive intervention program; however, she has focused her intervention strategies on social pragmatic communication development for children younger than 3 years. Within this approach, the importance of teaching in naturalistic contexts, using a facilitative rather than a directive style, providing opportunities for communication, and consistently and contingently reinforcing communication attempts are emphasized (Wetherby & Prizant, 1999). Other strategies used in teaching communication to young children include incorporating environmental supports to create a predictable environment and teaching peers to initiate and respond to children with ASDs.

COMPREHENSIVE PROGRAMS

There are many comprehensive programs for children with ASDs, among the most widely known are the Developmental Intervention Model or Greenspan approach (Greenspan & Wieder, 1997), the TEACCH Model (Marcus, Lansing, Andrews, & Schopler, 1978; Mesibov, 1997; Schopler, Mesibov, & Baker, 1982), the UCLA Young Autism Project (Lovaas, 1987), the LEAP (Lifeskills and Education for Students with Autism and other Pervasive Developmental Disorders) Program, and the Denver Model. Most of these programs have been developed for children of preschool age or older. The Walden Toddler Program is an exception, as

it was designed specifically for toddlers. Most of the research on the available models is descriptive rather than based on empirical studies. Currently, there is no empirical evidence that one program is superior to another.

There are many common elements of these programs, although they differ considerably in philosophy. All of these programs include young children (mean ages between 30 and 47 months), active family involvement, and are intensive in hours (12-36 hours a week). In addition, in most of the model programs, staff is well trained and experienced in working with children with autism and the physical environment is supportive. It is important to note, however, that level of experience and training can vary considerably, particularly when adapting or incorporating model programs into the public domain. All of the programs focus on developmental skills and goals, and contain ongoing objective assessment of progress. The programs also use teaching strategies designed for the generalization and maintenance of skills, individualized intervention plans based on a child's strengths and needs, and planned transitions from preschool to school age. While there are many similarities, each program also has a different emphasis and defining features. Each of the programs will be reviewed below.

The TEACCH program

The TEACCH program is a statewide, community-based intervention program that emphasizes environmental organization and visual supports, individualization of goals, and the teaching of independence and developmental skills. The setting in which the program is implemented varies, depending on the abilities and needs of each child (self-contained classroom, included classroom, home). Teaching strategies are designed to be meaningful to the child with autism, and are therefore taught within the natural environment and within context. The TEACCH program views ASDs as lifelong. From the beginning, it emphasizes skills that are important for future independence. One of the strengths

of the TEACCH program is a focus on the lifespan and community-based intervention. One of the weaknesses is the lack of empirical studies of the program.

While the TEACCH program has been in existence for more than 30 years, there are relatively few empirical studies of the program. Two studies, comparing TEACCH interventions with only public education intervention, found significant differences in scores on the Psychoeducational Profile - Revised on follow-up testing (Ozonoff & Cathcart, 1998; Panerai, Ferrante, & Zingale, 2002). Only one of these studies focused on younger children (Ozonoff & Cathcart, 1998) and compared a TEACCH home program, involving 10 sessions, in addition to services provided by the public school, to solely public school services for children between 2 and 6 years of age. Children in the TEACCH group had significantly higher scores on the PEP-R than the children in the control group following 4 months of intervention. The groups in this study were small, but were matched on age, PEP-R pretest scores, and severity of autism and not randomly assigned.

Applied behavioral analysis programs

One of the most widely known and sought-after types of intervention is applied behavior analysis (ABA). Parents and professionals frequently associate the name Ivar Lovaas and the discrete trial format of instruction with ABA intervention. The popularity of the Lovaas intervention is partly the result of his 1987 study (Lovaas, 1987) and Catherine Maurice's (Maurice, 1993) book, both of which provide accounts of remarkable improvements and use the term "normal functioning" in the best outcome group of children with autism who received discrete trial intervention.

In reality, discrete trials and the Lovaas method is only one specific type of ABA intervention. Applied Behavior Analysis includes a number of other intervention strategies and programs that are based on behavioral principles. Many treatment studies are based on behavioral interventions, which is the case

not only in autism but also in psychology in general.

The UCLA Young Autism Project uses the Lovaas method of intervention, specifically discrete trial intervention, implemented in a one-to-one setting by trained ABA therapists, supervised by trained professionals. The focus of the first year is on imitation, interaction, play, and response to basic requests. In the second year, the focus shifts to continued work on language, descriptions of emotions and preacademic skills. To teach generalization, the children practice the skills in other situations and with other people, once they have mastered them in a one-to-one setting.

The UCLA Young Autism Project has been empirically studied, and the most commonly cited article is Lovaas' article (Lovaas, 1987). At the time treatment began, the children had a mean age of 35 months in the experimental group and 41 months in the control group. The experimental group received one-to-one intervention 40 hours a week, and the control group received intervention 10 hours a week for 2 to 3 years. It was this article that started the belief that autistic children required intervention at least 40 hours a week. Lovaas (1987) used the term "normal functioning" in this article (p. 9), and he used IQ and class placement as outcome variables in this study. Understandably, parents have been quite influenced by this study. In a follow-up study of the children, between 9 and 19 years of age, the experimental group continued to have significantly higher IQs and Vineland scores than the control group (McEachin, Smith, & Lovaas, 1993).

There have been numerous criticisms of this study, including nonrandom selection of groups (the age restriction was lower for children without language and children had to achieve a certain mental age to be included), nonrandom assignment to groups, and a large discrepancy between the number of hours of intervention between the control and experimental groups. However, it was one of the first empirical studies of an intervention program for children with autism.

More recently, another study on the Lovaas method of intervention has been published and addresses some of the concerns of the original article (Smith, Groen, & Wynn, 2000). In this study, the experimental group received approximately 25 hours a week of intervention while the control group received 5 hours a week of parent training. In the parent-training condition, the parents were asked to work with the children 5 hours a week at home, and they were enrolled in special education classrooms for 10 to 15 hours a week. The children with ASDs in this study had IQ scores between 35 and 75, and an age range of 18 to 42 months at the time of enrollment in the program.

As in the Lovaas study, the experimental group had higher IQs than the control group on follow-up. At the time of follow-up, between the ages of 7 and 8 years, 27% of the children in the experimental group were in regular education and had made a 16-point IQ gain. There were little differences in Child Behavior Checklist (CBCL) scores and Vineland scores between the 2 groups. The outcome was not as impressive as in Lovaas' original study, as only 27% of the children in this study were defined as best outcome (IQ > 85 and in regular education without support) as opposed to 47% in the McEachin (McEachin et al., 1993) study. The average IQ gain was half that reported in the McEachin study, and the behavior and adaptive skills ratings were still reported as problematic in the experimental group in the Smith study. Clearly, children made gains in this program, but not the same degree of progress described in the original Lovaas and McEachin studies. The Smith study, with better controls and design, suggests that children improve more than they would with early education and focused parent support or education, but do not recover when they receive approximately 25 hours a week of intensive one-to-one ABA intervention.

Another model ABA program is the Douglas Developmental Center at Rutgers in New Jersey. This program has different levels, starting with a one-to-one format for the youngest children, then moving to a small classroom

with a 2:1 ratio and then to a class with typical peers, using a model similar to the LEAP program, which is described later in this article. A follow-up study of the children in the program reported that age and IQ predicted outcome (Harris & Handleman, 2000). Approximately 33% of the children had average IQs upon discharge from the program. It is important to note that 22% of the children (6 out of 27) had IQ changes from the range of mental retardation to average. Of these 6 children, 4 (67%) were between 3 and 4 years of age and 2 (33%) were between 4 and 5 years of age at the time they started the program. Upon exit from the program, 3 of these children were in special education, 2 were in integrated classrooms with support, and 1 child was fully included without support.

More recently, embedded trials, pivotal response training, and incidental teaching have emerged from the ABA literature. These techniques are less well known and less widely available at the present time, but hold some promise for intervention for very young children with autism. Contemporary ABA strategies include naturalistic teaching methods, such as natural language paradigms (Koegel, O'Dell, & Koegel, 1987), incidental teaching (Hart, 1985; McGee, Krantz, & McClannahan, 1985; McGee, Morrier, & Daly, 1999), time delay and milieu intervention (Charlop, Schriebman, & Thibodeau, 1985; Charlop & Trasowech, 1991; Hwang & Hughes, 2000; Kaiser, 1993; Kaiser, Yoder, & Keetz, 1992), and pivotal response training or teaching core behaviors, with the idea that they will lead to changes in other behaviors and skills (Koegel, 1995; Koegel, Camarata, Koegel, Ben-Tall, & Smith, 1998). These methodologies have commonalities, including teaching within natural contexts (during play, snack, work, within the classroom, at home), the use of natural reinforcers (reinforcing children for requesting by giving them what they are asking for), and systematic trials that are initiated by the child (the child makes the initial attempt).

Contemporary behavioral approaches have resulted in good outcomes for teaching language content, including single word

vocabulary, describing objects and pictures, responding to questions, and increasing the intelligibility of speech (Goldstein, 1999; Koegel et al., 1998; Krantz, Zalewski, Hall, Fenski, & McClannahan, 1981). McGee and colleagues (1999) also reported good outcomes through natural reinforcers of vocalization, speech shaping, and incidental teaching. Contemporary behavioral approaches have also been applied with some success to teach broader communication skills, such as functional communication, that may lead to decreases in challenging behaviors (Horner et al., 1990; Horner, Carr, Strain, Todd, & Reed, 2000; Koegel, Koegel, & Surratt, 1992). Spontaneous language is more difficult to teach and requires a number of naturalistic as well as developmental methods of instruction (Watson, Lord, Schaffer, & Schopler, 1989). Children who use more spontaneous language earlier in treatment have more favorable language outcomes.

Very few intervention strategies have demonstrated success using behavioral interventions in teaching skills, such as joint attention and symbolic abilities, that focus on what are considered core deficits to children with autism. However, there are a few studies that documented some success in teaching symbolic play skills through pivotal response training (Stahmer, 1995; Thorp, Stahmer, & Schreibman, 1995). Other studies that have demonstrated some improvements in these skills include increase in gaze to regulate social interactions, joint attention, shared positive affect, and the use of conventional gestures. Recently, there has also been documentation that naturalistic teaching of communication skills leads to improvements in joint attention in children with autism (Buffington, Krantz, McClannahan, & Poulson, 1998; Hwang & Hughes, 2000; Pierce & Schreibman, 1995).

The LEAP program

There is an emphasis on including peers in intervention programs, because children with autism have difficulty generalizing skills learned with adults to interactions with peers (Bartak & Rutter, 1973). Including typical

peers is an essential component of both the LEAP program and the Walden Toddler program. The LEAP program includes 10 typical children and 6 children with autism between the ages of 3 and 5 years in each classroom. The children are in class for 15 hours a week. The classroom is structured and incorporates incidental teaching and other ABA methods of intervention. Interventions are both child- and adult-directed. Peers are considered to be an essential element of the program (Harris & Handleman, 1994). Peer-mediated techniques for increasing interactions involve teaching peers to be "play organizers." These strategies have been shown to be effective in increasing social interactions, which have generalized to some extent and been maintained over time (Goldstein, Kaczmarek, Pennington, & Shafer, 1992; Hoyson, Jamieson, & Strain, 1984; Strain, Kerr, & Ragland, 1979; Strain, Shores, & Timm, 1977).

DEVELOPMENTAL INTERVENTIONS

Developmental intervention is a specific term used to describe a philosophy and specific strategies for working with children with autism. One common feature of developmental interventions is that they are child-directed. In developmental interventions, the environment is organized to encourage or facilitate communicative and social interactions. The child initiates and the adult responds. There is limited empirical support for developmental approaches, but there is some support for language outcomes using such strategies (Hwang & Hughes, 2000; Lewy & Dawson, 1992; Rogers & Lewis, 1989) and many case studies (Greenspan & Wieder, 1997) using these approaches. Rogers and Lewis (1989) have documented improvements in symbolic play as a result of structured, development-based programs, and Lewy and Dawson (1992) also demonstrated improvements in gaze, turn taking, object use, and joint attention with a child-directed imitation strategy.

There are some limitations to developmental interventions. Because the intervention approach is child-directed, it requires that

the child engage in behaviors to which the adult can respond. Many children with autism do not explore the environment in the way that typical children might. They may become stuck on certain activities or not play with the toys present in their environment. Developmental methods require considerable effort and skill on the part of the teacher or therapist, as she or he must know what child behaviors to respond as well as how to respond. When the child engages in behaviors that the therapist can respond to, and the therapist is skilled, it may be an effective intervention.

The Greenspan model

One of the most well-known developmental approaches is the Greenspan approach, also known as the Developmental Individual Difference (DIR) Model (Greenspan & Wieder, 1997). The Greenspan model is described as a "relationship-based model," in which the goal is to help the child develop interpersonal connections that will lead to the mastery of cognitive and developmental skills, including (1) attention and focus, (2) engaging and relating, (3) nonverbal gesturing, (4) affect cuing, (5) complex problem solving, (6) symbolic communication, and (7) abstract and logical thinking. The program is based on following the child's lead and looking for opportunities to "close the circle of communication" or respond in a way that leads to expanding a skill or interaction. Within this model, it is recommended that a child spend at least 4 hours a day in spontaneous play interactions with an adult, at least 2 hours a day in semistructured skill building activities with an adult, and at least 1 hour a day in sensory-motor play activities. The Greenspan program is supplemented by time in an inclusive preschool program, speech and occupational therapy.

The DIR method of intervention is highly dependent on the skills of the parent or professional implementing the program. It requires that the adult recognizes when and how to respond to a child's actions and behaviors, which can make it difficult to imple-

ment the program in the community. This differs from many behavioral approaches, which have a prescribed pattern of responses and adult-initiated teaching trials. There are currently no controlled studies of this program.

The Denver model

The Denver model (Rogers & Lewis, 1989) is also based on a developmental model of intervention. This program is delivered within a classroom setting that is on a 12-month calendar and meets 4 to 5 hours a day, 5 days a week. The focus is on positive affect, pragmatic communication, and interpersonal interactions within a structured and predictable environment. Almost all activities and therapies are conducted within a play situation. Goals of the program include using positive affect to increase a child's motivation and interest in an activity or person, using reactive language strategies to facilitate communication, and teaching mental representation.

There is outcome data available on the program, based on 31 children between 2 and 6 years of age with ASDs. Children demonstrated significant developmental improvements in cognition, language, social/emotional development, perceptual/fine motor development, and gross motor development after 6 to 8 months in the program, after accounting for expected developmental progress. While only 53% of the children had functional speech when they entered the program, 73% had functional speech at follow-up.

CONCLUSION

The available evidence from a variety of programs and studies suggests that early intervention leads to better outcomes. As we have seen, a number of studies have demonstrated that children make greater gains when they enter a program at a younger age. It is important to keep in mind that most of the empirical support for the difference in gains is comparing children younger than 4 or 5 years to children older than 4-5 years of age. The preschool years are still considered "early" when it comes to early intervention.

There are many strategies for working with children with autism and not all of them are equally known or available. Most of the empirical studies have been conducted on ABA interventions. While there is evidence that certain strategies can be effective for teaching specific skills to children with autism, there is not currently evidence that one program is better than any other. Furthermore, most of the programs are developed for children aged 3 and older, and many interventionists are currently attempting to adapt their programs to better meet the needs of the 0 to 3 age group. This leads to complications when recommending intervention programs to parents of young children with autism. At this time,

there is a great deal of interest in the common elements in the programs when making recommendations, including parent involvement, intensity, a predictable environment, incorporating the child's interests, actively engaging the child, and focusing on individualized developmental goals. It is important that professionals and parents are informed about the progress they can expect for their child, as well as remain aware that most research does not support a "cure" or "recovery" from autism. At this point, most of the programs focus on children of preschool age, and there is still much to learn about intervention for the birth to 3 age group.

REFERENCES

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.) Washington, DC: Author.
- Bartak, L., & Rutter, M. (1973). Special educational treatment of autistic children: A comparative study: I. Design of study and characteristics of units. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 14(3), 161-179.
- Buffington, D. M., Krantz, P. J., McClannahan, L. E., & Poulson, C. L. (1998). Procedures for teaching appropriate gestural communication skills to children with autism. *Journal of Autism and Developmental Disorders*, 28(6), 535-545.
- Chakrabarti, S., & Fombonne, E. (2001). Pervasive developmental disorders in preschool children. *JAMA, Special Issue*, 285(24), 3093-3099.
- Charlop, M. H., Schreibman, L., & Thibodeau, M. G. (1985). Increasing spontaneous verbal responding in autistic children using a time delay procedure. *Journal of Applied Behavior Analysis*, 18(2), 155-166.
- Charlop, M. H., & Trasowech, J. E. (1991). Increasing autistic children's daily spontaneous speech. *Journal of Applied Behavior Analysis*, 24(4), 747-761.
- Cheadle, J. P., Gill, H., Fleming, N., Maynard, J., Kerr, A., Leonard, H., et al. (2000). Long-read sequence analysis of the MECP2 gene in Rett syndrome patients: Correlation of disease severity with mutation type and location. *Human Molecular Genetics*, 9(7), 1119-1129.
- Cox, A., Klein, K., Charman, T., Baird, G., Baron-Cohen, S., Swettenham, J., et al. (1999). Autism spectrum disorders at 20 and 42 months of age: Stability of clinical and ADI-R diagnosis. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 40(5), 719-732.
- Dawson, G., & Osterling, J. (1997). Early intervention in autism. In M. J. Guralnick (Ed.), *The effectiveness of early intervention* (pp. 307-326). Baltimore: Brookes.
- Filipek, P. A., Accardo, P. J., Ashwal, S., Baranek, G. T., Cook, E. H., Jr., Dawson, G., et al. (2000). Practice parameter: Screening and diagnosis of autism: Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Child Neurology Society. *Neurology*, 55(4), 468-479.
- Fombonne, E. (2002). Epidemiological trends in rates of autism. *Molecular Psychiatry*, 7(Suppl. 2), S4-S6.
- Gabriels, R. L., Hill, D. E., Pierce, R. A., Rogers, S. J., & Wehner, B. (2001). Predictors of treatment outcome in young children with autism: A retrospective study. *Autism*, 5(4), 407-429.
- Goldstein, H. (1999). *Communication intervention for children with autism: A review of treatment efficacy*. Paper presented at the First Workshop of the Committee on Educational Interventions for Children with Autism, National Research Council, Department of Communication Sciences, Florida State University; December 13-14, 1999; Tallahassee, FL.
- Goldstein, H., Kaczmarek, L., Pennington, R., & Shafer, K. (1992). Peer-mediated intervention: Attending to, commenting on, and acknowledging the behavior of preschoolers with autism. *Journal of Applied Behavior Analysis*, 25(2), 289-305.
- Greenspan, S., & Wieder, S. (1997). Developmental patterns and outcomes in infants and children with disorders in relating and communicating: A chart review of 200 cases of children with autism spectrum diagnoses. *Journal of Developmental and Learning Disorders*, 1(1), 87-141.

- Harris, S. L., & Handleman, J. S. (2000). Age and IQ at intake as predictors of placement for young children with autism: A four- to six-year follow-up. *Journal of Autism and Developmental Disorders*, 30(2), 137-142.
- Harris, S. L., & Handleman, J. S. (Eds.). (1994). *Preschool education programs for children with autism*. Austin, TX: Pro-Ed.
- Harris, S. L., & Weiss, M. J. (1998). *Right from the start: Behavioral intervention for young children with autism*. Bethesda, MD: Woodbine House.
- Hart, B. (1985). Naturalistic language training strategies. In S. F. Warren & A. Rogers-Warren (Eds.), *Teaching functional language* (pp. 63-88). Baltimore: University Park Press.
- Horner, R. H., Carr, E. G., Strain, P. S., Todd, A. W., & Reed, H. K. (2000). *Problem behavior interventions for young children with autism: A research synthesis*. Paper presented at the Second Workshop of the Committee on Educational Interventions for Children with Autism, National Research Council, Department of Special Education, University of Oregon; April 12, 2000; Eugene, OR.
- Horner, R. H., Dunlap, G., Koegel, R. L., Carr, E. G., Sailor, W., Anderson, J. A., et al. (1990). Toward a technology of "nonaversive" behavioral support. *Journal of the Association for Persons With Severe Handicaps*, 15(3), 125-132.
- Hoyson, M., Jamison, B., & Strain, P. S. (1984). Individualized group instruction of normally developing and autistic-like children: The LEAP curriculum model. *Journal of the Division for Early Childhood*, 8, 157-172.
- Hwang, B., & Hughes, C. (2000). Increasing early social-communicative skills of preverbal preschool children with autism through social interactive training. *Journal of the Association for Persons With Severe Handicaps*, 25(1), 18-28.
- Kaiser, A. (1993). Functional language. In M. Snell (Ed.), *Instruction of students with severe disabilities* (pp. 347-379). New York: Macmillan Publishing Co.
- Kaiser, A. P., Yoder, P. J., & Keetz, A. (1992). Evaluating milieu teaching. In S. F. Warren & J. Reichle (Eds.), *Causes and effects in communication and language intervention* (Vol. 1 ed., pp. 9-47). Baltimore: Paul H. Brookes.
- Koegel, L. K. (1995). Communication and language intervention. In *Teaching children with autism: Strategies for initiating positive interactions and improving learning opportunities* (pp. 17-32). Baltimore: Paul H. Brookes.
- Koegel, R. L., Camarata, S., Koegel, L. K., Ben-Tall, A., & Smith, A. E. (1998). Increasing speech intelligibility in children with autism. *Journal of Autism and Developmental Disorders*, 28(3), 241-251.
- Koegel, R. L., Koegel, L. K., & Surratt, A. (1992). Language intervention and disruptive behavior in preschool children with autism. *Journal of Autism and Developmental Disorders*, 22(2), 141-153.
- Koegel, R. L., O'Dell, M. C., & Koegel, L. K. (1987). A natural language teaching paradigm for nonverbal autistic children. *Journal of Autism and Developmental Disorders*, 17(2), 187-200.
- Krantz, P. J., Zalewski, S., Hall, L., Fenski, E., & McClannahan, L. E. (1981). Teaching complex language to autistic children. *Analysis & Intervention in Developmental Disabilities*, 1(3, Suppl. 4), 259-297.
- Lewy, A. L., & Dawson, G. (1992). Social stimulation and joint attention in young autistic children. *Journal of Abnormal Child Psychology*, 20(6), 555-566.
- Lord, C. (1995). Follow-up of two-year-olds referred for possible autism. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 36(8), 1365-1382.
- Lord, C., & McGee, J. P. (2001). *Educating children with autism*. Washington, DC: National Academy Press.
- Lord, C., & Risi, S. (1998). Frameworks and methods in diagnosing autism spectrum disorders. *Mental Retardation and Developmental Disabilities Research Reviews: Special Issue: Autism*, 4(2), 90-96.
- Lord, C., & Schopler, E. (1989). The role of age at assessment, developmental level, and test in the stability of intelligence scores in young autistic children. *Journal of Autism and Developmental Disorders*, 19(4), 483-499.
- Lovaas, O. I. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychology*, 55(1), 3-9.
- Luiselli, J. K., Cannon, B. O., Ellis, J. T., Sisson, R. W. (2000). Home-based behavioral interventions for young children with autism/pervasive developmental disorder: A preliminary evaluation of outcome in relation to child age and intensity of service delivery. *Autism*, 4(4), 389-398.
- Marcus, L. M., Lansing, M., Andrews, C. E., & Schopler, E. (1978). Improvement of teaching effectiveness in parents of autistic children. *Journal of the American Academy of Child Psychiatry*, 17(4), 625-639.
- Maurice, C. (1993). *Let me hear your voice: A family's triumph over autism*. New York: Kopf.
- McEachin, J. J., Smith, T., & Lovaas, O. I. (1993). Long-term outcome for children with autism who received early intensive behavioral treatment. *American Journal on Mental Retardation*, 97(4), 359-372.
- McGee, G. G., Krantz, P. J., & McClannahan, L. E. (1985). The facilitative effects of incidental teaching on preposition use by autistic children. *Journal of Applied Behavior Analysis*, 18(1), 17-31.
- McGee, G. G., Morrier, M. J., & Daly, T. (1999). An incidental teaching approach to early intervention for toddlers with autism. *Journal of the Association for Persons With Severe Handicaps*, 24(3), 133-146.
- McGee, G. G., Morrier, M. J., & Daly, T. (2001). The Walden Early Childhood Programs. In J. Handleman & S. L.

- Harris (Eds.). *Preschool education programs for children with autism* (2nd ed., pp. 157-190). Autism: Pro-ed.
- Mesibov, G. B. (1997). Formal and informal measures on the effectiveness of the TEACCH program. *Autism, 1*(1), 25-35.
- Miller, J. N., & Ozonoff, S. (1997). Did Asperger's cases have Asperger disorder? A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 38*(2), 247-251.
- Ozonoff, S., & Cathcart, K. (1998). Effectiveness of a home program intervention for young children with autism. *Journal of Autism and Developmental Disorders, 28*(1), 25-32.
- Panerai, S., Ferrante, L., & Zingale, M. (2002). Benefits of the Treatment and Education of Autistic and Communication Handicapped Children (TEACCH) programme as compared with a non-specific approach. *Journal of Intellectual Disability Research, 46*(4), 318-327.
- Pierce, K., & Schreibman, L. (1995). Increasing complex social behaviors in children with autism: Effects of peer-implemented pivotal response training. *Journal of Applied Behavior Analysis, 28*(3), 285-295.
- Rogers, S. J., & Lewis, H. (1989). An effective day treatment model for young children with pervasive developmental disorders. *Journal of the American Academy of Child and Adolescent Psychiatry, 28*(2), 207-214.
- Schopler, E., Mesibov, G., & Baker, A. (1982). Evaluation of treatment for autistic children and their parents. *Journal of the American Academy of Child Psychiatry, 21*(3), 262-267.
- Sheinkopf, S. J., & Siegel, B. (1998). Home based behavioral treatment of young children with autism. *Journal of Autism and Developmental Disorders, 28*(1), 15-23.
- Smith, T., Groen, A. D., & Wynn, J. W. (2000). Randomized trial of intensive early intervention for children with pervasive developmental disorder. *American Journal on Mental Retardation, 105*(4), 269-285.
- Stahmer, A. C. (1995). Teaching symbolic play skills to children with autism using pivotal response training. *Journal of Autism and Developmental Disorders, 25*(2), 123-141.
- Stone, W. L., Lee, E. B., Ashford, L., Brissie, J., Hepburn, S. L., Coonrod, E. E., et al. (1999). Can autism be diagnosed accurately in children under 3 years? *Journal of Child Psychology and Psychiatry and Allied Disciplines, 40*(2), 219-226.
- Strain, P. S., Kerr, M. M., & Ragland, E. U. (1979). Effects of peer-mediated social initiations and prompting/reinforcement procedures on the social behavior of autistic children. *Journal of Autism and Developmental Disorders, 9*(1), 41-54.
- Strain, P. S., Shores, R. E., & Timm, M. A. (1977). Effects of peer social initiations on the behavior of withdrawn preschool children. *Journal of Applied Behavior Analysis, 10*(2), 289-298.
- Thorp, D. M., Stahmer, A. C., & Schreibman, L. (1995). Effects of sociodramatic play training on children with autism. *Journal of Autism and Developmental Disorders, 25*(3), 265-282.
- Towbin, K. E. (1997). Pervasive developmental disorder not otherwise specified. In D. J. Cohen & F. R. Volkmar (Eds.), *The handbook of autism and other pervasive developmental disorders* (2nd ed., pp. 123-147). New York: Wiley.
- Watson, L. R., Lord, C., Schaffer, B., & Schopler, E. (1989). *Teaching spontaneous communication to autistic and developmentally handicapped children*. New York: Irvington Publishers Inc.
- Wetherby, A. M., & Prizant, B. M. (1999). Enhancing language and communication development in autism: Assessment and intervention guidelines. In D. B. Zager (Ed.), *Autism: Identification, education, and treatment* (2nd ed., pp. 141-174). Mahwah, NJ: Erlbaum.
- World Health Organization. (1992). *The ICD 10 Classification of Mental and Behavioral Disorders: Clinical Descriptions and Diagnostic Guidelines*. Geneva, Switzerland: World Health Organization.

Current articles: http://depts.washington.edu/isei/iyc/iyc_comments.html

Back to list of previous articles:

http://depts.washington.edu/isei/iyc/iyc_previous.html



Autism Issues and Needs

The Governor's Council on Disabilities & Special Education

Preliminary Report of the Ad Hoc Committee on Autism: Findings and Recommendations

Governor's Council on Disabilities and Special Education 2006

Kathleen Fitzgerald, Chair
Millie Ryan, Executive Director

State of Alaska
Department of Health & Social Services
Governor's Council on Disabilities & Special Education
P.O. Box 240249 • Anchorage, Alaska 99524-0249
Telephone: (907) 269-8990 • FAX: (907) 269-8995
Toll Free in Alaska: 1 (888) 269-8990
<http://www.hss.state.ak.us/gcdse/>



Austism Ad Hoc Committee Members

Brita Bishop: Division of Behavioral Health

Dr. Teresa Bunsen: University of Alaska Anchorage

Kathy Fitzgerald: Governor's Council on Disabilities and Special Education Council Member

Jerry Fuller: Department of Health & Social Services, Office of the Commissioner

Rebecca Hanson: Division of Senior and Disability Services

Kris Johnston: Governor's Council on Disabilities and Special Education Council Member

Erin Kinavey: Office of Children's Services

Margaret Lowe: Alaska Mental Health Trust Authority

Terry Manning: Department of Education and Early Development

Nancy Nagarkar: Special Education Service Agency

Cindy Olson: Parent

Patrick Pillai: Special Education Service Agency

Susan Ryan: University of Alaska Anchorage

Chris Saddler: Parent

Don Shackelford: Parent

Scott Sidell: Governor's Council on Disabilities and Special Education Council Member

Jayson Smart: Stone Soup Group

Donna Swihart: Governor's Council on Disabilities and Special Education Council Member

Austism Ad Hoc Committee Staff

Kathy Allely: Governor's Council on Disabilities and Special Education

John Hischer: Governor's Council on Disabilities and Special Education MSW Student Intern.



Table of Contents

Executive Summary	5
Introduction, Autism Spectrum Disorder	9
Ad hoc Committee on Autism	11
Values and Principles	12
Identification and Diagnosis Recommendations	13
Services	17
Service Recommendations	19
References	25
Appendix A	26



Executive Summary

Experts agree that early identification and diagnosis of ASD is important.

Although incremental changes have occurred on behalf of children and adults with Autistic Spectrum Disorders (ASD) in Alaska, the pace and amount of change has been inadequate to meet needs. Alaska does not have a system to capture the prevalence of ASD, but as in other states, the educational and service delivery systems have experienced an increased demand for ASD-specific intervention in recent years.

Experts agree that early identification and diagnosis of ASD is important. Screening identifies those in need of a comprehensive evaluation and assessment, and a diagnosis leads to appropriate interventions. Research has documented the efficacy of early, intensive intervention (Sheinkopf and Siegel, 1998, Dawson and Osterling, 1997). ASD specific interventions may speed the child's development, ameliorate inappropriate behaviors, and improve functioning over their lifetime. While not all children with ASD experience dramatic improvement with intervention, many do.

The overall cost of caring for a person with autism over his or her lifetime is estimated to be \$3.2 million (Ganz, 2006). Applying national prevalence rates of 1/166 to Alaska's 10,000 births annually results in about 60 babies born each year who will likely develop ASD. The lifetime cost for the 60 Alaskan babies born this year would total \$192 million, as well as for the 60 babies born every subsequent year.

When children do not receive early intervention, the cost of caring for them over their lifetime exerts a substantial economic burden on society. Behavioral

Executive Summary Cont...

therapies represent only 6.5% of the total cost of caring for an individual with ASD. By contrast, adult care represents 21% and lost productivity is nearly 31% of the total annual expense involved in caring for an individual with ASD.

The Governor's Council on Disabilities and Special Education, with the concurrence of the Alaska Mental Health Trust Authority, convened an Ad Hoc Committee on Autism to develop recommendations to present to the Alaska Legislature and Administration. The group organized their 21 recommendations around identification, diagnosis, and treatment. Recommendations were prioritized by the Committee, and submitted to the Council's Executive Committee for final approval.

The following four recommendations were ranked as the Committee's highest priorities. Although each is a separate recommendation, their interdependent nature requires they be considered as a package. One recommendation is to increase screening of children for ASD. Screening is a quick process used to differentiate children who may experience ASD, and identifies those who need a complete developmental and medical assessment. Without enhancing the capacity for comprehensive assessment and diagnosis, screening would be a disservice, leaving families concerned but experiencing a very lengthy wait before confirming or ruling out a diagnosis of ASD. Similarly, because the value of early diagnosis is in the potential for amelioration; diagnosing more children with ASD will make the existing shortage of services even more critical. To provide an adequate level of services, training for families, teachers, and direct service providers is essential to increase the size and quality of the workforce. Finally, the need for family support will intensify as more children are identified with ASDs.

Research has documented the efficacy of early, intensive intervention (Sheinkopf and Siegel, 1998, Dawson and Osterling, 1997).

1. **Greatly expand autism resources and referral services** so that the program is well funded, independent, and highly visible with a long-range plan for satellite programs throughout the state.

Several activities are envisioned to expand the functions of an autism resource center. These include:

- An annual comprehensive fair/institute for families to provide up-to-date medical information, guidance in navigating the system, and other topics. Disseminate the institute through a CD or a webcast for people who cannot attend in person.
- The establishment of local resource centers across Alaska that are independent in nature, but collaborative with other providers, and state/local/national experts;

Executive Summary Cont...

- Regional, technical assistance traveling teams with professional oversight; and
- Comprehensive parent training in education, systems and political advocacy, guardianship, medical services, and other topics as needed.

2. **Establish universal screening for autism spectrum disorders**, using a tool such as the parent-completed Modified Checklist for Autism in Toddlers (M-CHAT), and provide systematic referral for comprehensive assessment for children with risk factors for ASD.

Screening is a quick, simple and inexpensive process to identify children who have symptoms that could indicate a disorder. Like hearing or vision problems, early identification and diagnosis of ASD can lead to a better response to treatment and lifelong outcome for children. Universal screening of children at well-child exams is recommended to ensure that children with ASD are identified as early as possible in life. The M-CHAT is a 23-question, parent-completed survey that can be used at well-child check-ups and is valid for children between the ages of 16 and 36 months.

Screening does not take the place of a comprehensive assessment; rather it identifies those children who would benefit from a complete evaluation. The next step for children who show possible signs of an ASD is to refer them to early intervention or the school district where the process of a developmental assessment can begin. A protocol for children with risk factors for ASD should be developed to ensure they are referred for further testing and a comprehensive developmental assessment.

3. **Increase the capacity for comprehensive, timely assessments and diagnosis** of Autism Spectrum Disorders using a multidisciplinary team that is embedded with a system for referral to appropriate services (i.e. Early Intervention/Infant Learning Program, school districts, medical and other clinical providers).

Screening for ASD will identify those children who require a comprehensive assessment across developmental and physical domains. Professionals from multiple disciplines are needed to conduct a complete assessment (i.e. neurodevelopmental pediatrics, psychology, speech, occupational and physical therapy, ophthalmology, audiology). For young children it is especially critical to perform a differential diagnosis to rule out any other possible genetic or medical disorders.

Early identification and diagnosis of ASD can lead to a better response to treatment and lifelong outcome for children.

Executive Summary cont...

Assessment leads not only to diagnosis, but to a plan of intervention and services for the child and family.

Currently few clinicians and specialists are skilled and trained in performing ASD assessments. Investing in training and developing specialists in ASD will reduce the time between screening and a comprehensive assessment, as all testing needs to occur before a definitive diagnosis can be made.

The comprehensive assessment leads not only to diagnosis, but to a plan of intervention and services for the child and family. Families need information and active referral to link up with needed health, educational, financial and family support resources.

4. **Change Medicaid to ensure that children with ASD are able to receive time-limited, intensive intervention services.**

The Deficit Reduction Act permits flexibility within state Medicaid plans. It is recommended that the Medicaid State Plan be modified to include time-limited autism intervention services. If modifying the Alaska Medicaid Plan is not feasible, the Committee recommends that the state develop an Autism waiver modeled after Minnesota or Wisconsin. A third alternative would be to change eligibility within the Home and Community Based Waiver to ensure children with ASD receive time-limited intensive services.




Introduction Autism Spectrum Disorder

Autism is a complex developmental disability that is the result of a neurological disorder affecting the functioning of the brain (Autism Society of America). Autism Spectrum Disorders (ASD) includes Autistic Disorder, Asperger's Syndrome, Pervasive Developmental Disorder – Not Otherwise Specified, and Childhood Disintegrative Disorder. Studies have produced varying prevalence rates, in part due to method of diagnosis and size of the sample; however, 1 in 166 children are thought to have an Autism Spectrum Disorder (Centers for Disease Control and Prevention, n.d.). Each year about 10,000 babies are born in Alaska, suggesting that 60 of those babies will be identified in their early childhood as having an ASD. Another indicator that Autism is climbing in

Alaska comes from the public school system. The number of children with autism in the Alaskan School system has risen each year for the past 13 years. These trends are similar in other states.

Children with Autism in Special Education



Growth of the Number of Cases of Autism in Alaskan Schools

ASD covers a wide range of symptoms, from very mild to severe. ASD affects social skills, communication, and cognitive development. ASD affects the individuals' ability to convey or interpret others emotions. Children may engage in restricted and/or repetitive play and have

Introduction cont...

Some individuals with ASD may be nonverbal, while others may not have any difficulty speaking.

unusual attachments to objects. People with ASD might not seem interested in other people and prefer to be alone. Some children with ASD do not like to be held or cuddled, and many do not make eye contact with others. Individuals with ASD also show varied degrees of impairment in their verbal and nonverbal communication. Some individuals with ASD may be nonverbal, while others may not have any difficulty speaking. Some repeat something previously heard or use stock phrases or learned scripts to communicate. Cognitively, individuals with ASD develop differently from others. Many people with ASD have difficulty processing sensory stimuli and verbal input, and this affects their understanding of the world around them.





Ad hoc Committee on Autism

On December 6th 2005, the Governor's Council on Disabilities and Special Education's convened an Ad Hoc Committee on Autism. The purpose of this group was to examine the current status of services needed by people with ASD and their families and make recommendations to the Legislature and state policymakers. The 17 member committee consists of parents of children with ASD, Governor's Council members, and representatives from the Department of Health & Social Services, Division of Senior and Disability Services, Division of Behavioral Health, Department of Education & Early Intervention, Office of Children Services, and the University of Alaska Anchorage. The Committee met monthly over the course of five months. This report contains the recommendations of the Governor's Council and the Ad hoc Committee on Autism.

The report is organized around the following three major areas: Values and Principles, Identification/Screening/Diagnosis, and Services. Topics are prefaced with a summary of the Committee's evaluation of Alaska's current status and followed by recommendations.



Values and Principles

The following statements articulate the values that guided the Committee's work and recommendations.

Early intervention works, is cost-effective and fiscally responsible.

People with Autistic Spectrum Disorders:

- Have great promise, gifts and potential;
- Deserve the opportunity to engage actively in the community, with friends and family and in work and volunteer positions;
- Contribute to their families, communities, and Alaska;
- Represent ethnic, socioeconomic, racial, and religious groups, speak many languages and live in urban, rural and remote areas of the state; and
- Are people first – ASD is only a part of who they are.

Early intervention works, is cost-effective and fiscally responsible.

Services for people with ASD need to be:

- Individualized, based on family choice and need;
- Family directed, and based on principles of self-determination;
- Evidence-based;
- Provided as soon as possible after identification and diagnosis;
- Culturally appropriate and relevant, available in urban and rural areas;
- Coordinated, comprehensive and collaborative across all disciplines and state service systems;
- Available across the lifespan, and the full spectrum of autistic disorders;
- Delivered in a manner that maximizes independence by providing the supports and services needed; and
- Built on and honoring of individual strengths.



Identification and Diagnosis

The importance of early identification and diagnosis of individuals with autism cannot be overstated.

The importance of early identification and diagnosis of individuals with autism cannot be overstated. Early identification and diagnosis of autism leads to early intervention. Children with autism identified early and enrolled in early intervention programs show significant improvements in their language, cognitive, social, and motor skills, as well as in their future educational placement (National Research Council, 2001). There is also empirical evidence that shows children who enter early intervention at younger ages show greater results than children who enter intervention programs at an older age (Harris & Handleman, 2000; Sheinkopf & Siegal, 1998). There is also a financial incentive for the early identification, diagnosis, and intervention for children with autism. Ninety percent of children with autism who do not receive effective early intervention will require special or custodial care throughout their lives, and this is estimated to cost the United States \$35 billion dollars a year (Ganz, 2006).

Where we are now

For the past 14 years, the Children's Hospital at Providence has supported the Center for Children with Special Needs, staffed with a neurodevelopmental pediatricianskilled in the diagnosis of children with ASD and other developmental disabilities. In addition, the State of Alaska sponsors neurodevelopmental screening clinics in locations around the state. However, despite Child Find efforts on the part of early intervention and school districts, not all children with significant developmental delays

Identification and Diagnosis Cont...

are referred for a neurodevelopmental evaluation prior to entering school. Children residing in more remote, rural locations may be identified later than children in communities in more urban settings. Accurate identification of the child's pattern of development/learning style and behavior (i.e. autism diagnosis) leads to an appropriate school certification and program as well as an approach to solving behavior problems. Families living outside of Anchorage with children who are suspected of having autism frequently must wait for an appointment and then travel to Anchorage for a medical work-up and diagnosis.

The current definition used by Alaska's Department of Education & Early Development to determine eligibility is also an obstacle for the provision of special education services for students with ASD. This definition includes Autism, but not the other disorders in the spectrum. This committee proposes a definition that includes Pervasive Development Disorder, Asperger's Syndrome, and Childhood Disintegrative Disorder.

Currently there is not an accurate count of persons with ASD in the state. This adds to the difficulty of planning and securing resources for statewide autism services. This affects people with autism, their families, state and local governments, school districts, and federal agencies. Having hard data on autism in the state will provide a comprehensive information resource that can direct state policies and service decisions that will improve the lives of people with ASD and their families. Autism registries have already been shown to be effective for planning and providing services in the states of Missouri, Virginia, West Virginia, Florida, and Delaware. An autism registry will also facilitate early detection and diagnosis of people with autism.

Identification and Diagnosis Recommendations

- 1. Establish universal screening for autism spectrum disorders, using a tool such as the parent-completed Modified Checklist for Autism in Toddlers (M-CHAT), and provide systematic referral for a comprehensive assessment for children with positive screens.**

Screening is a quick, simple and inexpensive process to identify children who have symptoms that could indicate a disorder. Like hearing or vision problems, early identification and diagnosis of ASD can lead to a better response to treatment and lifelong outcome for children. Universal screening of children at well-child exams is

Recommendations Cont...

recommended to ensure that children with ASD are identified as early as possible in life. The M-CHAT is a 23-question, parent-completed survey that can be used at well-child check-ups and is valid for children between the ages of 16 and 36 months.

Screening does not take the place of a comprehensive assessment; rather it identifies those children who would benefit from a complete evaluation. The next step for children who show possible signs of an ASD is to refer them to early intervention or the school district where the process of a developmental assessment can begin. A protocol for children with risk factors for ASD should be developed to ensure they are referred for further testing and a comprehensive developmental assessment.

Children who appear at risk of having an ASD require a comprehensive assessment across developmental and physical domains.

- 2. Increase the diagnostic capacity throughout the state by developing a system to provide timely, comprehensive diagnosis of Autism Spectrum Disorders using a multidisciplinary team and systematic referral to appropriate services (i.e. Early Intervention/Infant Learning Program, school districts, medical and other clinical providers).**

Children who appear at risk of having an ASD require a comprehensive assessment across developmental and physical domains. Professionals from multiple disciplines are needed to conduct a complete assessment (i.e. neurodevelopmental pediatrics, psychology, speech, occupational and physical therapy, ophthalmology, audiology). For young children it is especially critical to perform a differential diagnosis to rule out any other possible genetic or medical disorders.

Currently few clinicians and specialists are skilled and trained in performing ASD assessments. Investing in training and developing specialists in ASD will reduce the time between screening and a comprehensive assessment, as all testing needs to occur before a definitive diagnosis can be made.

The comprehensive assessment leads not only to diagnosis, but to a plan of intervention and services for the child and family. Families need information and active referral to link up with needed health, educational, financial and family support resources.

- 3. Expand the educational definition of autism to include all disorders in the Autism Spectrum Disorder. See Appendix A for recommended definition language.**

The current definition of autism used by the Alaska
Department of Education &

Recommendations Cont...

Early Development to determine the eligibility is restrictive, including Autism Disorder, but not other disorders in the spectrum. The Committee recommends a definition that includes Pervasive Development Disorder, Asperger's Syndrome, and Childhood Disintegrative Disorder.

It is important to define ASD broadly so that students receive an appropriate education. Some children with ASDs are incorrectly categorized as emotionally disturbed resulting in educational programs that disregard the neurological basis for the disorder, and instead treat the child as though they had a behavioral condition. Children receiving proper services are more likely to achieve better outcomes and exit the special education system earlier. A broad definition benefits the State by reducing costs, and providing more accurate data.

Children receiving proper services are more likely to achieve better outcomes.

4. Establish and maintain a statewide autism registry or surveillance program.

Alaska does not have a reliable way of assessing the number of individuals in the state with ASD. Having valid statistics on the prevalence of ASD in Alaska is critical to understanding trends, planning and developing programs to meet the educational and lifelong needs of individuals with ASD, future budgeting, and ensuring adequate numbers of people trained to provide specialized services. By understanding the prevalence of autism in Alaska, we will be better prepared to garner financial support from many sources to help Alaskan children and adults with ASD. The data collected will also allow our state legislature and school districts to better plan for growing needs for Alaskan's with autism.

5. Develop capacity to diagnose Asperger Syndrome in older children and adults.

Unlike other ASDs, Asperger Syndrome is typically not diagnosed in early childhood, but rather when the child is in school or even as an adult. A multidisciplinary team familiar with the features of Asperger Syndrome is needed to do an adequate assessment. Components of this assessment include taking a physical and developmental history, and conducting communication and psychological evaluations. Results of the evaluation need to be translated into a coherent picture and communicated to the child's family or the adult.



Service

There is a critical shortage of services for people with ASD in the state.

There is a critical shortage of services for people with ASD in the state. Reasons for this include an inadequate workforce, lack of evidence-based intervention programs within the state, especially for young children, and a need for more training for all those who work or come into regular contact with individuals with ASD. The lack of services influences the quality of the medical, dental, educational, and treatments offered to people with autism. Without these services, especially in the early childhood years when intervention can dramatically affect long-term outcomes, individuals with ASD and their families will fail to reach their potential, be less self-sufficient and more reliant on state-funded services, and unable to fully contribute as a citizen.

Where we are now

Providing medical and dental care for individuals with autism can be complicated. The most common medical problems linked with autism are seizures, accidents and injuries, infections, dental problems, and nutritional issues (Volkmar, 2000). Pediatricians are located only in urban areas of the state or on an itinerant basis to hub communities. Smaller communities may be served by family practice physicians, nurse practitioners, or physician assistants while remote areas of the state are most commonly served by community health aides and practitioners. While pediatricians in particular are familiar with autism, many families are unable to access a medical provider who can advise them about

the treatment options families may learn about. As many of these treatment options are controversial, having a

medical provider knowledgeable about the current status of autism treatment, would guide families in making informed decisions.

There are a number of evidence-based educational interventions used throughout the country. In Alaska, educational services are provided by the Early Intervention/Early Intervention/Infant Learning Program (EI/ILP) for children birth to three, and by school districts for children from 3 to 18 or 22, depending on the student's Individual Education Plan. The EI/ILP delivers services in the family's home. An early interventionist, early childhood special education teacher, speech therapist, physical therapist, occupational therapist and/or paraprofessional supervised by an early interventionist work with families to teach them ways to enhance their child's development. School districts serve children and youth with ASD through their Individual Education Plan, which outlines the goals and services to be delivered. A statewide assessment of school districts' educational programs for students with ASD has not been conducted. However, nationally-recognized intensive intervention programs designed specifically for individuals with ASD, such as applied behavioral analysis, floor time, and TEACCH (Treatment and Education of Autistic and related Communication Handicapped Children) are largely unavailable to families unless they are able to pay for the services of a consultant outside the state. The Anchorage School District does provide some specialized classrooms for children with ASD.

Since individuals with ASD have different needs and abilities, providing a range of evidence-based treatments is extremely important.

This is a critical aspect of autism services because the major treatment for autism is early and ongoing educational intervention. Presently, there are some limited and inconsistent services provided by school districts, private and home programs. Most school districts do not have the capacity to provide intensive interventions for students with autism. Part of the problem is that in both the rural and urban parts of the state, there is difficulty in the recruitment and retention of staff experienced with autism. The intensive, one-on-one nature of many interventions is prohibitively expensive for many school districts. There is also currently a limited amount of time provided for extended school year services. These services may be provided by the school district to some children with developmental disabilities who regress when not in school and are offered during regular school breaks. When extended school year services provided by school districts, some children with autism behaviorally and cognitively regress.

Providing effective autism treatments is found to be deficient in Alaska. Since individuals with ASD have different needs and abilities, providing a range of evidence-based treatments is extremely important. Many parents are forced to go out of state and spend a lot of

money to get the services their children need. There are currently pockets of well-trained professionals providing autism related services in Alaska, but they are mostly clustered in the major urban centers. In Alaska, Medicaid does not reimburse for intensive behavioral treatment as a medical service. Intensive behavioral treatment is an important component of autism treatment.

A contributing factor to the lack of treatment and services for individuals with Autism Spectrum Disorders, is an inadequate level of training, resources and support for professionals and parents. More in-state training is needed, especially due to the high turnover rate in the direct service field and in school districts throughout Alaska.

More in-state training
is needed.

Service Recommendations

Medical Services

1. **Expand specialty clinics at hospitals for individuals with autism.**

Medical services are critical because children with ASD are more likely to develop certain medical conditions such as seizures, accidents and injuries, infections, and dental and nutritional problems. This committee recommends that medical services be expanded to include consultation with the child's or adolescent's primary care provider and other service providers. Families and providers often need advice on such issues as medication, toileting, sleep disturbances, behavior and aggression, self-injurious behaviors, motor tics, social skills, and others.

2. **Amend Medicaid regulations to ensure reimbursement for evidence-based medical interventions and psychological assessments and interventions. Currently only psychologists working in mental health clinics or under the supervision of a psychiatrist are allowed to bill Medicaid.**

School districts perform psychological evaluations every three years. Because children develop rapidly in the early years, a new evaluation is typically needed to complete an assessment. Child psychologists are uniquely qualified to perform cognitive and adaptive behavior skills, and this is an important element of the diagnostic process. Adding psychology services for Medicaid recipients would alleviate this problem.

Service Recommendations Cont...

3. Develop the capacity of medical providers to work successfully with individuals with ASD.

Increasing the capacity of medical providers to work with individuals with ASD is essential to providing quality health and dental care for the ASD population. Communication and behavior problems as well as unusual and unpredictable response to stimuli complicate medical and dental care. Specialized training and skills will help medical and dental professionals provide quality care for those with ASD in Alaska.

The Committee recommends that training on ASD be provided at medical conferences in Alaska.

There is strong evidence supporting the validity of intensive early intervention beginning as early as possible after diagnosis.

Educational Services

1. Adopt best practice guidelines and set measures of effectiveness of educational services for children with ASD.

The National Autism Center is developing national standards for the treatment of ASD. Using evidence-rating criteria the Center will produce a set of national research-based standards for education and behavioral intervention for children with autism. The Committee recommends that Alaska adopt best practice standards, based on national standards, for interventions and educational services provided to individuals with ASD in Alaska.

2. Provide adequate funding to establish intensive early intervention services for children with autism through the Early Intervention/Early Intervention/Infant Learning Program, Head Start and school district preschool programs.

Intensive early intervention has been documented to be an effective intervention for children with ASD (Dawson & Osterling, 1997; Green, 1996). Although the specific intervention models are a source of controversy, there is strong evidence supporting the validity of intensive early intervention beginning as early as possible after diagnosis (Sheinkopf & Siegel, 1998).

Children under three with developmental delays are served by the Early Intervention/Infant Learning Program. Some children receive a diagnosis of ASD before their third birthday and will begin receiving services through this program. Families receive periodic home visits

Service Recommendations Cont...

from an early intervention specialist, based on the child and family needs. Eligible three to five year old children attend public preschool or Head Start programs.

3. Adequately fund and provide appropriate intensive interventions based on best practices to children with ASD in the educational system.

Currently, schools provide either limited or no ASD-specific intervention programs for children qualified to receive special education. Rather than endorsing a specific model, the Committee recommends that evidence-based models for ASD intervention become available in the educational system. Families need to be provided a choice of models and an opportunity to decide which approach will best meet their child and family's needs. Interventions require a time and lifestyle commitment from the families.

4. Enlist Alaska's universities' support and collaboration in developing certification and degree programs for students interested in specializing in autism interventions.

The University of Alaska system and the small number of private colleges in the state are a resource that can be used to help develop the workforce needed to provide effective services for individual with ASD. Education, Special Education, Social Work, and Psychology degree programs, with a certification in autism interventions can help alleviate the current shortage of qualified personnel. The University of Alaska Anchorage also has the Washington, Wyoming, Alaska, Montana, and Idaho (WWAMI) Biomedical program affiliated with the University of Washington School of Medicine. This program can be used to increase the number of medical doctors in state who specialize in diagnosing and treating children with ASD.

5. Build capacity for all early intervention and childcare programs, and school districts, to adopt evidence-based, non-aversive behavioral interventions, such as positive behavioral support and best practice interventions with proven outcomes.

Challenging behaviors often accompany ASD. When individuals are limited in their communication skills, they may use behaviors as a way to let others know what they want and need. Positive behavior support helps adults decipher the communication intent of behavior, and teaches alternative ways individuals can express themselves. Programs that serve children with

ASD need training and tools for helping the adults better support the communication

Research has documented the efficacy of early, intensive intervention (Sheinkopf and Siegel, 1998, Dawson and Osterling, 1997).

Service Recommendations Cont...

and behavioral needs of students with ASD.

Children with ASD present unique and difficult needs that require specific skills from teachers and education professionals. Currently, no specific certification in ASD interventions for teachers and educational professionals exists in the state.

- 6. Investigate amending Medicaid regulations to allow reimbursements to districts for school-based intensive autism interventions to Medicaid eligible students.**

About half of Alaska's children are Medicaid eligible. Adding intensive intervention for ASD as a Medicaid service would permit the state to collect federal funds to help cover the expense. Shifting some of the cost of intervention would permit school districts to use their funding to reach non-Medicaid students as well.

Children with ASD present unique and difficult needs that require specific skills from teachers and educational professionals.

Home and Community-Based Services

- 1. Change Medicaid to ensure that children with ASD are able to receive time-limited, intensive intervention services.**

The Deficit Reduction Act permits flexibility within state Medicaid plans. It is recommended that Alaska modify their Medicaid Plan to include time-limited autism intervention services. If modifying the Alaska Medicaid Plan is not feasible, the Committee recommends that the state develop an Autism waiver modeled after Minnesota or Wisconsin. A third alternative would be to change eligibility within the Home and Community Based Waiver to ensure children with ASD receive time-limited intensive services.

- 2. Provide supplemental grant funding for providers to offer treatment services for individuals with autism who are not eligible for Medicaid or meet level of care.**

Not all individuals with ASD meet level of care requirements for a Medicaid Home and Community-based waiver or TEFRA, but would benefit from intervention. The DD grant program supports individuals with developmental disabilities who are not eligible for a waiver. Additional funding in the DD grant program would help meet the needs of children and adults with ASD.

Service Recommendations Cont...

3. Bring training on diagnosis and interventions to Alaska.

Alaska faces a shortage of clinically trained personnel experienced in performing diagnostic assessments and follow-up treatment. The Committee recommends improvement in the availability and expertise of these specialists to assess and treat ASD. Very few psychologists in Alaska are experienced in administering assessment tools for autism and evaluating the results, especially for young children.

Several University-based Autism centers provide training that, if brought to Alaska, would expand statewide capacity for timely and accurate diagnosis and appropriate intervention.

Bring training
on diagnosis and
interventions to Alaska.

4. Change Medicaid regulations to provide reimbursement for autism treatments as a medical service.

Although research has shown promising results stemming from autism interventions for some individuals with ASD, there are significant differences in the costs, degree of family involvement required, availability, and content and structure of these programs. The Committee believes a continuum of intervention options should be available and billable through Medicaid. Such interventions may significantly reduce the lifetime cost of care for individuals with ASD.

5. Remove licensing barriers that prevent out-of-state autism specialists from practicing in Alaska.

Out-of-state autism specialists would help provide quality treatment for those with ASD in Alaska. Current state licensure and billing regulations that prohibit out-of-state health providers from practicing in the state need to be reviewed and revised so they may provide services for individuals with ASD in Alaska.

Parent Training

- 1. Greatly expand services offered through an autism resource center, so that it is well funded, independent, and highly visible with a long-range plan for satellite programs throughout the state.**

Service Recommendations Cont...

Several activities are envisioned to expand the functions of an autism resource center. These include:

- An annual comprehensive fair/institute for families to provide up-to-date medical information, guidance in navigating the system, and other topics. Disseminate the institute through a CD or a webcast for people who cannot attend in person;
- The establishment of local resource centers across Alaska that are independent in nature, but collaborative with other providers, and state/local/national experts;
- Training for parents in systems advocacy/political advocacy;
- Regional, technical assistance traveling teams with professional oversight; and
- Comprehensive parent training in education, systems advocacy, guardianship, medical services, and other topics as needed.

There is a critical shortage of staff to work directly with individuals with developmental disabilities.

Service Provider Development

- 1. Fund and deliver training to develop qualified staff who will provide evidence-based autism treatment services in home, child care and community-based settings.**

There is a critical shortage of staff to work directly with individuals with developmental disabilities. The failure to provide evidence-based services to children and adults with Autism Spectrum Disorders impedes their development and limits their potential over their entire lifetime. Training is inadequate for those who provide care to individuals with Autism Spectrum Disorders.

References

- American Psychiatric Association (2000). *Diagnostic and Statistical Manual of Mental Disorders*. Washington D.C.: Author.
- Centers for Disease Control and Prevention (n.d.). *How common are autism spectrum disorders (ASD)?* Retrieved July 19, 2006, from http://www.cdc.gov/ncbddd/autism/asd_common.htm
- Dawson, G. & Osterling, J. (1997). Early intervention in autism: Effectiveness and common elements of current approaches. In Guralnick (Ed.) The effectiveness of early intervention: Second generation research. (pp. 307-326) Baltimore: Brookes.
- Families for Early Autism Treatment (Producer). (1997). Families for early autism treatment [Motion Picture]. (Available from Families for Early Autism Treatment, P.O. Box 255722, Sacramento, CA, 95865)
- Ganz, M. (2006). Autism Costs \$35 billion per year to U.S. In Moldin and Rubenstein (Ed.) Understanding autism: From basic neuroscience to treatment. Boca Raton: CRC Press.
- Harris, S., & Handleman, J. (2000). Age and IQ at intake as predictors of placement of young children with autism: A four-to-six year follow-up. *Journal of Autism and Developmental Disorder*. 30(2), 137-142
- National Research Council. (2001). Educating children with autism: Committee on educational interventions for children with autism. Division of Behavioral and Social Sciences and Education. Washington D.C.: Author
- Shackelford, J. (2006). State and jurisdictional eligibility definitions for infants and toddlers with disabilities under IDEA *NECTAC Notes*, 21, 6-16. Retrieved on July 25, 2006 from <http://www.nectac.org/~pdfs/pubs/nnotes21.pdf>
- Sheinkopf, S. J., & Siegel, B. (1998). Home-based behavioral treatment of young children with autism. *Journal of Autism and Developmental Disorders*, 28, 15-23.
- Volkmar, F. (2000). Medical problems, treatments, and professionals. Retrieved on March 1, 2006 from <http://ssc.salkeiz.k12.or.us/Documents/Autism%20Handbook/Medical%20Problems.pdf>

APPENDIX A

PROPOSED DEFINITION OF AUTISM FOR THE DEPARTMENT OF EDUCATION AND EARLY DEVELOPMENT

1. Autism Spectrum Disorders (ASD)

To be eligible for special education and related services as a child with ASD, a child must:

- a. exhibit a developmental disability significantly affecting verbal and non-verbal communication and social interaction, generally evident before age three, that adversely affects educational performance; and
- b. require special facilities, equipment, or methods to make the child's educational program effective; and
- c. be diagnosed as having an autism spectrum disorder by a psychiatrist, physician, or psychologist; and
- d. be certified by a group consisting of qualified professionals and a parent of the child as qualifying for and needing special education services.

Characteristics of ASD include:

- Irregularities and impairments in communication
- Engagement in repetitive activities and stereotyped movements
- Resistance to environmental change or change in daily routines
- Unusual responses to sensory experiences

A child who manifests the above characteristics after age 3 may also be diagnosed as having autism spectrum disorder.

A child who is diagnosed as having Asperger's Syndrome or Pervasive Developmental Disorder - Not Otherwise Specified (PDD-NOS) and who manifests the above characteristics may be found eligible for special education under the category of ASD.

Autism Speaks

Arguments in Support of Private Insurance Coverage of Autism-Related Services



AUTISM SPEAKS™
It's time to listen.

Eight arguments defining the
justification for autism insurance
reform legislation

February 2009



Contents

Page 4	Executive Summary
Page 5	About Autism Speaks
Page 5	About Autism
<i>Arguments in favor of a legislative mandate for coverage of autism:</i>	
Page 6	<i>Argument 1:</i> Mandated private health insurance coverage will provide services that are desperately needed by children with autism, who have greater health care needs than children without autism.
Page 7	<i>Argument 2:</i> Treatments for autism are difficult to access, often inadequate, and frequently delayed. Denied coverage by private group health insurance companies, parents are often forced either to pay out-of-pocket or forego the treatments their children need.
Page 10	<i>Argument 3:</i> Mandated private insurance coverage will bring effective autism services within the reach of children who need them. The efficacy of Applied Behavior Analysis (ABA), the centerpiece of this legislative mandate's benefits, has been established repeatedly.
Page 12	<i>Argument 4:</i> Government and scientific organizations have endorsed Applied Behavior Analysis (ABA) and other structured behavioral therapies.
Page 14	<i>Argument 5:</i> To combat the difficulty many families face in accessing Applied Behavior Analysis (ABA) and other structured behavioral treatments through public insurance, three states have passed autism insurance mandates that specifically require private insurance companies to provide coverage of these therapies, thus creating a public-private partnership for the provision of care.
Page 16	<i>Argument 6:</i> The costs of this insurance reform are small and will have very little impact on the cost of health insurance premiums for the individual consumer.

- Page 17** ***Argument 7:*** By improving outcomes for children with autism, mandated private insurance coverage will decrease the lifetime costs of treating and providing services and will actually result in an overall cost savings in the long-run.
- Page 19** ***Argument 8:*** Without passage of legislation requiring private health insurance coverage for autism, the costs associated with autism will continue not only to affect families, but will have far reaching social effects as well.
- Page 21** **Conclusion**
- Page 22** **References**

Executive Summary

Autism is a complex neurobiological disorder and is the fastest-growing serious developmental disability in the U.S. The Centers for Disease Control estimates that 1 in 150 children have autism. These children require extensive services from medical professionals. Early intervention is critical to gain maximum benefit from existing therapies. Most private health insurance plans do not provide coverage for Applied Behavioral Analysis (ABA) and other autism-related services.

This document contains eight arguments in favor of requiring private health insurance policies to cover the diagnosis and treatment of autism spectrum disorders for individuals under the age of 21. These arguments are based on epidemiological, social, and economic studies of the children and families affected by autism and prove the significant long-term financial and public health benefits of this requirement.

We first point out that children with autism have substantial medical needs and have a difficult time accessing necessary treatments through Medicaid and private health insurance. Most insurance policies contain specific exclusions for autism. This is a hardship for many families, who are often forced to cope with delayed, inadequate, and fragmented care through the Medicaid system. Often, families must pay for costly treatments out-of-pocket or forego them.

We then review some of the many studies and reports that document the effectiveness of intensive behavioral therapies in the treatment of autism. An autism insurance mandate should specifically target coverage of Applied Behavior Analysis (ABA) and other structured behavioral therapies, which are the most effective forms of treatment and have the best outcomes, both in human costs and in long-term economic benefits.

We then comment on the experiences of several states with insurance reform. Their experiences show that the policy holder costs resulting from the passage of legislation requiring comprehensive autism services have been relatively small.

Finally, we point out that the mandate offers hope that children with autism will need less intensive care in the future. They will, in short, have a better chance at a normal life.

What is Autism Speaks?

Autism Speaks is an organization dedicated to increasing awareness of autism spectrum disorders, to funding research into the causes, prevention, treatments, and cure for autism, and to advocating for the needs of affected families. The organization was founded in February 2005 by Suzanne and Bob Wright, the grandparents of a child with autism. Bob Wright is Vice Chairman, General Electric, and served as chief executive officer of NBC for more than twenty years. Autism Speaks has merged with both the National Alliance for Autism Research (NAAR) and Cure Autism Now (CAN), bringing together the nation's three leading autism advocacy organizations.

What is Autism?

Autism is a complex neurobiological disorder that typically lasts throughout a person's lifetime. It is part of a group of disorders known as autism spectrum disorders (ASD). Today, 1 in 150 individuals is diagnosed with ASD, making it more common than pediatric cancer, diabetes, and AIDS combined. It occurs in all racial, ethnic, and social groups and is four times more likely to strike boys than girls. Autism impairs a person's ability to communicate and relate to others. It is also associated with rigid routines and repetitive behaviors, such as obsessively arranging objects or following very specific routines. Symptoms can range from very mild to quite severe.

Argument 1: Mandated private health insurance coverage will provide services that are desperately needed by children with autism, who have greater health care needs than children without autism.

Children with autism have a tremendous need for services from trained medical professionals. These children are at risk for a range of other medical conditions, including behavioral or conduct problems, attention-deficit disorder or attention-deficit/hyperactivity disorder, stuttering, stammering, and other speech problems, depression and anxiety problems, bone, joint, or muscle problems, ear infections, hearing and vision problems, allergies (especially food allergies), and frequent and severe headaches. These problems greatly affect their overall health and their need for and use of health care services.

A recent study by James G. Guerney and others¹ highlights the broad medical needs of children with autism. Using data from the National Survey of Children's Health, Guerney showed that relative to children without autism, children with autism require more services for physical, occupational, and speech therapy. Children with autism are also much more likely to have poor health, to require medically necessary care for behavioral problems, and to be using medications. As evidenced in the chart below taken from the study, parents of children with autism were more likely to report the presence of a variety of concurrent medical conditions and the need for more visits to a range of medical service providers than parents of children without autism.

Table 2. Parental Description of Health Status and Therapy and Services Use, From the National Survey of Children's Health

Variable	Children With Autism (n = 324 000) ^a	Children Without Autism (n = 61 100 000) ^a	OR (95% CI) [†]
Would you say your child's health is:			
Excellent	32.7	60.2	1.0
Very good	22.8	22.5	1.8 (1.2-2.7)
Good	32.7	13.0	3.9 (2.9-5.1)
Fair	7.4	2.0	7.7 (4.9-12.0)
Poor	2.5	0.4	21.1 (9.3-47.0)
Does the child use more medical care, mental health or educational services than is usual for most children of the same age?	90.6	11.8	32.8 (24.7-60.4)
Is the child limited or prevented in the ability to do the things most children the same age can do?	68.5	5.7	36.2 (24.9-52.6)
Does the child get special therapy, such as physical, occupational, or speech therapy?	76.0	6.2	44.4 (31.9-61.9)
Does the child have any emotional, developmental, or behavioral problem for which she needs treatment or counseling?	75.4	7.0	36.9 (25.7-53.1)
Does the child currently need or use medicine prescribed by a doctor, other than vitamins?	54.7	21.1	3.5 (2.6-4.7)
If yes, is this for a condition expected to last 12 mo or longer?	31.4	14.5	11.9 (1.6-76.0)

Abbreviations: CI, confidence interval; OR, odds ratio.

^aData are given as the percentage of each group and are based on sampling fractions and weighted extrapolation from parent report of 483 children with autism and 64 769 children without autism.

[†]Data are adjusted for sex, primary language, age, insurance, and household educational attainment.

This reform of private health insurance coverage will address the broad medical needs of children with autism. It will ensure that these children will receive the full range of therapies necessary to ameliorate their condition.

Argument 2: Treatments for autism are difficult to access, often inadequate, and frequently delayed. Denied coverage by private group health insurance companies, parents are often forced either to pay out-of-pocket or forego the treatments their children need.

Children with autism face barriers in accessing early intensive behavioral treatments and other therapies. According to the Institute of Medicine, the term “access” is defined as “the timely use of personal health services to achieve the best possible health outcomes.”² For a child with autism, lack of access to services can be the cause of inconsistent and uncoordinated care. Children with autism often experience barriers to access with even greater frequency than children with other special health care needs. In fact, one study found that “over one-third of the children with autism were reported to have experienced an access problem with respect to specialty care from a medical doctor in the preceding 12 months.”³ A study of the Tennessee Medicaid system, TennCare, found that for children with autism, “the rate of service use was only one tenth what should be expected based on prevalence rates.” The chart below illustrates these results and the significantly lower rates of service access for children with autism.




Fig. 1. Estimated incidence rates vs. service rates of autism spectrum disorders (ASDs) in TennCare for children ages 0-17 years, by quarter.

Within the Medicaid system, the amount of public money spent for services for developmental disabilities including autism is now eight times the rate of spending just a few decades ago.⁴ Medicaid accounts for 75% of all funding for services for the developmentally disabled, making it the largest single public payer of behavioral health services.⁵ Children with disabilities comprise a significant portion (15%) of all Medicaid recipients, and an even more significant portion (31%) of disabled children use the Medicaid system as their primary insurer.

Medicaid suffers from very low reimbursement rates that make it difficult for many locations to retain service providers. Moreover, services that can be accessed through the Medicaid system are often inadequate at meeting the specific needs of a child with autism. The system operates as a short-term service provider, tending to push children through treatment as quickly as possible. The success of the Applied Behavior Analysis, however, depends in part, on the amount of time the child with autism spends with the provider of the therapy.⁶

The failings of Medicaid point to the importance of the private health care system in providing services to children with autism. But nationwide there are very few private insurance companies or other employee benefit plans that cover Applied Behavior Analysis and other behavioral therapies. Most insurance companies designate autism as a diagnostic exclusion, “meaning that any services rendered explicitly for the treatment of autism are not covered by the plan, even if those services would be covered if used to treat a different condition.”⁷ A 2002 study by Pamela B. Peele and others of 128 behavioral health plans administered by one of two large managed behavioral health organizations found that all the plans had some type of limit on benefits for behavioral therapies – over half of the plans had limits on the number of annual outpatient sessions and 65 percent of the plans imposed limits on the number of inpatient days covered per year.⁸

Families that refuse to allow their children to suffer through the inadequate Medicaid system and are denied coverage by their private health insurance carriers often end up paying for therapies out of their own pockets. For these families, the financial burden is immense. Without the negotiating powers of an insurance company behind them, out-of-pocket prices are extremely high. Parents can often spend upwards of \$50,000 per year on autism-related therapies, often being forced to wager their own futures and the futures of their non-autistic children to pay for necessary autism-related therapies. Children whose parents cannot afford to pay for behavioral and other therapies and who cannot access adequate therapies through the Medicaid system simply go without these interventions.

Argument 3: Mandated private insurance coverage will bring effective autism services within the reach of the children who need them. The efficacy of Applied Behavior Analysis (ABA), the centerpiece of this legislative mandate's benefits, has been established repeatedly.

Private health insurance coverage of autism services will allow children with autism to access Applied Behavior Analysis (ABA), a proven treatment for their condition. Several studies have shown that as many as 47 percent of the children that undergo early intensive behavioral therapies achieve higher education placement and increased IQ levels. A significant portion of children who receive ABA are placed into mainstream educational settings. Children who begin their treatment with minimal IQ levels end treatment with substantially higher levels of intellectual functioning. These results have been shown to last well beyond the end of treatment. As such, the effectiveness of ABA therapy has allowed many children to forego costly intensive special education in the future.

Lovaas:

The most famous study of the effectiveness of behavioral modification treatments was conducted in 1987 by O. Ivar Lovaas.⁹ Lovaas's study showed that when compared with other treatment programs that provide minimal therapy, Applied Behavior Analysis is extremely effective in helping many children struggling with autism, providing gained capacity for intellectual functioning and allowing a child to progress educationally.

Lovaas conducted his study of the effectiveness of behavioral modification treatments on very young children affected by autism. For his study, Lovaas split his 38 subjects into two groups: 19 subjects were put into an intensive-treatment experimental group that received more than 40 hours of one-to-one treatment per week, and 19 subjects were placed in a minimal-treatment control group that received 10 hours or less of one-to-one treatment per week. Both groups were identical at intake in terms of intellectual functioning abilities, and both received their assigned treatment for 2 or more years.

Upon follow-up at age 7, the experimental group attained significantly higher results on education placement and IQ levels than the control group. According to the results of Lovaas's study, the 19-subject experimental group showed nine children (47%) who successfully passed through normal first grade in a public school and obtained an average or above average score on IQ tests.

McEachin:

Lovaas's landmark 1987 study was followed in 1993 by another study of these same 38 subjects. The objective of John J. McEachin's study was to discover the long-term effects of Lovaas's early intensive behavioral treatment and to find out if the results of the experimental group were preserved over time.¹⁰

For this study, Lovaas's original subjects were evaluated at a mean age of eleven-and-a-half years. The study was presented in two parts: the first examined whether the experimental group had maintained its treatment gains, the second part focused on the nine subjects who had achieved the greatest gain in the original study and examined the extent to which they "could be considered free of autistic symptomology."

McEachin's follow-up resulted in findings in three different categories: school placement, intellectual functioning, and presence of adaptive and maladaptive behaviors. In terms of class placement, the study found that "the proportion of experimental subjects in regular classes did not change from the age 7 evaluation (9 of 19, or 47%). In the control group, none of the 19 children were in a regular class, as had been true at the age 7 evaluation." (McEachin, *supra* note 10) In terms of intellectual functioning, the study found that "the experimental group at follow-up had a significantly higher mean IQ than did the control group... indicating that the experimental group had maintained its gains in intellectual functioning between age 7 and the time of the current evaluation." Finally, in terms of presence of adaptive and maladaptive behaviors, "the findings indicate that the experimental group showed more adaptive behaviors and fewer maladaptive behaviors than did the control group." (McEachin, *supra* note 10)

Based on these findings, the effectiveness of ABA and other structured behavioral programs, as provided by the proposed benefit, would be experienced in the short-term as well as the long-term.

Argument 4: Government and scientific organizations have endorsed Applied Behavior Analysis (ABA) and other structured behavioral therapies.

ABA is the treatment of choice for autism. Its efficacy has been recognized in a number of prominent reports, including the following:

- ❖ **The 2001 U.S. Surgeon General's Report on Mental Health**, which states, "Among the many methods available for treatment and education of people with autism, applied behavior analysis (ABA) has become widely accepted as an effective treatment. Thirty years of research demonstrated the efficacy of applied behavioral methods in reducing inappropriate behavior and in increasing communication, learning, and appropriate social behavior."¹¹
- ❖ **The New York State Department of Health** assessed interventions for children ages 0-3 with autism, and recommended that "behavioral interventions for reducing maladaptive behaviors be used for young children with autism when such behaviors interfere with the child's learning or socialization or present a hazard to the child or others."¹²
- ❖ **The Maine Administrators of Services for Children with Disabilities** notes in their report that "There is a wealth of validated and peer-reviewed studies supporting the efficacy of ABA methods to improve and sustain socially significant behaviors in every domain, in individuals with autism. Importantly, results reported include 'meaningful' outcomes such as increased social skills, communication skills academic performance, and overall cognitive functioning. These reflect clinically-significant quality of life improvements. While studies varied as to the magnitude of gains, all have demonstrated long term retention of gains made."¹³
- ❖ **The National Institute of Mental Health** reports, "The basic research done by Ivar Lovaas and his colleagues at the University of California, Los Angeles, calling for an intensive, one-on-one child-teacher interaction for 40 hours a week, laid a foundation for other educators and researchers in the search for further effective early interventions to help those with ASD attain their potential. The goal of behavioral management is to reinforce desirable behaviors and reduce undesirable ones."¹⁴
- ❖ **The National Institute of Child Health and Human Development** lists Applied Behavior Analysis among the recommended treatment methods for Autism Spectrum Disorders.¹⁵
- ❖ **The National Research Council's 2001 report on Educating Children with Autism** acknowledged, "There is now a large body of empirical support for more contemporary behavioral approaches using naturalistic teaching methods that demonstrate efficacy for teaching not only speech and language, but also communication."¹⁶

- ❖ **The Association for Science in Autism Treatment** recommends ABA-based therapies, stating, “ABA is an effective intervention for many individuals with autism spectrum disorders.”¹⁷

Argument 5: To combat the difficulty many families face in accessing Applied Behavior Analysis (ABA) and other structured behavioral treatments through public insurance, three states have passed autism insurance mandates that specifically require private insurance companies to provide coverage of these therapies, thus creating a public-private partnership for the provision of care.

While there are several states that have passed autism specific private insurance mandates, very few states specifically mandate coverage for ABA and other structured behavioral therapy programs. Without coverage of these crucial, medically necessary, evidence based therapies, the effectiveness of most mandates is severely diminished. For this reason, we have concluded that only the following states have passed autism insurance legislation:

South Carolina:

Senate Bill 20, better known as Ryan's Law, was passed by both the South Carolina House of Representatives and Senate on May 31, 2007.¹⁸ The bill was then vetoed by Governor Mark Sanford on June 6. On June 7, the bill was brought back to the House and Senate floors, and unanimous votes in both chambers overrode the Governor's veto. This law goes into effect in July 2008.

Coverage Includes: Treatments, including behavioral therapies, which are prescribed by the individual's treating medical doctor in accordance with a treatment plan.

Age Range: An individual must be diagnosed with autistic spectrum disorder at age eight or younger. The coverage must be provided to any eligible person less than sixteen years of age.

Dollar Cap: Coverage for behavioral therapy is subject to a \$50,000 maximum benefit per year.

Texas:

On June 15, 2007, Texas enacted House Bill 1919, effective September 1, 2007.¹⁹ While the Texas bill limits the ages for children who can benefit from coverage, it goes further than some other states in spelling out exactly what kinds of services are covered. The bill's text specifically cites which kinds of autism-related services are examples of treatments that must be covered.

Coverage Includes: Evaluation and assessment services, ABA, behavior training and behavior management, speech therapy, occupational therapy, physical therapy, medication or nutritional supplements used to address symptoms of autism spectrum disorder.

Age Range: An individual must be between ages three and five to receive this

coverage.

Dollar Cap: Same as afforded to physical illnesses

Indiana:

In 2001, the Indiana enacted House Bill 1122, requiring insurers that issue accident and sickness insurance policies on an individual basis to provide coverage for the treatment of autism spectrum disorders.²⁰

Coverage Includes: Treatment that is prescribed by the insured's treating physician in accordance with a treatment plan. The statute thus allows many different professionally accepted therapies, such as ABA, speech therapy, occupational therapy, physical therapy, and medications to address symptoms of autism.

Age Range: All ages are allowed coverage

Dollar Cap: Same as afforded to physical illnesses

Argument 6: The costs of the proposed benefit are small and will have very little impact on the cost of health insurance premiums for the individual consumer.

Earlier this year, The Council for Affordable Health Insurance, a research and advocacy association of insurance carriers, released its annual report on state health insurance mandates, *Health Insurance Mandates in the States 2007*.²¹ The report defined a mandate as “a requirement that an insurance company or health plan cover (or offer coverage for) common – but sometimes not so common – health care providers, benefits and patient populations.” (Bunce, *supra* note 21) Using this definition, the report identified legislative mandates for autism benefits in ten states: Colorado, Delaware, Georgia, Iowa, Indiana (which, as we have noted, provides comprehensive benefits), Kentucky, Maryland, New Jersey, New York, and Tennessee. The report assessed the incremental cost of state mandated benefits for autism in these ten states *as less than one percent*.

The Council’s modest estimate of incremental premium costs is consistent with state government estimates across the country. Prior to enactment of Indiana’s sweeping legislation, the Indiana Legislative Services Agency estimated additional premium costs as ranging from \$.44 per contract per month to \$1.67 per contract per month.²² In vetoing Ryan’s Law in South Carolina, Governor Mark Sanford estimated that the bill, with its \$50,000 maximum yearly benefit for behavioral therapy, would add \$48 annually to insurance policies.²³ And in Wisconsin, where pending Assembly Bill 417 would provide the same broad coverage Indiana’s statute mandates, the Department of Administration estimates policy increments of between \$3.45 and \$4.10 per month – about the same as Governor Sanford’s estimate for Ryan’s Law.²⁴

The cost estimates for Indiana, South Carolina, and Wisconsin – all states whose legislation allows a maximum benefit that can be considered high – suggest that an average autism insurance coverage mandate will cost approximately \$50 annually per policy holder. For only a modest effect on premium cost, this insurance reform holds the promise of significantly improving the lives of thousands of children.

Argument 7: By improving outcomes for children with autism, mandated private insurance coverage will decrease the lifetime costs of treating and providing services and will actually result in an overall cost savings in the long-run.

A 1998 study by John W. Jacobson and others titled, *Cost-Benefit Estimates for Early Intensive Behavioral Intervention for Young Children with Autism – General Model and Single State Case*, examined the cost/benefit relationship of early intensive behavioral intervention treatment at varying levels of treatment success.²⁵ The study used estimates of costs for early intensive behavioral interventions (EIBI) from childhood (age three) through adulthood (age 55) based on prices in the Commonwealth of Pennsylvania and compared these costs with the expected amount of income the child would earn later in life to arrive at an estimated cost savings.

With a success rate of 47 percent for early intensive behavioral intervention therapy (as determined by Lovaas), Jacobson's study found that cost savings per child served are estimated to be from \$2,439,710 to \$2,816,535 to age 55.

	<i>Inflated total</i>	<i>1996 \$ total</i>	<i>Inflated/ student</i>	<i>1996 \$/ student</i>
At 20% normal range				
20 norm range vs. partial effect	96,085,200	36,654,400	4,804,260	1,832,720
70 partial vs. minimal effect	72,520,910	28,984,130	1,036,013	414,059
10 minimal effect	0	0	0	0
Net	168,606,110	65,638,530	1,686,061	656,385
At 30% normal range				
30 norm range vs. partial effect	144,127,800	54,981,600	4,804,260	1,832,720
60 partial vs minimal effect	62,160,780	24,843,540	1,036,013	414,059
10 minimal effect	0	0	0	0
Net	206,288,580	79,825,140	2,062,886	798,251
At 40% normal range				
40 norm range vs. partial effect	192,170,400	73,308,800	4,804,260	1,832,720
50 partial vs. minimal effect	51,800,650	20,702,950	1,036,013	414,059
10 minimal effect	0	0	0	0
Net	243,971,050	94,011,750	2,439,710	940,118
At 50% normal range				
50 norm range vs. partial effect	240,213,000	91,636,000	4,804,260	1,832,720
40 partial vs. minimal effect	41,440,520	16,562,360	1,036,013	414,059
10 minimal effect	0	0	0	0
Net	281,653,520	108,198,360	2,816,535	1,081,984

Note: This table presents a comparison of financial benefits at different levels or rates of achievement of normal skills or functioning achieved by EIBI, for people ages 3–55 years, ranging from 20% of children achieving normal range skills or functioning (an assumed minimal rate) to 50% of children. At each level of effectiveness, differing rates of normal range functioning, as well as partial benefit are estimated. Costs are shown in terms of the aggregate of 100 children served, and averages per person served, with inflation and in 1996 dollars.

The study also accounts for the initial investment in early intervention by concluding that, with an initial annual cost of \$32,820, the total cost-benefit savings of EIBI services per

child with autism or PDD for ages 3-55 years averages from \$1,686,061 to \$2,816,535 with inflation.

According to a 2005 Government Accounting Office (GAO) report, “the average per pupil expenditure for educating a child with autism was more than \$18,000 in the 1999-2000 school year. This amount was almost three times the average per pupil expenditure of educating a child who does not receive any special education services.”²⁶ With this insurance reform in place, more children would be able to access the early intervention services they need. That investment will, in the long run pay benefits, both economic and social, to the greater population.

Argument 8: Without passage of legislation requiring private health insurance coverage for autism, the costs associated with autism will continue not only to affect families, but will have far reaching social effects as well.

The cost of autism is borne by everyone. Michael L. Ganz's study of the societal costs of autism, *The Lifetime Distribution of the Incremental Societal Costs of Autism*, examined how the large financial burdens of autism affect not only families with an autistic child but society in general.²⁷

Ganz broke down the costs associated with autism into two distinct categories, direct costs and indirect costs. Direct costs include direct medical costs, such as physician, outpatient, clinic services, dental care, prescription medications, complementary and alternative therapies, behavioral therapies, hospital and emergency services, allied health, equipment and supplies, home health, and medically related travel, as well as direct nonmedical costs, such as child care, adult care, respite and family care, home and care modification, special education, and supported employment. Indirect costs include productivity losses for people with autism (calculated by combining standard average work-life expectancies for all men and women with average income and benefits and estimated age and sex specific labor force participation rates).

According to Ganz's study, direct medical costs reach their maximum during the first five years of life, averaging around \$35,000. As the child ages, direct medical costs begin to decline substantially and continue to decline through the end of life to around \$1,000. Ganz goes on to report, "The large direct medical costs early in life are driven primarily by behavioral therapies that cost around \$32,000 during the first 5-year age group and decline from about \$4,000 in the 8-to 12-year age group to around \$1,250 for the 18- to 22-year age group." (Ganz, *supra* note 27)

In terms of direct medical costs "the typical American spends about \$317,000 over his or her lifetime in direct medical costs, incurring 60% of those costs after the age of 65 years. In contrast, people with autism incur about \$306,000 in incremental direct medical costs, which suggests that people with autism spend twice as much as the typical American over their lifetimes and spend 60% of those incremental direct medical costs after age 21 years." (Ganz, *supra* note 27)²⁷

The study also found the indirect costs of autism to be significant as well. While in the first 22 years of life, indirect costs are mostly associated with lost productivity for the parents of a child with autism, the costs from age 23 on are associated with lost productivity of the actual individual with autism as depicted in the chart below taken from the study. The impact of this lost productivity can have enormous ramifications for the tax base of an entire society and the future of the older generation as their children with autism transition into adult care.

Table 4. Age-Specific and Lifetime per Capita Incremental Societal Indirect Costs of Autism*

Age Group, y	Average per Capita Cost per Age Group	
	Direct Indirect	Net Direct Indirect
3-7	0	42056
8-12	0	41138
13-17	0	38452
18-22	0	36090
23-27	22 708	1 0036
28-32	22 620	2136
33-37	20 852	0
38-42	20 122	0
43-47	28 600	0
48-52	24 531	0
53-57	17 776	0
58-62	0	0
63-66	0	0
Total lifetime costs	271 072	904 926

*Costs presented in 2002 dollars. Costs for age 4 years and older are discounted to 2002 dollars using a discount rate of 2%. Life expectancy for men is age 66 years and for women, age 68 years.

Ganz posited that direct medical costs “combined with very limited to non-existent income for their adult children with autism combined with potentially lower levels of savings because of decreased income and benefits while employed, may create a large financial burden affecting not only those families but potentially society in general.”(Ganz, *supra* note 27)

Without the help of private insurance coverage, families affected by autism may never be able to pull their heads above water and provide their children with the medically necessary, evidence-based treatments that they need. It is to the advantage of these families, to the 1 in 150 children affected by autism, and to all of society that private health insurance coverage is provided for these services.

Conclusion

A legislative mandate for coverage of autism asks private insurance companies to make a limited, but significant, contribution to help pay for medically necessary, evidence-based treatments that have been established to be of the greatest impact in fighting this terrible disorder.

Unbelievably, it is not uncommon for insurance carriers to have line-item exclusions for treatment of individuals diagnosed with autism. Across the nation, children with autism are routinely denied insurance benefits for treatment of their disorder. We believe that private insurance companies must contribute their fair share and partner in the financial burdens with these families.

With every new child diagnosed with autism costing an estimated \$3 million over his or her lifetime, the current practices are both unfair and not cost effective in the long run for states and their citizens. Autism Speaks is confident that many more state governments will recognize the significant long-term cost benefits found in these legislative measures, will do what is right for their constituents, and will pass legislation requiring private health insurance coverage of autism services.

References

- ¹ James G. Gurney, Melissa L. McPheeters, Matthew M. Davis, Parental Report of Health Conditions and Health Care Use Among Children With and Without Autism, 160 *Archives of Pediatric and Adolescent Medicine*, 825-30 (2006).
- ² Institute of Medicine, Access to Health Care in America (Michael Millman ed.) (1993)
- ³ Marty W. Krauss, Stephen Gulley, Mark Sciegaj, Nora Wells, Access to Specialty Medical Care for Children with Mental Retardation, Autism, and Other Special Health Care Needs, 41 *Mental Retardation*, 329-39 (2003).
- ⁴ David S. Mandell, Jun Cao, Richard Ittenbach, Jennifer Pinto-Martin, Medicaid Expenditures for Children with Autistic Spectrum Disorders: 1994 to 1999, 36 *Journal of Autism and Developmental Disorders*, 475-85 (2006).
- ⁵ Lisa A. Ruble, Craig A. Heflinger, J. William Renfrew, Robert C. Saunders, Access and Service Use by Children with Autism Spectrum Disorders in Medicaid Managed Care, 35 *Journal of Autism and Developmental Disorders*, 3-13 (2005).
- ⁶ Department of Public Welfare, Commonwealth of Pennsylvania: Autism Task Force Final Report (2004) Retrieved from www.dpw.state.pa.us.
- ⁷ Douglas L. Leslie, Andres Martin, Health Care Expenditures Associated with Autism Spectrum Disorders, 161 *Archives of Pediatric and Adolescent Medicine*, 350-55 (2007).
- ⁸ Pamela B. Peele, Judith R. Lave, Kelly J. Kelleher, Exclusions and Limitations in Children's Behavioral Health Care Coverage, 53 *Psychiatric Services*, 591-94 (2002).
- ⁹ O. Ivar Lovaas, Behavioral Treatment and Normal Educational and Intellectual Functioning in Young Autistic Children, 55 *Journal of Consulting and Clinical Psychology*, 3-9 (1987).
- ¹⁰ J. J. McEachin, T. Smith, O. Ivar Lovaas, Long-term Outcome for Children with Autism Who Received Early Intensive Behavioral Treatment, 97 *American Journal on Mental Retardation*, 359-72 (1993).
- ¹¹ U.S. Department of Health and Human Services, *Mental Health: A Report of the Surgeon General*, 163-64 (1999).
- ¹² New York Department of Health. Clinical Practice Guideline: Report of the Recommendations, Autism/Pervasive Developmental Disorders, Assessment and Intervention for Young Children (Age 0-3 Years) (1999) Retrieved from http://www.health.state.ny.us/community/infants_children/early_intervention/autism/index.htm

-
- ¹³ Maine Administrators of Services for Children with Disabilities, Report of the MADSEC Autism Task Force. (2000). Retrieved from <http://www.madsec.org/docs/ATFReport.pdf> .
- ¹⁴ National Institute of Mental Health, Autism Spectrum Disorders, Pervasive Developmental Disorders. (2007) Retrieved from <http://www.nimh.nih.gov/health/publications/autism/complete-publication.shtml> .
- ¹⁵ National Institute of Child Health and Human Development website: Questions and Answers (2006). Retrieved from <http://www.nichd.nih.gov/publications/pubs/autism/OA/sub18.cfm> .
- ¹⁶ National Research Council, Educating Children with Autism.(Catherine Lord & James P. McGee eds2001). Retrieved from <http://www.nap.edu/openbook.php?isbn=0309072697>.
- ¹⁷ Association for Science in Autism Treatment website: <http://www.asatonline.org/resources/resources.htm> .
- ¹⁸ S. 20, 2007 Gen. Assem., 117th Sess. (S.C. 2007)
- ¹⁹ H.B. 1919, 2007 Leg., 80 (R) Sess. (Tex. 2007)
- ²⁰ H.B. 1122, 112th Gen. Assem., 1st Reg. Sess. (Ind. 2001)
- ²¹ Victoria C. Bunce, J.P. Wieske, Vlasta Prikazsky, Health Insurance Mandates in the States 2007. Council for Affordable Health Insurance, (2007). Retrieved from www.cahi.org .
- ²² Legislative Services Agency,, Fiscal Impact Statement for HB 1122 (Apr. 5, 2001). Retrieved from <http://www.in.gov/legislative/bills/2001/PDF/FISCAL/HB1122.006.pdf> .
- ²³ Governor Mark Sanford, Veto Message for S.B. 20 to the South Carolina Senate President. (2007). Retrieved from <http://www.scgovernor.com/uploads/upload/S.20.pdf> .
- ²⁴ Wisconsin Department of Administration, Fiscal Estimate for Assembly Bill 417 (July 23, 2007). Retrieved from <http://www.legis.state.wi.us/2007/data/fe/AB-417fe.pdf>.
- ²⁵ John W. Jacobson, James A. Mulick, Gina Green, Cost-Benefit Estimates for Early Intensive Behavioral Intervention for Young Children with Autism – General Model and Single State Case. 13 *Behavioral Interventions*, 201-26 (1998).
- ²⁶ United States Government Accountability Office, Special Education: Children with Autism(GAO-05-220 (2005)).

²⁷ Michael L. Ganz, The Lifetime Distribution of the Incremental Societal Costs of Autism. 161 *Archives of Pediatric and Adolescent Medicine*, 343-49 (2007). Retrieved from www.archpediatrics.com .

APPLIED BEHAVIOR ANALYSIS (ABA)-BASED INTERVENTIONS FOR YOUNG CHILDREN WITH AUTISM SPECTRUM DISORDERS

As research and services are evolving relative to understanding and meeting the needs of young children with autism, several practices have emerged as being key to success. First, rarely do methods other than those that are evidence-based work with these children (i.e., shown effective with this population of children and then replicated through additional rigorous research). Second, when one examines the body of strategies that have been scientifically validated, one sees that the vast majority of these interventions have one common characteristic – each has been designed on, and to later adhere to, core principles of Applied Behavior Analysis, or ABA. A large number of ABA-based strategies have been developed, tested and employed, with some designed to have a generalized impact on the child's functioning, while other methods intended to address specific language, social or behavioral needs of these children. Lastly, evidenced-based methods have generally been shown to be far more effective the sooner and more intensively they are employed.

ABA is a scientifically-driven and validated approach to learning and/or change of behavior. The core ABA principles are based on Operant Learning Theory, which states that new behaviors will happen more frequently if they are regularly reinforced, while previously demonstrated behaviors or skills will diminish if they are not. Applied Behavior Analysis is often employed within a highly structured context and in a systematic manner, relying heavily on the regular observation of overt behaviors as a first step to individualization of intervention. Key to the child's success is s/he developing the ability to discriminate (recognize) when and how to respond (behave). For a young child with ASD, this typically first means responding consistently and quickly to simple cues and directions provided by an adult. This requires teaching the child, on a 1:1 basis, to attend or jointly attend with the adult, to specific objects or actions. The interventionist chooses and delivers cues, directions or actions precisely, and consistently uses positive reinforcement to strengthen and shape the child's correct responses. Doing so increases the child's ability to participate in typical social, home, and school settings as a function of his/her regular demonstration of those skills or behaviors that are contextually applicable or appropriate there. Progress is monitored through data collected on each target skill or behavior, with performance graphed over time.

While a Behavior Analyst who uses ABA tends not to speculate on the non-overt, internalized changes taking place with children with autism, the fact is that successful intervention often results in increased fluency and duration of responding to both verbal and visual cues (i.e., natural characteristics of an object, item or setting such as the shape of a letter, color of a ball, or correspondence of a top button to a top button hole). Doing so increases the probability of independent performance by the child in the future (maintenance of acquired skills), and tends to promote his/her use of these acquired skills in new and different settings (generalization).

There are a large number of tested interventions based on the principles of Applied Behavioral Analysis. While many have been validated for use with children with challenging behaviors and/or autism, others have been developed for behavior change by different populations, such as for parenting, weight loss, cessation of smoking, and the such. An effective Behavior Analyst systematically selects from different ABA assessment, data analysis, and planning methods as tools in the delivery of services, so as to ensure that the match between the interventions, schedule of service activities, the delivery of services and the child's home, school and community environments are optimal for learning. While many practitioners employ ABA methods, quality is controlled through a national process of certification, through the Behavior Analyst Certification Board, Inc. (BACB), an organization with roots within the Association for Behavior Analysis, International. The graduate level certification standards and credentialing from BACB is endorsed by the Association of Professional Behavior Analysts, the Association for Behavior Analysis International and Division 25 (Behavior Analysis) of the American Psychological Association.



Insurance Coverage for Autism in Alaska

Lorri Unumb, Esq.
Autism Speaks

lorri.unumb@autismspeaks.org


lorri.unumb@autismspeaks.org

Pervasive Developmental Disorders

(the umbrella category in the DSM-IV)

There are 5 Pervasive Developmental Disorders (PDDs).

Within the 5 PDDs, there are 3 **Autism Spectrum Disorders (ASDs)**, shown in purple below.



Autism Spectrum Disorder

- Curable? No
- Treatable? Yes

- Impaired Communication
- Impaired Social Interaction
- Repetitive or Stereotyped Patterns of Behavior
- Narrow Range of Interests

- Four times more common in boys than girls
- Average age of diagnosis: 5-1/2



Applied Behavior Analysis (ABA Therapy)

- One-on-one therapy based on principles of repetition, reinforcement, and extinction.
- When an environment supports a set of behaviors, they increase. When an environment does not support behaviors, they tend to extinguish and fade away.



ABA Therapy Is Not Experimental

- “Thirty years of research demonstrated the efficacy of applied behavioral methods in reducing inappropriate behavior and in increasing communication, learning, and appropriate social behavior.”

Report of the Surgeon General of the United States, 1999

- “ABA therapy is not experimental or investigational in nature.”

McHenry v. PacificSource Health Plans (D. Oregon, Jan. 5, 2010)

- “The effectiveness of ABA-based intervention in ASDs has been well documented through 5 decades of research Children who receive early intensive behavioral treatment have been shown to make substantial, sustained gains in IQ, language, academic performance, and adaptive behavior as well as some measures of social behavior, and their outcomes have been significantly better than those of children in control groups.”

American Academy of Pediatrics

Applied Behavior Analysis: Sample Therapy Structure

- Consultant
 - Highly educated and trained
 - Board certified
 - Evaluates, designs, trains
 - 3-6 hours per month
- Mid-level supervisor (lead therapist)
 - Highly educated and trained
 - Updates programming; trains; oversees
 - 6 hours per week
- Line therapists
 - Trained & supervised by above
 - Provide 40 hours per week of direct therapy, usually in 3-hour shifts



Applied Behavior Analysis: Cost of a Sample Therapy Program

- Consultant
 - 3-6 hours per month
 - \$100-\$150/hour
 - 6 hours x \$150 = \$900/month
 - \$900 x 12 months = **\$10,800**
- Mid-level supervisor (lead therapist)
 - 6 hours per week
 - \$30-\$60/hour
 - 6 hours x \$60 = \$360/week
 - \$360/week x 52 weeks = **\$18,720**
- Line therapists
 - 40 hours per week
 - \$10 - \$30/hour
 - 40 hours x \$20 = \$800/week
 - \$800/week x 52 weeks = **\$41,600**
- **\$10,800 + \$18,720 + \$41,600 = \$71,120**



Savings to the State: Special Education


Outcome of 1987 UCLA Study on Efficacy of ABA

ABA Group



- 47% Achieved Normal IQ
- 53% Did Not Achieve Normal IQ

Other Intervention (Control) Group



- 2% Achieved Normal IQ
- 98% Did Not Achieve Normal IQ

Societal Costs of Autism

- Harvard School of Public Health (Ganz, 2006)
- \$3.2 million per person over lifetime
 - Includes direct and indirect costs, such as lost productivity
- Pennsylvania (Green, Jacobson & Mulick, 1998)
- Over \$1 million per person




Autism Prevalence On The Rise*

There has been a 600% increase in prevalence
over the last two decades.




AUTISM SPEAKS™
It's time to listen.

www.AutismSpeaks.org



*Recent research has indicated that changes in diagnostic practices may account for at least 25% of the increase in prevalence over time, however much of the increase is still unaccounted for and may be influenced by other factors.

States with Autism Insurance Reform



2001 – Indiana
2001 – Minnesota*

2007 – South Carolina
2007 – Texas

2008 – Arizona
2008 – Florida
2008 – Louisiana
2008 – Pennsylvania
2008 -- Illinois

2009 – Colorado
2009 – Nevada
2009 – Connecticut¹⁻¹⁹⁻¹¹
2009 – Wisconsin
2009 – Montana
2009 – New Jersey
2009 – New Mexico

2010 – Maine
2010 – Kentucky
2010 -- Kansas
2010 -- Iowa
2010 -- Vermont
2010 – Missouri
2010 – New Hampshire
2010 -- Massachusetts

Comparison of Autism Benefits

State	Annual Cap	Age Cap
Indiana	None	None
Minnesota**	None	None
South Carolina	\$50,000 - ABA	16
Texas	None	11
Pennsylvania	\$36,000	21
Montana	\$50,000/\$20,000 at 10	18
Arizona	\$50,000/\$25,000 at 9	17
Missouri	\$40,000	18
New Hampshire	\$36,000/\$27,000 at 13	21
Kansas*	\$36,000/\$27,000 at 7	19
Massachusetts	None	None
Vermont	None	6, or 1 st grade***
Iowa*	\$36,000	21

lorri.unumb@autismspeaks.org

Behavioral Therapy Benefits for Autism Major Group



Student Guide



South Carolina

State of South Carolina
Department of Health and Human Services
Division of Health Care Regulation



State of South Carolina State Health Plan Autism Spectrum Disorder Benefit

Effective with the 2009 Plan Year, the State Health Plan began covering Applied Behavior Analysis (ABA) for children diagnosed with an Autism Spectrum Disorder. The Employee Insurance Program (EIP) asked APS Healthcare to develop guidelines for administering the new benefit. Just like other services covered by APS for behavioral health diagnoses, the new Autism Spectrum Disorder (ASD) benefit services must be pre-authorized as medically necessary by APS, and providers must be contracted with APS as in-network providers. Only ABA providers fully certified by the Behavior Analyst Certification Board will be part of the network and be able to file claims for ABA services. All reimbursements for ABA services will be made by APS directly to ABA providers.

Board Certified Behavior Analysts (BCBA's) contracted with APS must provide direct supervision to their staff, including Board Certified Associate Behavior Analysts and/or any non-certified ABA therapists. Direct supervision includes the observation and oversight of the delivery of "hands on" ABA therapy by behavioral therapy staff.

The new benefit became effective on **January 1, 2009**. Following is a summary of requirements for coverage under the new benefit.

Eligibility Requirements:

- 1) Member must be covered by the State Health Plan and under sixteen (16) years of age with no pre-existing condition exclusions.
- 2) Member must be diagnosed by age eight (8) with Autism Disorder, Asperger's Disorder or Pervasive Developmental Disorder Not Otherwise Specified by a Physician or Certified Registered Nurse Practitioner.
- 3) Diagnosis by age 8 must be confirmed by the following diagnosis-specific tests/screening tools:
 - a. Autism Disorder using one of the following:
 1. Checklist for Autism in Toddlers (CHAT); or
 2. Modified Checklist for Autism in Toddlers (M-CHAT); or
 3. Screening Tool for Autism in Two-Year Olds (STAT); or
 4. Social Communication Questionnaire (SCQ) (recommended for children four-years of age or older)
 - b. Asperger's Syndrome using one of the following (recommended for school-age children):
 1. Autism Spectrum Screening Questionnaire (ASSQ); or
 2. Childhood Asperger Syndrome Test (CAST); or
 3. Krug Asperger's Disorder Index (KADI)
 - c. Pervasive Developmental Disorder, NOS using the following:
 1. One of the previously mentioned tools to rule out Autism and Asperger's; and
 2. DSM-IV Diagnostic Criteria/Pervasive Developmental Disorder Not Otherwise Specified (PDD-NOS)
- 4) Member must be evaluated by an appropriate diagnostician to rule out the following as a sole explanation for symptoms of Autism Spectrum Disorder:
 - a. Neurological Disorder (must be by an MD)
 - b. Lead Poisoning (must be by an MD)
 - c. Primary Speech Disorder and
 - d. Primary Hearing Disorder
- 5) Member must be evaluated by a licensed Psychologist within the last 6 months for current validation of the ASD Diagnosis, using:
 - a. Autism Diagnostic Observation Schedule (ADOS); or
 - b. Autism Diagnostic Interview (ADI-R); or
 - c. Childhood Autism Rating Scale (CARS); or
 - d. A DSM-IV Diagnostic Criteria which validates one of the three ASD diagnoses

Excerpt from 2009 Report of Council of Affordable Health Insurance: “Health Insurance Mandates in the States”

BENEFITS:	Est. Cost	#
Alcoholism	1-3%	45
Autism	<1%	23
Contraceptives	1-3%	29
In Vitro Fert.	3-5%	15
Prescriptions	5-10%	3



Actual Claims Data

BCBS of Minnesota (2007)

- Dates
 - In effect 2001
- Population
 - State has population of 5.3M
 - BCBS has 2100 members with ASD
- Terms
 - No dollar cap
 - No age cap
- Cost
 - Total claims = \$12M
 - 315 of the 2100 members accounted for \$9.7M of the \$12M cost
- Premium impact PMPM (per member per month)
 - \$0.83 commercial mrkt
 - \$0.79 public programs
- Average annual cost for behavioral health treatment = \$30,000

South Carolina State Employee Plan




- Dates
 - Statute passed in 2007
 - Applicable to state health plan as of 1-1-09
 - Population
 - State has 4.5 M
 - State health plan has 350-390,000 members
 - Terms
 - \$50,000 cap on ABA
 - To age 16
 - Projected Cost
 - Original: \$18.9 million
 - Revised: \$9 million
 - Actual cost
 - 2009: \$856,371
 - PMPM - 20 cents
 - 2010: \$2,042,392
 - PMPM - 44 cents
 - PEPM – 75 cents
- (228,048 employees/subscribers;
79 kids accessing coverage)

Alaska Fiscal Impact Worksheet

- Number of *employees* in state plan _____
- X
- Per *employee* per month (PEPM) cost 75 cents
(using 2010 South Carolina actual claims data; SC has age 16 & \$50,000 cap on ABA)
- = _____
- X
- Number of months in year 12 months
- =
- Total annual cost _____
- (To determine total cost to state's general fund, discount the above total by percent of health insurance premium that a state employee pays, if any.)

Outcome of 1987 UCLA Study

Educational Placements for Group That Received ABA



Savings to the State: Special Education

“A study published in a national journal found that Pennsylvania could save an average of \$187,000 to \$203,000 on each child who received three years of EIBI relative to one who received special education services until age 22. The Pennsylvania study also suggested that cost savings would likely continue to accrue after children exit the school system. The study found that the state could save from \$656,000 to \$1.1 million per child if expenditures up to age 55 are included.

Another study published in a national journal found that Texas could save an average of \$208,500 in education costs for each student who received three years of EIBI relative to a student who received 18 years of special education from ages four to 22. Applied to the estimated 10,000 children with ASDs in Texas, it was estimated that the state could save almost \$2.1 billion by implementing intensive treatment programs.”

Source: 2009 Report of the Joint Legislative Audit and Review Commission to the Governor and General Assembly of Virginia (JLARC Report)



“Educational in Nature”?



- False choice
- What does “educational in nature” mean?
- *Schools provide?*
- *Schools would provide if adequate resources?*
 - No obligation under IDEA or state law to treat medical condition
 - Schools are required to accommodate the disabling condition, not remedy it.
- Is speech therapy “educational in nature”?
- AAP report.
- *Provided by school personnel?*
- Academic goals
- ASD is diagnosed by a doctor, not a principal
- Argument du jour
 - Rejected in 23 states
 - Rejected in federal court



“Educational in Nature”?

- *McHenry v. PacificSource Health Plans* (D. Oregon, Jan. 5, 2010)
- “While ABA therapy may have beneficial effects on an autistic child’s social and academic skills, its defining characteristic is application of techniques to modify behavior in every area of an autistic child’s life. In this regard, a sports analogy is instructive. While participation in sports can benefit a student’s academic and social skills, no one would classify sports as academic or social skills training.
- Similarly, the incidental benefits in these areas resulting from ABA therapy, while real, do not dictate that it be classified as either academic or social skills training.
- . . . While aimed at improving social and academic functioning, it does this by specifically addressing behavioral deficits possessed by autistic children that interfere with every area of their life, not by educating kids on social norms or teaching study skills or other tools specific to academic success.”

Impact of Federal Health Care Reform

- 2009 Amendments by Rep. Doyle (Pa.) & Sen. Menendez (NJ)
- Changed "**Mental health and substance use disorder services**", one of ten required benefits, to "**Mental health and substance use disorder services, including behavioral health treatments**".
- Applies to plans issued through Exchanges as well as small group and individual plans.
- N/A to existing coverage, large groups, self-funded
- Starts in 2014.
- <http://www.autismvotes.org/site/apps/nlnet/content2.aspx?c=frKNI3PCImE&b=3930723&ct=7522291>


The Essential Benefits Package

- Ambulatory patient services
- Emergency services
- Hospitalization
- Maternity and newborn care
- Mental health and substance use disorder services, including behavioral health treatment
- Prescription drugs
- Rehabilitative and habilitative services and devices
- Laboratory services
- Preventive and wellness services and chronic disease management
- Pediatric services, including oral and vision care

Impact of 2008 Federal Mental Health Parity Law

- 2008 Wellstone-Domenici Act prohibits **treatment limitations** and **financial requirements** on “mental health benefits” if not on physical health benefits.
- Wellstone MHP law applies only to large group fully-funded and self-funded policies.
- Illinois, Iowa, Maine, Montana, New Hampshire, New Jersey explicitly and Connecticut, Florida, Kansas, Kentucky, Missouri implicitly include autism within their state definition of mental illness.
- All of these states except Florida have passed capped autism mandates since the passage of the Wellstone federal MHP law.

Sources of Health Care Coverage



- Medicaid - 20%
- Medicare - 10%
- Uninsured - 11%
- State Health Plan - 10%
- ERISA - ASO - 25%
- Federal Tricare - 2%
- Federal Civilian - 2%
- Other Insured - Large Group - 15%
- Other Insured - Small Group - 4%
- Other Insured - Individual - 1%



Self-Funded ERISA Plans

- “Overall, self-funded plans voluntarily cover 86% of the cost of mandated services.”
- 2008 Report of Maryland Health Care Commission

Self-Funded ERISA Plans That Cover Autism Treatments

- Microsoft
- Home Depot
- Intel
- Arnold & Porter
- Halliburton
- Eli Lilly
- Deloitte
- Ohio State University
- Time Warner
- Blackbaud
- Lahey Clinic
- Partners Healthcare
- Wells Fargo
- Lexington Medical Center
- University of Minnesota
- Progressive Group
- Greenville Hospital System
- Symantec
- DTE Energy
- Cerner
- State Street Financial
- Children's Mercy
- EMC
- Yahoo
- Sisters of Mercy
- Princeton University
- And many more . . .

Provider Credentials


www.BACB.com



The Behavior Analyst Certification Board, Inc.* (BACB*) is a nonprofit corporation established as a result of credentialing needs identified by behavior analysts, state governments, and consumers of behavior analysis services.

The BACB's mission is to develop, promote, and implement a voluntary international certification program for behavior analyst practitioners.

The BACB credentials Board Certified Behavior Analyst® (BCBA®) and Board Certified Assistant Behavior Analyst® (BCaBA®).



john.unumb@autismspeaks.org

Insurance States that License Behavior Analysts

- - License
- - "Behavior specialist"
- - License/no insurance



5-29-10

lorri.unumb@autismspeaks.org

Neurology

January 2007 Issue

Table 3 Summary of evidence: Incidence and prevalence of 12 neurologic disorders

Disorder	Class of evidence	Range of ages included (y)	Median estimates				Rate ratio, M/F†	Age(s), y, of peak incidence
			Annual incidence		Prevalence			
			Rate/100,000	No.*	Rate/1,000	No.*		
Autism spectrum disorders	I, II	2–15	—	—	5.8	500,000‡	4.2	—
Cerebral palsy	I, II	3–13	—	—	2.4	207,000‡	1.3	—
Tourette syndrome	II	7–17	—	—	3.5§	301,000	4.8	—
Migraine	I, II	12–65	—	—	121	35,461,000	0.4	—
Epilepsy	I, II	All	48	142,000	7.1	2,098,000	1	<1, ≥80
Multiple sclerosis	I	All	4.2	12,000	0.9	266,000	0.5	30
Traumatic brain injury	I	All	101	298,000	—	—	2.1	20, ≥80
Spinal cord injury	I,II	All	4.5	13,000	—	—	4.2	20
ALS	I, II	All	1.6	5,000	0.04	12,000	1.3	≥60
Stroke	I, II	All	183	541,000	10	2,956,000	1.1	≥80
		≥65	1,093	401,000	—	—	—	
Alzheimer disease	I,II	≥65	1,275	468,000	67	2,459,000	0.5	≥80
Parkinson disease	I,II	≥65	160	59,000	9.5	349,000	1.8	≥70

* Estimated number of cases in United States in 2005, rounded to nearest 1,000.

† Ratio of rates among males to rates among females.

‡ Estimated number of cases among children younger than 21 years of age only.

§ Data inadequate for firm estimate.

Why Our Job Is Not Done

- May 27, 2010 at 5:08pm
- Subject: thanks
- I just wanted to say thank you for accomplishing what many people would not have attempted. I live in Charleston, SC. My husbands insurance is self funded so we are having to give up custody of our autistic 2 year old to my parents because their insurance is better. ABA is really helping and there is nothing I wouldn't do for him. You are inspirational to me and a hero. God bless you.



“[N]o
disability
claims more
parental
time and
energy than
autism.”

New York Times,
12/20/04

The Lifetime Distribution of the Incremental Societal Costs of Autism

Michael L. Ganz, MS, PhD

Objective: To describe the age-specific and lifetime incremental societal costs of autism in the United States.

Design: Estimates of use and costs of direct medical and nonmedical care were obtained from a literature review and database analysis. A human capital approach was used to estimate lost productivity. These costs were projected across the life span, and discounted incremental age-specific costs were computed.

Setting: United States.

Participants: Hypothetical incident autism cohort born in 2000 and diagnosed in 2003.

Main Outcome Measures: Discounted per capita incremental societal costs.

Results: The lifetime per capita incremental societal cost of autism is \$3.2 million. Lost productivity and

adult care are the largest components of costs. The distribution of costs over the life span varies by cost category.

Conclusions: Although autism is typically thought of as a disorder of childhood, its costs can be felt well into adulthood. The substantial costs resulting from adult care and lost productivity of both individuals with autism and their parents have important implications for those aging members of the baby boom generation approaching retirement, including large financial burdens affecting not only those families but also potentially society in general. These results may imply that physicians and other care professionals should consider recommending that parents of children with autism seek financial counseling to help plan for the transition into adulthood.

Arch Pediatr Adolesc Med. 2007;161:343-349

AUTISM IS A VERY EXPENSIVE disorder costing our society upwards of \$35 billion in direct (both medical and nonmedical) and indirect costs to care for all individuals diagnosed each year over their lifetimes.¹ Given the financial and nonfinancial costs we face and given increasingly more options for treatment and possibly for prevention, information on the distribution of costs is needed to help us decide on how to best allocate scarce resources to support individuals with autism and their families. Because the complementary (or competing) treatment and prevention strategies currently available, or yet to be developed, vary in effectiveness or implementation costs, understanding how total costs due to autism are distributed across the life cycle is important to make better decisions.

Relatively little is known about the societal costs of autism, in total and at different points across the life cycle. In earlier work, the per capita and total societal costs for individuals with autism were described.¹ Although the per capita and societal costs were described overall and across 17 components of direct medical, direct nonmedical, and indirect costs, age-specific costs were not. Because certain cat-

egories are more relevant and more costly and because these costs are borne by different parties at different ages, presenting the age distribution of the costs of autism can provide policy makers information that is helpful for cost-utility analyses and for current and future resource planning activities. The focus of this study is to present estimates of the costs of autism along with some detail on how the estimates were constructed. Although no clinical data are presented, these data should be useful to health care professionals, families, and agencies in planning for future care, especially with respect to nonmedical costs.

METHODS

A detailed description of the sources of data and computational methods used to compile the costs of autism has been presented elsewhere.¹ Briefly, cross-sectional cost data from different age groups were used to create prevalence-based cost estimates that approximate incidence-based estimates (ie, those constructed by longitudinally tracking an incident cohort over time). A prevalence-based cohort, also known as a synthetic, or hypothetical, cohort,² allows us to approximate the lifetime experiences of a single incident cohort by using the prevalence-based cost patterns as if

Author Affiliations: Abi Associates Inc, Lexington, and Harvard School of Public Health, Boston, Mass.

they were observed longitudinally from an incident cohort. Although an incidence-based cost-of-illness approach is more appropriate because it captures the full experience of autism, including any comorbid conditions, formidable data requirements preclude it.³

The total costs of autism equal the sum of its direct and indirect costs. Direct costs measure the value of goods and services used and indirect costs measure the value of lost productivity due to autism. These direct and indirect costs represent the value of other activities that these resources could have purchased (ie, opportunity costs).^{4,5} Physician and other professional services, hospital and emergency department services, drugs, equipment and other supplies, and medically related travel and time costs are typical components of direct medical costs. Direct medical costs were obtained either from the literature or from an analysis of the Medical Expenditure Panel Survey (MEPS)⁶ and the National Health Interview Survey (NHIS).⁷ Special education, transportation, child care and babysitting, respite care, out-of-home placement, home and vehicle modifications, and supported employment services are typical components of direct nonmedical costs. Nonmedical costs were obtained from the literature. Multiple cost estimates within categories were averaged to obtain a single cost estimate for each category. Indirect costs are the value of lost or impaired work time (income), benefits, and household services of individuals with autism and their caregivers because of missed time at work, reduced work hours, switching to a lower-paying but more flexible job, or leaving the workforce. Indirect costs were computed using a human capital approach^{3,8} that combines average earnings, benefits, and household services with information on average work-life expectancies and labor force participation rates for men and women at different ages.

In the analyses that follow, the incremental costs of autism are presented, which are defined as those additional costs that are due exclusively to autism. For example, costs due to use of medical services for periodic well-child preventive care or care related to the common cold are not considered herein because those costs are common to children with and without autism; however, costs specifically due to autism are considered herein. When incremental costs were not available or otherwise specifically presented in the source materials, they were computed by subtracting national average costs calculated from the MEPS from the costs reported in the source documents. For example, if a source document presented an average cost of \$X for all children with autism and the national average for all children for that same category was \$Y, then the incremental cost was computed as $(Y-X)$. Because of the broad impact of autism on families, insurers, taxpayers, and society and because of the considerable public autism funding, a societal perspective was used, as recommended by the Panel on Cost-effectiveness in Health and Medicine.⁸

The Harvard School of Public Health Human Subjects Committee had previously exempted this study from institutional approval.

DIRECT COSTS

Literature Review

An in-depth targeted literature review concentrating on US-based studies was conducted to obtain data on use and costs. British and Canadian studies were also used when data were otherwise unavailable. Data on physician, outpatient, clinic services, dental care,⁹ prescription medications,^{9,11} complementary and alternative therapies,¹²⁻¹⁶ behavioral therapies,^{19,22} hospital and emergency services,^{9,23} allied health, equipment and supplies, home health,⁹ and medically related travel⁹ were classified as direct medical. Data on child care,^{9,19} adult care,^{19,20} respite and family care,^{9,19,20}

home and care modifications,^{9,24} special education,^{19,20,25-27} supported employment,^{20,28-34} and other costs^{9,24} were classified as direct nonmedical. Although some dimensions of care may be misclassified between direct medical and direct nonmedical (for example, many special education programs provide behavioral therapies), because the degree of misclassification is not known, no corrections were made. Costs, as reported in the source materials, were inflated to 2003 US dollars using the all-item consumer price index.³⁵ State-specific costs were transformed to national averages³⁶ and foreign costs were converted to US costs using the latest available Federal Reserve exchange rates.³⁷ Use measures were translated to costs by multiplying the use measures by age group-specific survey-adjusted average costs from the MEPS.⁶ More in-depth information on how the cost estimates were constructed from these sources is available elsewhere¹ and in a technical appendix available on request.

Survey Analysis

Data from the NHIS⁷ and the MEPS⁶ were also used to supplement data on costs of autism and to also compute average costs for use in deriving the incremental costs of autism. Because confidentiality concerns constrain the MEPS to only report the first 3 digits of diagnosis codes, individuals with an *International Classification of Diseases, Ninth Revision (ICD-9)* diagnosis code of 299, which includes autism diagnoses (299.0x) as well as disintegrative psychoses (299.1x) and early childhood psychoses (299.8x/299.9x), were used as proxies for individuals with autism. Specific autism questions were available in the NHIS during 1997-2000. Information from those questions was combined with an ICD-9 diagnosis code of 299 in the NHIS and was linked to the MEPS to increase the number of usable cases. Survey-adjusted means for expenditures were then computed as described earlier. Further information is available elsewhere¹ and from the technical appendix.

INDIRECT COSTS

Productivity losses for people with autism were estimated by combining standard average work-life expectancies for all men and women taken from the economics literature (ages 23-57 years for men and 23-53 years for women),³⁴ with average income and benefits (from Tables 696 and 628 of the *Statistical Abstract of the United States*³⁶) and estimates of age- and sex-specific labor force participation rates.³⁸ Average incomes are projected for future years based on estimated productivity growth rates³⁹ to estimate average total earnings and benefits at each age. These estimates are adjusted for the fact that while some adults with autism are unable to work, others are (35% of adults with lower levels of disability and 10% of adults with higher levels of disability work in supported work environments). Finally, the lost value of sex-specific household services is added.^{3,39} These estimates do not account for the effects of taxes or lost leisure time. Similar methods were used to estimate productivity for parents. Fathers of children with lower levels of disability were assumed to be unemployed 10% of the time (and working full-time during the remaining 90%) and mothers were assumed to be unemployed 55% of time (and were working half-time 25% of the time and full-time, 20%).^{40,41} Fathers of children with higher levels of disability were assumed to be unemployed 20% of the time and mothers were assumed to be unemployed 60% of time (and were working half-time 30% of the time and full-time, 10%). These assumptions were combined with the same average earnings, benefits, productivity growth, labor force participation rates as used for individuals with autism, and the appropriate work-life expectancies. These estimates assumed households in which both a mother and a father care for 1 child with autism. These estimates will differ based on different family configurations.

Table 1. Age-Specific and Lifetime per Capita Incremental Societal Costs of Autism*

Age Group, y	Average Per Capita Cost per Age Group			Total Per Capita Cost
	Direct Medical	Direct Nonmedical	Indirect	
3-7	35 370	10 805	43 066	446 203
8-12	6013	15 708	41 138	314 297
13-17	5014	13 550	38 453	285 082
18-22	2879	10 720	36 090	248 448
23-27	1574	27 539	51 740	404 260
28-32	1454	23 755	35 757	304 828
33-37	1389	20 492	30 852	263 662
38-42	1283	17 676	29 132	240 457
43-47	1440	15 248	26 600	216 439
48-52	1447	13 152	24 531	195 650
53-57	1290	11 292	17 776	151 790
58-62	1218	9489	0	53 535
63-66	1022	7908	0	35 738
Total lifetime costs	305 956	978 761	1 875 667	3 160 384

*Costs presented in 2003 dollars. Costs for age 4 years and older are discounted to 2003 dollars using a discount rate of 3%. Life expectancy for men is age 66 years and for women, age 65 years.




Figure 1. Age distribution of incremental societal costs of autism (present value).

CALCULATING COSTS

To the extent possible, cost estimates were derived for higher- and lower-functioning individuals as they were presented in the literature. Semidependent, independent, or those individuals described as having high-functioning autism were classified in the higher-functioning category. Dependent individuals or those not described as having high-functioning autism were classified in the lower-functioning category. Based on data presented in Fombonne,⁴² the prevalence of higher-functioning autism is assumed to be 54%. The male-female ratio is assumed to be 4:1. Weighted average per capita costs were computed based on the assumed distribution of lower- and higher-functioning status and the male-female ratio. Age 3 years was considered to be the baseline age (age at diagnosis) and 2003 was the baseline year. Because there is some evidence that people with autism have reduced life expectancies,⁴³⁻⁴⁶ costs were tabulated through age 66 years for males and through age 65 years for females. Costs were discounted to present value (to age 3 years) using a discount rate of 3% as recommended by the Panel on Cost-effectiveness in Health and Medicine.⁸ Costs in future years were discounted, or deflated, to reflect the time value of money: a dollar today is worth more

than a dollar in the future. In doing so, all costs were adjusted for the different periods in which they were incurred. In other words, dollars at different ages become comparable. Because health care resource investments, such as in the case of autism research and treatment budgets, incur costs in the present and potentially realize the benefits in the future, it is common to discount future flows of costs (and benefits) to present value. Although 3% is the currently used standard for a discount rate, this rate is varied in the sensitivity analyses described in the next subsection.

SENSITIVITY ANALYSES

In previous work, the robustness of the overall cost estimates was assessed using 1-way sensitivity analyses and conclusions were mostly robust to changes in many key parameters.¹ However, the total costs were found to be most sensitive to changes in the discount rate and to changes in the assumed level of indirect costs. Because variations in indirect costs will not substantially change the pattern of costs over the life cycle, herein focus is placed on the discount rate.⁸ The discount rate is varied between 2% and 5% as suggested by Gold et al.⁸

DEFINITION OF AUTISM

Many of the sources of data simply used the term *autism* and did not differentiate between the different autism spectrum disorders. Reflecting the literature, the term *autism* herein is used in an inclusive manner to mean all disorders in the spectrum. Given the nature of many of the nonmedical and indirect costs, it is likely that those costs are more representative of more disabled individuals. Older sources⁹ may have only included lower-functioning children and individuals in their definitions of autism. However, varying the proportions of lower- and higher-functioning individuals does not substantially change conclusions about overall lifetime costs.¹

RESULTS

In the Tables that follow, the average per capita costs by category are presented in 5-year intervals (the full Tables

Table 2. Age-Specific and Lifetime per Capita Incremental Societal Direct Costs of Autism*

Age Group, y	Average per Capita Cost per Age Group						
	Physician and Dental	Drugs	CAM Therapies	Behavioral Therapies	Emergency and Hospital	Home Health	Travel
3-7	1147	147	198	32 501	828	467	81
8-12	577	153	109	4033	768	303	70
13-17	495	131	50	3479	591	267	60
18-22	426	129	33	1254	852	132	52
23-27	496	124	28	0	774	106	45
28-32	507	114	25	0	882	87	39
33-37	547	98	21	0	598	93	39
38-42	540	84	18	0	522	90	29
43-47	765	72	16	0	426	137	25
48-52	845	61	14	0	352	154	21
53-57	851	52	12	0	292	65	18
58-62	810	44	10	0	323	14	16
63-66	632	34	9	0	301	39	14
Total lifetime costs	42 259	6180	2704	206 337	36 235	9738	2503

Abbreviation: CAM, complementary and alternative medicine.

*Costs presented in 2003 dollars. Costs for age 4 years and older are discounted to 2003 dollars using a discount rate of 3%. Life expectancy for men is age 66 years and for women, age 65 years.

Table 3. Age-Specific and Lifetime per Capita Incremental Societal Direct Nonmedical Costs of Autism*

Age Group, y	Average per Capita Cost per Age Group						
	Child Care	Adult Care	Respite Care	Home Improvements	Special Education	Supported Work	Other
3-7	4636	0	1100	161	4585	0	323
8-12	3999	0	948	139	10 343	0	278
13-17	3450	0	818	120	8922	0	240
18-22	2907	0	706	10	8247	0	851
23-27	0	25 064	0	9	0	838	1630
28-32	0	21 620	0	8	0	721	1406
33-37	0	18 650	0	7	0	622	1213
38-42	0	16 087	0	6	0	537	1046
43-47	0	13 877	0	5	0	463	903
48-52	0	11 970	0	4	0	399	778
53-57	0	10 326	0	4	0	291	672
58-62	0	8907	0	3	0	0	579
63-66	0	7423	0	3	0	0	483
Total lifetime costs	74 963	662 192	17 858	2388	150 483	19 349	51 528

*Costs presented in 2003 dollars. Costs for age 4 years and older are discounted to 2003 dollars using a discount rate of 3%. Life expectancy for men is age 66 years and for women, age 65 years.

are available as eTables 1-4 at <http://archpediatrics.com>). **Table 1** and **Figure 1** display the incremental societal direct medical, direct nonmedical, and indirect costs. Direct medical costs are quite high for the first 5 years of life (average of around \$35 000), start to decline substantially by age 8 years (around \$6000), and continue to decline through the end of life to around \$1000. Direct nonmedical costs vary around \$10 000 to approximately \$16 000 during the first 20 years of life, peak in the 23- to 27-year age range (around \$27 500), and then steadily decline to the end of life to around \$8000 in the last age group. Indirect costs also display a similar pattern, decreasing from around \$43 000 in early life, peaking at ages 23 to 27 years (around \$52 000), and declining through the end of life to \$0.

Table 2 displays the individual components of the incremental societal direct medical costs. Considered over the entire life span, direct medical costs make up 9.7% of total discounted lifetime costs. Behavioral therapies, which are the largest component of direct medical costs, make up 6.5% of total discounted lifetime costs.¹ However, behavioral therapies, as presented herein, are only relevant for children 19 years or younger. The large direct medical costs early in life are driven primarily by behavioral therapies that cost around \$32 000 during the first 5-year age group and decline from about \$4000 in the 8- to 12-year age group to around \$1250 for the 18- to 22-year age group. Physician and dental costs are initially high, then decrease, but increase again in later life. Prescription drugs, complementary and alternative therapies, and hospital and emergency services are also relatively

Table 4. Age-Specific and Lifetime per Capita Incremental Societal Indirect Costs of Autism*

Age Group, y	Average per Capita Cost per Age Group	
	Own Indirect	Not Own Indirect
3-7	0	43 066
8-12	0	41 138
13-17	0	38 453
18-22	0	36 090
23-27	32 703	19 036
28-32	32 620	3136
33-37	30 852	0
38-42	29 132	0
43-47	26 600	0
48-52	24 531	0
53-57	17 776	0
58-62	0	0
63-66	0	0
Total lifetime costs	971 072	904 595

*Costs presented in 2003 dollars. Costs for age 4 years and older are discounted to 2003 dollars using a discount rate of 3%. Life expectancy for men is age 66 years and for women, age 65 years.

high initially but steadily decline. Some costs decline less smoothly than others because of different availability of cost-by-age estimates in the literature.

Table 3 displays the individual components of the incremental societal direct nonmedical costs. Nonmedical costs, except during ages 3 to 7 years, are more expensive than direct medical costs and make up 31% of total discounted lifetime costs.¹ Different costs become relevant at different ages, which contributes to the dips and spikes in the direct nonmedical line in Figure 1. Child care and respite costs, which average about \$5700 in early ages to around \$3600 at ages 18 to 22 years, contribute far less (3% of total discounted lifetime costs) than adult care costs (21% of total discounted lifetime costs), which range from around \$25 000 at ages 23 to 27 years to around \$7400 at ages 63 to 66 years. Special education costs, which make up 4.8% of total discounted lifetime costs, range from around \$12 000 at age 6 years (costs for ages 3-5 years are assumed to be zero) to around \$6200 at ages 18 to 22 years, and supported employment costs range from around \$800 at ages 23 to 37 years to around \$300 at ages 53 to 57 years (age 57 years is the assumed end of working life).

Table 4 displays the components of the incremental societal indirect costs. Indirect costs are by far the largest component of the total incremental societal costs of autism (59.3% of total discounted lifetime costs).¹ Own indirect costs, which make up 30.7% of total discounted lifetime costs, range from around \$33 000 at ages 23 to 27 years to around \$18 000 at ages 53 to 57 years. Not own (assumed herein to be parents') indirect costs, which make up 28.6% of total discounted lifetime costs, range from around \$43 000 at ages 3 to 7 years, when parents are assumed to be about 33 to 37 years of age, to around \$19 000 at ages 23 to 27 years, when parents are assumed to be 53 to 57 years of age, to around \$3000 per year for the next 5 years until the end of the average work life. Although total indirect costs spike at ages 23




Figure 2. Age distribution of own and not own indirect incremental costs (present value).




Figure 3. Age distribution of total incremental societal costs of autism computed at different discount rates.

to 27 years, because of the overlapping own and not own indirect costs, as **Figure 2** indicates, at any given time from age 3 years through age 57 years, there is a substantial and smoothly declining level of indirect costs. **Figure 2** also dramatically illustrates, at least for this model, the transition from exclusive parental lost productivity almost immediately to lost own productivity.

SENSITIVITY ANALYSES

Sensitivity analyses using 2% and 5%, which are common upper and lower bounds, reveal that the patterns of age-specific expenditures are similarly shaped. **Figure 3** displays total costs using 2%, 3%, and 5% as the discount rates. There is an inverse relationship between the discount rate and the weight placed on future costs: lower discount rates place greater weight on future costs and higher rates place less weight on future costs. As a result, total present value costs will be larger the smaller the discount rate. The maximum difference in total costs between the 5% scenario and the 2% scenario (about \$53 000) occurs at age 24 years and the average difference in costs between the 5% and 2% scenarios is about \$31 000.

This article presents the first description, to my knowledge, of the societal costs of autism in the United States across all ages of the life span and contributes not only to the literature on the costs of autism but also to the literature on age-specific health care costs in general. As was previously reported, the total annual societal per capita cost of caring for and treating a person with autism in the United States was estimated to be \$3.2 million and about \$35 billion for an entire birth cohort of people with autism.¹ Sensitivity analyses revealed that these lifetime costs could range from \$13 billion to \$76 billion depending on the underlying assumptions of the model. Although these estimates are highly conservative because they exclude a number of important elements (such as legal costs that families incur to secure services^{47,48}; lost productivity of those other than parents; the costs of genetic testing; the full costs of alternative therapies, including diets; the costs of adverse outcomes of potentially dangerous treatment modalities; and costs associated with immunization-avoidance behaviors⁴⁹), they are valuable because they add information to a relatively underdeveloped literature. As treatment and, perhaps prevention, strategies are developed, knowledge of when costs are incurred relative to when benefits are expected is important for clinical decision-making and cost-effectiveness analysis efforts.

Knowledge about age-specific per capita incremental societal costs is particularly important because, as opposed to the summary lifetime data presented previously,^{1,25,47} age-specific data illuminate the relative magnitudes of different types of costs at different ages. Given that at different ages different segments of society are responsible for absorbing these costs, this detailed disaggregation of costs can provide even more valuable information to planners, policy makers, and even to families making decisions that can affect current and future financial health, especially as they consider the fact that at various points in the life cycle different costs are more germane than others.

Although autism is typically thought of as a disorder of childhood, its costs can be felt well into adulthood. Adult care, which has the largest lifetime cost of all direct costs, is typically more than 5 times larger than the next 3 largest costs, which include care incurred during childhood (behavioral therapies, child/respite care, and special education). Alemayehu and Warner⁴⁹ reported that the typical American spends about \$317 000 over his or her lifetime in direct medical costs, incurring 60% of those costs after age 65 years. In contrast, people with autism incur about \$306 000 in incremental direct medical costs, implying that people with autism spend twice as much as the typical American over their lifetimes and spend 60% of those incremental direct medical costs after age 21 years.

These results, especially on the substantial costs resulting from lost productivity of both individuals with autism and their parents and from rather large adult care costs, have important implications for those aging mem-

bers of the baby boom generation approaching retirement. As those individuals retire, many of their adult children with autism will be transitioning into adult care settings. Those costs, combined with very limited to non-existent income for their adult children with autism combined with potentially lower levels of savings because of decreased income and benefits while employed, may create a large financial burden affecting not only those families but potentially society in general. Perhaps physicians and other care professionals should consider recommending that parents of children with autism seek financial counseling to help plan for the transition into adulthood.

Although this study is limited by a number of factors, it is the first of its kind, to my knowledge, and can shed insight into the lifetime distribution of autism costs and also motivate future, more rigorous studies. The cost model presented herein is based on a number of simplifying assumptions and relies on sometimes incomplete and old information. These caveats should be kept in mind when using these estimates for policy or practice decision making. The results presented herein for direct medical costs are consistent with recently published data on health care use and costs for children with autism. Gurney et al⁵⁰ reported that, relative to children without autism, children with autism, as reported by their parents, experience a significantly higher number of preventive visits and emergency and nonemergency hospital visits. Croen et al⁵¹ reported, based on administrative data from the Northern California Kaiser Permanente Medical Care program, that children with autism incurred 2.5 times as much outpatient costs, 2.9 times as much inpatient costs, and 7.6 times as much medication costs as randomly selected children without autism. Pursuing a research agenda of both carefully and systematically documenting the costs of autism in the United States can be helpful in improving these estimates. Prospectively tracking the life experiences of individuals with autism and their families and obtaining a wide variety of data on the different sources of services for people with autism can provide this more complete picture. Prospectively collected clinical and quality-of-life data combined with cost data will be even more useful for understanding the societal costs, both financial and nonfinancial, of caring for those members of our society with autism at every age of the life course.

Accepted for Publication: November 16, 2006.

Correspondence: Michael L. Ganz, MS, PhD, Abt Associates Inc, 181 Spring St, Lexington, MA 02421 (mganz@hsph.harvard.edu).

Financial Disclosure: None reported.

Additional Information: eTables 1-4 are available at <http://archpediatrics.com>.

REFERENCES

1. Ganz ML. The costs of autism. In: Moldin SO, Rubenstein JLR, eds. *Understanding Autism: From Basic Neuroscience to Treatment*. Boca Raton, Fla: Taylor and Francis Group; 2006.
2. National Center for Health Statistics. NCHS definitions: synthetic cohort. December 16, 2004. <http://www.cdc.gov/nchs/data/nchsdef/syntheticcohort.htm>. Accessed January 5, 2005.

3. Waitzman NJ, Scheffler RM, Romano PS. *The Costs of Birth Defects: Estimates of the Value of Prevention*. Lanham, MD: University Press of America, Inc; 1996.
4. Pindyck RS, Rubinfeld DL. *Microeconomics*. 5th ed. Upper Saddle River, NJ: Prentice Hall; 2000.
5. Rice DP, Hodgson TA, Kopstein AN. The economic costs of illness: a replication and update. *Health Care Financ Rev*. 1985;7:61-80.
6. Agency for Healthcare Research and Quality. The Medical Expenditure Panel Survey. <http://www.ahrq.gov/data/mepsix.htm>. Accessed January 3, 2005.
7. Centers for Disease Control and Prevention. The National Health Interview Survey. December 16, 2004. <http://www.cdc.gov/nchs/nhis.htm>. Accessed January 3, 2005.
8. Gold MR, Siegel JE, Russell LB, Weinstein MC, eds. *Cost-Effectiveness in Health and Medicine*. New York, NY: Oxford University Press; 1996.
9. Birenbaum A, Guyot D, Cohen HJ. *Health Care Financing for Severe Developmental Disabilities*. Washington, DC: American Association on Mental Retardation; 1990.
10. Aman MG, Van Bourgondien ME, Wolford PL, Sarphare G. Psychotropic and anticonvulsant drugs in subjects with autism: prevalence and patterns of use. *J Am Acad Child Adolesc Psychiatry*. 1995;34:1672-1681.
11. Martin A, Scahill L, Klin A, Volkmar FR. Higher-functioning pervasive developmental disorders: rates and patterns of psychotropic drug use. *J Am Acad Child Adolesc Psychiatry*. 1999;38:923-931.
12. Aman MG, Lam KS, Collier-Crespin A. Prevalence and patterns of use of psychoactive medicines among individuals with autism in the Autism Society of Ohio. *J Autism Dev Disord*. 2003;33:527-534.
13. Eisenberg DM, Kessler RC, Foster C, Norlock FE, Calkins DR, Delbanco TL. Unconventional medicine in the United States: prevalence, costs, and patterns of use. *N Engl J Med*. 1993;328:246-252.
14. Green VA, Pituch KA, Ilchun J, Choi A, O'Reilly M, Sigafos J. Internet survey of treatments used by parents of children with autism. *Res Dev Disabil*. 2006;27:70-84.
15. Langworthy-Lam KS, Aman MG, Van Bourgondien ME. Prevalence and patterns of use of psychoactive medicines in individuals with autism in the Autism Society of North Carolina. *J Child Adolesc Psychopharmacol*. 2002;12:311-321.
16. Levy SE, Mandell DS, Merhar S, Ittenbach RF, Pinto-Martin JA. Use of complementary and alternative medicine among children recently diagnosed with autistic spectrum disorder. *J Dev Behav Pediatr*. 2003;24:418-423.
17. Nickel RE. Controversial therapies for young children with developmental disabilities. *Infants Young Child*. 1996;8:29-40.
18. Yussman SM, Ryan SA, Auinger P, Weitzman M. Visits to complementary and alternative medicine providers by children and adolescents in the United States. *Ambul Pediatr*. 2004;4:429-435.
19. Hildebrand DG. *Cost-Benefit Analysis of Lovaas Treatment for Autism and Autism Spectrum Disorder (ASD)*. Vancouver, British Columbia: Columbia Pacific Consulting; 1999.
20. Jacobson JW, Mulick JA, Green G. Cost-benefit estimates for early intensive behavioral intervention for young children with autism—general model and single state case. *Behav Intervent*. 1998;13:201-226.
21. Lovaas OI. Behavioral treatment and normal educational and intellectual functioning in young autistic children. *J Consult Clin Psychol*. 1987;55:3-9.
22. McEachin JJ, Smith T, Lovaas OI. Long-term outcome for children with autism who received early intensive behavioral treatment. *Am J Ment Retard*. 1993;97:359-372.
23. Walsh KK, Kastner T, Criscione T. Characteristics of hospitalizations for people with developmental disabilities: utilization, costs, and impact of care coordination. *Am J Ment Retard*. 1997;101:505-520.
24. Fujiura GT, Roccoforte JA, Braddock D. Costs of family care for adults with mental retardation and related developmental disabilities. *Am J Ment Retard*. 1994;99:250-261.
25. Järbrink K, Knapp M. The economic impact of autism in Britain. *Autism*. 2001;5:7-22.
26. Parrish T, Harr J, Wolman J, Anthony J, Merickel A, Esra P. *State Special Education Finance Systems, 1999-2000. Part II: Special Education Revenues and Expenditures*. Palo Alto, Calif: Center for Special Education Finance; 2004.
27. Yeargin-Allsopp M, Rice C, Karapurkar T, Doernberg N, Boyle C, Murphy C. Prevalence of autism in a US metropolitan area. *JAMA*. 2003;289:49-55.
28. Bureau of Labor Statistics. *Occupational Outlook Handbook, 2004-05 Edition*. Washington, DC: US Dept of Labor; 2004.
29. Capo LC. Autism, employment, and the role of occupational therapy. *Work* 2001;16:201-207.
30. Heal LW, McCaughrin WB, Tines JJ. Methodological nuances and pitfalls of benefit-cost analysis: a critique. *Res Dev Disabil*. 1989;10:201-212.
31. Keel JH, Mesibov GB, Woods AV. TEACCH-supported employment program. *J Autism Dev Disord*. 1997;27:3-9.
32. Mawhood L, Howlin P. The outcome of a supported employment scheme for high functioning adults with autism or Asperger syndrome. *Autism*. 1999;3:229-254.
33. Rusch FR, Conley RW, McCaughrin B. Benefit-cost analysis of supported employment in Illinois: a statewide evaluation. *Am J Ment Retard*. 1990;95:44-54.
34. Skoog GR, Ciecka JE. The Markov (increment-decrement) model of labor force activity: extended tables of central tendency, variation, and probability intervals. *J Legal Econ*. 2001;11:23-87.
35. Congressional Budget Office. The budget and economic outlook: an update. August 2003. <http://www.cbo.gov/showdoc.cfm?index=4493&sequence=3>. Accessed January 4, 2005.
36. US Department of Commerce. *Statistical Abstract of the United States*. Washington, DC: Bureau of the Census; 2004.
37. Board of Governors of the Federal Reserve System. Foreign Exchange Rates Historical Data Series H.10. <http://www.federalreserve.gov/releases/H10/hist/>. Accessed January 4, 2005.
38. Congressional Budget Office. CBO's projections of the labor force. September 2004. <http://www.cbo.gov/showdoc.cfm?index=5803&sequence=0>. Accessed January 4, 2005.
39. American Academy of Pediatrics. The pediatrician's role in the diagnosis and management of autistic spectrum disorder in children. *Pediatrics*. 2001;107:1221-1226.
40. Butter EM, Wynn J, Mulick JA. Early intervention critical to autism treatment. *Pediatr Ann*. 2003;32:677-684.
41. Population Division. *Annual Estimates of the Population by Sex and Five-Year Age Groups for the United States: April 1, 2000 to July 1, 2003*. Washington, DC: US Census Bureau; 2004. www.census.gov/popest/national/asrh/NCEST2003/NC-EST2003-01.pdf. Accessed January 4, 2005.
42. Fombonne E. Epidemiological surveys of autism and other pervasive developmental disorders: an update. *J Autism Dev Disord*. 2003;33:365-382.
43. Fombonne E. The life expectancy of children diagnosed with a pervasive developmental disorder. *J Autism Dev Disord*. 2003;33:361.
44. Gillberg C. Outcome in autism and autistic-like conditions. *J Am Acad Child Adolesc Psychiatry*. 1991;30:375-382.
45. Shavelle RM, Strauss D. Comparative mortality of persons with autism in California, 1980-1996. *J Insur Med*. 1998;30:220-225.
46. Shavelle RM, Strauss DJ, Pickett J. Causes of death in autism. *J Autism Dev Disord*. 2001;31:569-576.
47. Maltby J. The costs of autism: more than meets the eye. *Advocate*. 2000;33(6):12-16. <http://www.autisminfo.com/Advocate.pdf>. Accessed December 24, 2004.
48. Folstein SE, Rosen-Sheidley B. Genetics of autism: complex aetiology for a heterogeneous disorder. *Nat Rev Genet*. 2001;2:943-955.
49. Alemayehu B, Warner KE. The lifetime distribution of health care costs. *Health Serv Res*. 2004;39:627-642.
50. Gurney JG, McPheeters ML, Davis MM. Parental report of health conditions and health care use among children with and without autism: National Survey of Children's Health. *Arch Pediatr Adolesc Med*. 2006;160:825-830.
51. Croen LA, Najjar DV, Ray GT, Lotspeich L, Bernal P. A comparison of health care utilization and costs of children with and without autism spectrum disorders in a large group-model health plan. *Pediatrics*. 2006;118:e1203-e1211 <http://pediatrics.aappublications.org/cgi/content/full/118/4/e1203>.

Autism's origins lie hidden in a perplexing maze of behaviors and biology. Step by step, researchers are finding their way inside.

Through

RICARDO DOMETSCH was studying the basic biology of nerve cells when two events propelled him into autism research. In 2004, a mutation in one of the proteins he's specialized in was pinpointed as the cause of Timothy syndrome. >



Eli Archibald, photographed by
his father, from the book *Echolla*

genetic disorder associated with autism. Then in 2006, Dolmetsch's oldest son, who was 4, was diagnosed with autism.

"At the time, we were very worried. We didn't know what was happening," says Dolmetsch, PhD '97, assistant professor of neurobiology. "So I went home and sat down with my wife, [Asha Nigh, '93,] who is also a scientist, to try to figure out what we could do."

There was solid research in psychology and behavioral treatments for autistic patients. But except for some progress in genetics, the biology of autism was virtually unknown, Dolmetsch says. "It was a little bit shocking that there was very little in the way of really good basic research."

Dolmetsch was in a unique position to do something about this gap. "I decided to shift the focus of my lab completely."

He is among a group of researchers at Stanford who are trying to untangle the root causes of autism. Some have been in the field for decades; others, like Dolmetsch, are newcomers, spurred by personal and professional motivations to understand a disorder that affects 1 in every 110 kids. (The rate is 1 in 70 for boys and 1 in 315 for girls.)

Autism is a spectrum of disorders that share three core features—language deficits, social deficits, and repetitive interests and movements. On one end of the spectrum are people with Asperger's syndrome, who are socially awkward but who often have above-average intelligence. Dolmetsch's son has this diagnosis: He was late to speak and when

the need to communicate. They don't see why you have to."

In about 10 percent of cases, autism is secondary to a more pervasive genetic disorder, such as fragile-X syndrome or another chromosomal abnormality. But the vast majority of cases are unexplained, or idiopathic. Awareness about autism is at an all-time high, but public discussion has largely been dominated by questions such as: What accounts for the rapid increase in cases? Or is something in the environment causing autism? Though these questions are important (see sidebar), Dolmetsch and others at Stanford and elsewhere are trying to answer a more fundamental question: What is the underlying biology of autism? It's only by answering this question that

A GENETIC PUZZLE: Flores's identical twin daughters both have autism but have different capabilities.



Autism is a CATCH-ALL DIAGNOSIS that likely includes a host of DISTINCT DISORDERS.

he did speak, he talked in a stilted and peculiar way—more like a little adult than a child; and he has problems socializing. The most serious autism cases involve severe mental disabilities (about 40 percent of children with autism have IQs below 70) and behavioral problems. Between these two extremes, children may have normal intelligence but pronounced language and social impairments.

J.C. Flores, '87, has 15-year-old identical twins with autism. Lomasi can speak, but she avoids talking and gives mostly one-word answers. Marielle can say only a few words and has no functional communication system. "They're sweet and they like to hang around people," Flores says. "But they don't really feel

they believe they can achieve real breakthroughs—the kinds that lead to cures.

One of the biggest challenges is that autism is not one thing: It's a catchall diagnosis that likely includes a host of biologically distinct disorders. Though children with autism share a set of symptoms, these symptoms are quite varied and may have many, diverse biological origins. "Autism is incredibly heterogeneous. We've been lumping everyone together under this name autism, and unfortunately it makes it very difficult to study the biological features when we are treating multiple groups as one," says Sophia Colamarino, '90, vice president of research for Autism Speaks—a science and advocacy group—

COURTESY J.C. FLORES

and consulting associate professor of psychiatry and behavioral science. To get a toehold into the biology, researchers will need to identify unique subgroups of autism, she says. Researchers across the globe are defining subgroups based on genes, molecular pathways, or signatures in the brain and blood.

Another impediment: access to the brain. Scientists can slice cancer cells out of a tumor and study them directly, but they can't just scoop cells out of the brain. Stanford is on the forefront of solving this problem—in fact, Dolmetsch's solution seems straight out of a science fiction novel.

Although much remains unknown, these efforts are giving the world its first glimpses into the biology of autism.

JOACHIM HALLMAYER describes himself as a “grandfather in the field of autism.” He’s been chasing down the genes for the disorder for 20 years, beginning as a postdoctoral fellow in genetics at Stanford. At that time, the disease was considered rare (4 out of 10,000 kids). “I knew in a snap everybody in the Bay Area who ever diagnosed a child with autism,” says Hallmayer, associate professor of psychiatry and behavioral science.

Twenty years ago, people diagnosed with autism were relatively rare, and the public’s awareness of the disorder was chiefly limited to Hollywood depictions such as that in the 1988 Academy Award-winning movie *Rain Man*. Today, many people know a neighbor, friend or classmate who is dealing with autism—prevalence has risen about twentyfold since 1990. But what’s behind this startling increase? Scientists agree that some of it is due to changes in diagnosis and awareness, but just how much is hotly debated.

“The best papers I’ve seen suggest that there is a genuine increase,” Ricardo Dolmetsch says. “But it’s not as big as it seems. A big, big contribution is societal awareness and changes in diagnostic criteria.”

There have been at least two shifts in diagnosis, Dolmetsch says. First, some kids who might have once been diagnosed as mentally retarded now are rec-

ognized as autistic. Second, children with autism display some of the same characteristics as those who have attention-deficit hyperactivity disorder (ADHD). When the diagnosis is ambiguous, doctors in California tend to diagnose autism rather than ADHD, because the state pays for services (such as behavioral therapy) for autism but not ADHD, Dolmetsch says.

Moreover, the medical establishment’s thinking about what constitutes abnormal behavior has shifted, Joachim Hallmayer says. “There’s no doubt that what we diagnose as autism is different than what we diagnosed 20 years ago.” Autism has been on the rise globally, but the explosion of cases occurs at different times in different countries, which points to a large role for societal awareness, Hallmayer says.

Some of the increase is definitely real, though, according to Antonio Hardan. He cites two contributors. More pre-

Hallmayer joined the field because of a parent: Carmen Pingree, the mother of an autistic boy in Utah, who approached his mentors at Stanford, urging them to study the disease. Hallmayer collaborated with Pingree, who used her ties in the Mormon community to assemble pedigrees for 146 families with multiple cases of autism. It was the largest genetic study of the disease at the time. The parents of children with autism continue to motivate him, he says.

Autism is particularly heartbreaking because it colors the most fundamental social bond—that between a parent and a child. Even children with milder forms of autism may have trouble displaying or returning affection. “Autistic children are as emotional as other children; I’m very convinced of this. But they don’t show it,” Hallmayer says. “They show it in a different way. And it’s a very, very hard learning process for most parents.”

Studies of twins have shown that autism has a large genetic component, but it’s not all genes. Identical twins have the same DNA, but sometimes only one twin gets autism. In other cases, as with Flores’s daughters, Lomasi and Marielle, the severity of the disorder differs. The genetics are also complex. Different genes may be involved in different people; and, in

mature babies are surviving, and premies are at high risk of autism (about 10 percent will develop it), and more couples are having babies when they’re older, which increases the risk of genetic errors that can lead to autism.

Could something in the environment also be a factor? Maybe, the researchers say, but there is little scientific evidence to back any such claim. Despite widespread concerns about a link between pediatric vaccinations and autism, vaccines have been soundly exonerated, they say.

Paula Gani, ’91, says her 4-year-old son Marcus, who has a milder form of autism, “is one of those kids who would not have been diagnosed 20 years ago.” But the diagnosis and early intervention he’s received are likely rewriting his future. He made limited eye contact and didn’t engage socially when he was diagnosed two years ago, but “yesterday, we were going out to pizza with another mom and her kid. And he took the other little boy’s hand and started singing ‘The more we get together, together, together . . .,’” she recounts. “It’s a huge difference.”

DOLMETSCH IS USING AN ASTONISHING NEW TISSUE MODEL "We're making little pieces of BRAIN IN A DISH."

any given individual, the disease may arise from changes in one gene, changes in several genes, or a combination of genetic and environmental factors. (Though no specific environmental triggers have been identified, researchers are testing everything from exposure to heavy metals and pesticides to TV watching.) Tackling this complexity requires large studies.

Hallmayer has spearheaded several massive, multisite collaborations. He chairs the committee of senior investigators for the Autism Genome Project, an international consortium of more than 50 universities that has collected data on 2,000 families with multiple cases. He also has assembled a study of 220 pairs of twins from California in which at least one twin has autism.

In the past decade, geneticists have discovered a handful of genes that when mutated or missing can cause autism. Though rare, these genes have given scientists some of their best clues about the disease's biological underpinnings. "I think it's very exciting, even if it's rare cases. We can at least get a better understanding of one piece of the puzzle and then we can branch out from there," Hallmayer says. For example, several of these genes are involved in communication between neurons. In a 2010 paper in *Nature*, Hallmayer and his colleagues from the Autism Genome Project greatly expanded this list of genes—reporting hundreds of rare genetic events that may be involved in autism.

It's long been known that about 5 percent of autistic kids have a chromosomal abnormality that can be seen under a microscope—part of a chromosome is missing, duplicated or in the wrong place. Because these changes affect a large number of genes, the children often have many problems in addition to autism. What wasn't known until recently is that we all have slight imperfections in our chromosomes—small regions of DNA that are duplicated or deleted. When these stretches of DNA contain genes, people can end up with one or three copies of the genes instead of the standard two. Technological advances have made it possible to detect these "copy-number variants," or CNVs. And it turns out they're important in autism and some psychiatric disorders. For example, a region of chromosome 16—containing about 25 genes, some involved in brain function and development—is deleted or duplicated in 1 to 2 percent of people with autism (and some with schizophrenia). Scientists

are beginning to study these patients as an autism subgroup.

Hallmayer and his colleagues scanned the genomes of thousands of people with autism and 2,000 healthy individuals looking for rare CNVs. They found that children with autism had more rare CNVs that overlapped genes, including genes previously implicated in autism. Some CNVs were inherited from a parent, but some arose spontaneously in the child, likely due to a genetic error in the sperm or egg. They identified disruptions in hundreds of genes that occurred only in autism cases, never in controls. Not all of the genes will turn out to be relevant to autism, but the ones that are could explain maybe 10 to 15 percent of cases, Hallmayer says.

DOLMETSCH IS STUDYING several subtypes of autism defined by genes, including Timothy syndrome and the chromosome 16 CNV, using an astonishing new tissue model. Essentially, he says, "We're making little pieces of brain in a dish."

In 2007, scientists in Japan figured out how to genetically reprogram adult cells into pluripotent stem cells—which, like embryonic stem cells, can give rise to any other cell type in the body. Using this technology, Dolmetsch's team recreates human neural development. They take skin cells from patients with autism, turn them into stem cells, and then, using a cocktail of proteins, coax these cells to form a neural tube. A neural tube is the earliest neural structure to form and later grows into the brain at one end and the spinal cord on the other. The researchers then take slices of cells from the neural tube and direct them to become specific parts of the brain, such as the cortex. "It sounds like science fiction. It's kind of incredible this even works," Dolmetsch says. "Nobody had ever actually made neurons from autistic people before."

Timothy syndrome is caused by a defect in calcium channels, which play a critical role in electrical activity in the brain and heart. Because Timothy patients often have life-threatening heart arrhythmias, Dolmetsch's team is also making "little pieces of heart."

Sitting in his office on the second floor of the Fairchild Research Building, Dolmetsch shows movies of the hearts on his computer. The ball of cells looks like one chamber of a fetal heart beating on an ultrasound. Those laboratory hearts—

developed from the cells of a healthy subject—beat just like the real thing, 60 times per minute. When grown from the cells of Timothy patients, however, the hearts beat erratically—they miss a beat, or have a double beat. Dolmetsch's team has already used the models in a practical way: They screened 20 different drugs that correct heart arrhythmias and found the one that works best for Timothy patients. "You can't give a child 50 drugs and see which one works, but you can do that with these cells," Dolmetsch says.

He also shows movies of thousands of lab-created neurons firing. When given an electric pulse, the blue-colored cells light up in a sudden flash of green, like fireworks going off, and then they flicker and shimmer in a fallout of electrical activity. He is studying these neurons to figure out what is different in the autistic brain, starting with Timothy patients. The results so far: In addition to abnormal calcium signaling, kids with Timothy syndrome have too many cells that produce the neurotransmitters dopamine and norepinephrine. They also have too few cells that form long-distance connections and too many that form local connections.

"This may help to explain why children with autism often have problems integrating lots of different classes of information, but they can often perform quite well in one domain," Dolmetsch says. (In other words, the wiring that impairs, say, the ability to discern symbolism in Shakespeare, might enable an extraordinary ability to memorize a scene from *Hamlet*.) "This is the first time that anybody has ever seen any cellular defects associated with any psychiatric disease, much less autism." A group from UC-San Diego also has adopted this technology—they recently reported specific defects in neurons created from patients with Rett syndrome, another genetic anomaly that can cause autism.

Dolmetsch's team has grown brain cells from 20 patients with Timothy syndrome or other known mutations. Their ultimate goal, however, is to grow brain cells from patients with autism who have no known genetic defect and then to classify these patients according to their cellular and molecular defects—such as problems with neural communication or problems with calcium channels.


Dolmetsch plans to use these models to screen for treatments that can reverse or overcome the biological defects. He also could use them to screen potential environmental contributors to autism. Some environmental agents may injure developing neurons in ways that mimic known genetic hits, he says.

LIKE DOLMETSCH, Thomas Südhof was a basic biologist working on fundamental questions about the brain when he was drawn into autism research a few years ago. Südhof is an expert in synapses, the junctions between neurons. He played an instrumental role in working out the molecular details of how messages travel across synapses—work for which he shared the \$1 million Kavli Prize in neuroscience in 2010. Serendipity brought Südhof, professor of molecular and cellular physiology, to autism research. A number of autism cases were traced to rare mutations in synapse pro-

Solution Set?



RICARDO DOLMETSCH
Uses human tissue to simulate a developing autistic brain in lab-grown models.



JOACHIM HALLMAYER
Helps oversee the Autism Genome Project, collecting data on thousands of families.



THOMAS SÜDHOF
Rare mutations in brain proteins offer insights about autism's effects on synapses.



ANTONIO HARDAN
MRIs of children with autism show differences in neural connections.



KAREN PARKER
Defects in the hormone oxytocin may play a role in social deficiencies.

teins, including two that Südhof discovered in the 1990s—neurexins and neuroligins.

These proteins bind to each other across the synapse to help neurons connect and communicate; they also are believed to play a role in “synaptic plasticity”—changes in the ability of the synapse’s chemistry and structure that underlie learning and memory. What’s interesting about autism, Südhof says, is that the brain is not globally impaired—for example, kids who are unable to speak have normal motor skills. “You really need a pretty good brain for that,” he says. Thus, autism is likely due to subtle changes in the brain’s wiring, such as how neurons connect physically, or how they communicate.

In a 2007 paper in *Science*, Südhof and his colleagues reported the first mouse model of idiopathic autism. They took a mutated form of the neuroligin gene that was discovered in two brothers, one with autism and the other Asperger’s, and inserted it into mice. The mice showed some features of both autism and Asperger’s. (They were less inclined to hang out with other mice, but faster at learning a water maze.) In 2009, Südhof engineered mice to have a neurexin deletion that, in humans, is associated with 1 in 200 autism cases. The mice had increased repetitive behaviors, such as excessive self-grooming, but no obvious changes in social behavior. The neurons of both sets of mice had altered synaptic signaling.

The mice aren’t a perfect replica of human autism (animal models are inherently limited—after all, mice don’t have language), but they have yielded important insights. Südhof’s team has begun testing many other genes that have been implicated in autism in mouse models to see if they also affect synapse function. “One thing is clear: Anything in the brain involves the synapse, so the synapse is a good bet,” he says.

Once you pinpoint molecular pathways that underlie autism, such as problems with calcium channels or problems with synapses, then you can develop targeted treatments. Recent advances in fragile-X syndrome are a perfect example, Colamarino says. Patients with fragile-X (about one-third of whom also have autism) are missing a protein that helps regulate synaptic function. Without this protein, there is an excess of synaptic signaling, which scientists believe could lead to intellectual disabilities. Several companies have begun testing drugs that dampen the noise. In mice with fragile-X, the drugs can reverse some neurological symptoms. It’s too early to say if the drugs can reverse mental disabilities in people with fragile-X, but they have eased behavioral symptoms in short-term trials of affected adults.

No one thought it was possible to reverse symptoms of a neurodevelopmental disorder in adulthood, Colamarino says. “The idea that you can do this has completely reinvented the field of autism treatment research.”

AT 10 P.M. on a Friday night at the Lucas Center, postdoctoral fellow Kari Berquist, doctoral student Grace Lee and senior research assistant Sweta Patnaik are waiting in a darkened MRI control room. The silhouettes on the other side of the glass window finally appear motionless. There’s a moment of breathless anticipation as the father sneaks away from his sleeping son on the MRI table. Then 4-year-old Joshua (patients’ names have been changed) wakes up again. They won’t be able to get the scan done tonight. The father emerges from the MRI room; Joshua, who cannot yet speak, cries, kicks and clings to his dad, making *bbb* and *mmm* sounds. Joshua’s mother buckles her other son—a healthy 11-month-old who already says

The ‘cuddle hormone’ may yield important clues

Oxytocin is the hormone that promotes social bonding, so it makes sense that defects in oxytocin might play a role in some cases of autism. Karen Parker is exploring whether changes in oxytocin levels in the blood or cerebrospinal fluid could be a marker of the disorder. “My work is thinking about the biology of social functioning,” says Parker, an assistant professor of psychiatry and behavioral sciences. Oxytocin is sometimes called the cuddle hormone or the love hormone, because it’s released during physical contact and sex; it also plays a role in social interaction, trust and empathy, as well as

monogamy in certain animals. A behavioral neuroscientist, Parker studied the role of oxytocin in voles and monkeys before moving to autism research.

Parker has collected blood from children with autism, their healthy siblings (who sometimes show more subtle social deficits) and normal controls to try to detect differences in their oxytocin levels. She also is setting up one of the first studies in the cerebrospinal fluid (CSF). Studies in monkeys show that blood oxytocin may be normal even when brain levels, reflected in the CSF, are low. It’s difficult to obtain CSF because it requires a spinal tap. Her team is investigating genetic

variation in the oxytocin receptor and other genes involved in the oxytocin pathway. If Parker’s and Hardan’s studies show an oxytocin deficiency, patients could receive replacement oxytocin.

It’s promising research because low oxytocin is treatable, Parker says. In a recent study, when 13 autistic adults were given an oxytocin nasal spray (which delivers the drug straight to the brain), they had significant improvements in reading social cues and in making eye contact. “I think it’s actually fascinating that you can apply oxytocin once and see these pretty acute social changes,” Parker says. “Oxytocin is the only drug that’s been shown to alter social functioning. There’s nothing else that touches the social deficits.”

It is wrong, that implies, say,
The ability to DISCERN SYMBOLISM
in Shakespeare, might enable an
extraordinary ability to MEMORIZE
ASCENDING FROM // A // I // T // E

“bubble” and “mama”—into his car seat for the ride home.

MRI machines are noisy and require the patient to lie perfectly still for several minutes at a time, so most children—especially those with autism—cannot tolerate them while awake. So the idea is to bring them in already sleeping. However, the next study participant also arrives awake. But 4-year-old Padma, who has autism but is high-functioning, surprises everyone by agreeing to be scanned, enticed by the promise that she will get pictures of her brain. It's a partial success: The team gets one usable scan before they finally give up at 11:30 p.m. Padma proudly tells the researchers that she is going to post her brain pictures on Facebook.

Antonio Hardan is studying these brain pictures looking for signatures of autism and of subgroups of autism. Unlike others on campus who are working from the genes up, Hardan is working backward from the brain to the underlying biology. Hardan, who sees patients in addition to conducting research, has been involved with autism since he began volunteering to work with autistic patients in medical school. “And 27 years later, that's my life in a way, my research life,” says Hardan, associate professor of psychiatry and behavioral science. “When you connect with something emotionally, then that's what you want to do.”

It's long been known that children with autism have larger-than-normal brains early in their development. Hardan has refined this observation, showing that some (but not all) children with autism have an increase in the thickness of the cortex—the part of the brain responsible for complex functions such as language and social behavior—that disappears as they grow. It might be possible to link this back to genetics, says Hardan, who frequently collaborates with Hallmayer. We know some of the genes that contribute to cortical thickness, he says.

Hardan is exploring new brain imaging technologies that offer an unprecedented level of detail. For example, diffusion tensor imaging (DTI) shows the individual axons (the elongated parts of neurons) that connect different parts of the brain. And MRI spectroscopy measures the levels of specific chemicals in various parts of the brain. DTI studies from several universities suggest that autistic children have abnormal long-distance brain connections, an observation that dovetails with Dol-

metzsch's studies in neurons. Using MRI spectroscopy, Hardan also has detected specific chemical imbalances in the brains of children with autism. He's looking for treatments that can normalize these imbalances.

Hardan's team is involved in about 15 different clinical studies. Whenever possible, he tries to link treatment responses to changes in brain images and to a subgroup of people with autism. For example, Joshua and Padma were being re-scanned after they'd received a behavioral intervention that can improve language. These images may give clues as to how the treatment is working in the brain and what subgroups of patients are likely to respond. Hardan also is collaborating with Karen Parker, who is looking for biomarkers of autism in the blood and cerebrospinal fluid. (See sidebar, page 52.)

The commitment of parents keeps him going, Hardan says. “It's amazing what they would do for their kids. My admiration of these parents fuels what I do.”

WHILE AUTISM remains largely a mystery, scientists are making inroads, bit by bit.

As a parent, Dolmetzsch says he's been very fortunate. When faced with his son's diagnosis, there was something concrete he could do. Thanks in part to behavioral therapy, his son, now 8, is doing well. “He's at the edge between character and dysfunction. And some days it's very dysfunctional; other days it's just character.”

Having a child with autism has changed the way he thinks about science. “You always want to publish findings that are correct, but the bar is higher when your own child is involved, he says. “You don't want to do anything to mislead the field when they are trying to find a cure for your kid.”

He also cares less about doing things first. “I just want somebody to do it,” he says. “I just want somebody to come up with some plausible biological explanations, so we can convince people that it's worth developing treatments.” ■

KRISTIN SAINANI, MS '94, PhD '02, is a freelance writer and a clinical assistant professor in the department of health research and policy.



AUTISM SPECTRUM DISORDERS

Treatment

There is no single best treatment for all children with ASDs. However, well-planned, structured teaching of specific skills is very important. Some children respond well to one type of treatment while others have a negative response or no response at all to the same treatment. Before deciding on a treatment program, it is important to talk with the child's health care providers to understand all the risks and benefits.

It is also important to remember that children with ASDs can get sick or injured just like children without ASDs. Regular medical and dental exams should be part of a child's treatment plan. Often it is hard to tell if a child's behavior is related to the ASD or is caused by a separate health condition. For instance, head banging could be a symptom of the ASD, or it could be a sign that the child is having headaches. In those cases, a thorough physical exam is needed. Monitoring healthy development means not only paying attention to symptoms related to ASDs, but also to the child's physical and mental health, as well.

Early Intervention Services



Research shows that early intervention treatment services can greatly improve a child's development. Early intervention services help children from birth to 3 years old (36 months) learn important skills. Services include therapy to help the child talk, walk, and interact with

others. Therefore, it is important to talk to your child's doctor as soon as possible if you think your child has an ASD or other developmental problem.

Even if your child has not been diagnosed with an ASD, he or she may be eligible for early intervention treatment services. The Individuals with Disabilities Education Act (IDEA) says that children under the age of 3 years (36 months) who are at risk of having developmental delays may be eligible for services. These services are provided through an early intervention system in your state. Through this system, you can ask for an evaluation.

In addition, treatment for particular symptoms, such as speech therapy for language delays, often does not need to wait for a formal ASD diagnosis. While early intervention is extremely important, intervention at any age can be helpful.

Types of Treatments

The National Institute of Mental Health and the Autism Society of America suggest a list of questions parents can ask when planning treatments for their child.

There are many different types of treatments available. For example, auditory training, discrete trial training, vitamin therapy, anti-yeast therapy, facilitated communication, music therapy, occupational therapy, physical therapy, and sensory integration.

The different types of treatments can generally be broken down into the following categories:

- Behavior and Communication Approaches
- Dietary Approaches
- Medication
- Complementary and Alternative Medicine

Behavior and Communication Approaches

According to reports by the American Academy of Pediatrics and the National Research Council, behavior and communication approaches that help children with ASDs are those that provide structure, direction, and organization for the child in addition to family participation.

Applied Behavior Analysis (ABA)



A notable treatment approach for people with an ASD is called applied behavior analysis (ABA). ABA has become widely accepted among health care professionals and used in many schools and treatment clinics. ABA encourages positive behaviors and discourages negative behaviors in order to improve a variety of skills. The child's progress is tracked and measured.

There are different types of ABA. Following are some examples:

- **Discrete Trial Training (DTT)**
DTT is a style of teaching that uses a series of trials to teach each step of a desired behavior or response. Lessons are broken down into their simplest parts and positive reinforcement is used to reward correct answers and behaviors. Incorrect answers are ignored.
- **Early Intensive Behavioral Intervention (EIBI)**
This is a type of ABA for very young children with an ASD, usually younger than five, and often younger than three.
- **Pivotal Response Training (PRT)**
PRT aims to increase a child's motivation to learn, monitor his own behavior, and initiate communication with others. Positive changes in these behaviors should have widespread effects on other behaviors.
- **Verbal Behavior Intervention (VBI)**
VBI is a type of ABA that focuses on teaching verbal skills.

Other therapies that can be part of a complete treatment program for a child with an ASD include:

Developmental, Individual Differences, Relationship-Based Approach (DIR; also called "Floortime")

Floortime focuses on emotional and relational development (feelings, relationships with caregivers). It also focuses on how the child deals with sights, sounds, and smells.

Treatment and Education of Autistic and related Communication-handicapped Children (TEACCH) ¶

TEAACH uses visual cues to teach skills. For example, picture cards can help teach a child how to get dressed by breaking information down into small steps.



Occupational Therapy

Occupational therapy teaches skills that help the person live as independently as possible. Skills might include dressing, eating, bathing, and relating to people.

Sensory Integration Therapy

Sensory integration therapy helps the person deal with sensory information, like sights, sounds, and smells. Sensory integration therapy could help a child who is bothered by certain sounds or does not like to be touched.

Speech Therapy

Speech therapy helps to improve the person's communication skills. Some people are able to learn verbal communication skills. For others, using gestures or picture boards is more realistic.

The Picture Exchange Communication System (PECS)

PECS uses picture symbols to teach communication skills. The person is taught to use picture symbols to ask and answer questions and have a conversation.

Visit the [Autism Speaks](#) or [Easter Seals](#) website to read more about these therapies.

Dietary Approaches

Some dietary treatments have been developed by reliable therapists. But many of these treatments do not have the scientific support needed for widespread recommendation. An unproven treatment might help one child, but may not help another.

Many biomedical interventions call for changes in diet. Such changes include removing certain types of foods from a child's diet and using vitamin or mineral supplements. Dietary treatments are based on the idea that food allergies or lack of vitamins and minerals cause symptoms of ASDs. Some parents feel that dietary changes make a difference in how their child acts or feels.

If you are thinking about changing your child's diet, talk to the doctor first. Or talk with a nutritionist to be sure your child is getting important vitamins and minerals.

Medication

There are no medications that can cure ASDs or even treat the main symptoms. But there are medications that can help some people with related symptoms. For example, medication might help manage high energy levels, inability to focus, depression, or seizures. Also, the U.S. Food and Drug Administration approved the use of risperidone (an antipsychotic drug) to treat 5- to 16-year-old children with ASDs who have severe tantrums, aggression, and cause self-injury.

To learn more about medications and ASDs go to [National Institute of Mental Health autism website.](#)

Complementary and Alternative Treatments

To relieve the symptoms of ASDs, some parents and health care professionals use treatments that are outside of what is typically recommended by the pediatrician. These types of treatments are known as complementary and alternative treatments (CAM). They might include special diets, chelation (a treatment to remove heavy metals like lead from the body), biologicals (e.g., secretin), or body-based systems (like deep pressure).^[3]

These types of treatments are very controversial. Current research shows that as many as one third of parents of children with an ASD may have tried complementary or alternative medicine treatments, and up to 10% may be using a potentially dangerous treatment.^[4] Before starting such a treatment, check it out carefully, and talk to your child's doctor.

Additional Treatment Resources

[The National Institute on Deafness and Other Communication Disorders](#) has a website to help individuals with an ASD who have communication challenges.

The National Institute of Dental and Craniofacial Research has a website to help health professionals with the oral health care needs of patients with an ASD.

Clinical Trials.Gov lists federally funded clinical trials that are looking for participants. If you or someone you know would like to take part in an autism study, go to the website and search "autism."

The Autism Treatment Network (ATN) seeks to create standards of medical treatment that will be made broadly available to physicians, researchers, parents, policy makers, and others who want to improve the care of individuals with autism. ATN is also developing a shared national medical database to record the results of treatments and studies at any of their five established regional treatment centers.

References

1. Handleman, J.S., Harris, S., eds. *Preschool Education Programs for Children with Autism* (2nd ed). Austin, TX: Pro-Ed. 2000.
2. National Research Council. *Educating Children with Autism*. Washington, DC: National Academy Press, 2001.
3. Gupta, Vidya Bhushan. *Complementary and Alternative Medicine*. New York Medical College and Columbia University, 2004. *Pediatric Habilitation*, volume 12.
4. Levy, S. *Complementary and Alternative Medicine Among Children Recently Diagnosed with Autistic Spectrum Disorder*; *Journal of Developmental and Behavioral Pediatrics*, December 2003; vol 24: pp 418-423. News release, Health Behavior News Service.

Learn the Signs. Act Early.

State of Alaska > Health & Social Services > Autism Awareness

Overview of Autism Spectrum Disorders

- Autism spectrum disorders are a group of developmental disabilities that can cause social, communication and behavioral challenges for affected children and adults. Autism's effects vary person to person, so these challenges can be mild or significant.
- About 1 percent of all babies born in Alaska each year will develop an autism spectrum disorder, according to CDC nationwide estimates. In other words, about 11,000 Alaskans will be born this year, and 110 of them will be diagnosed with an autism disorder by the age of eight.
- In 2008, more than 600 children were receiving services related to an autism diagnosis in Alaska schools.
- Current research indicates that autism spectrum disorders are present at birth and last throughout a person's life, although symptoms can improve over time. Some children with autism disorders show hints of future problems within the first few months of life. In others, symptoms might not develop until 24 months or later. In still others, the children may develop normally until 18 months or 24 months, and then they stop gaining new skills or they lose the skills they once had.

A person with an autism spectrum disorder may exhibit some or all of the following:

- Not respond to his or her name by 12 months old
- Not point at objects to show interest by 14 months old (such as pointing at an airplane flying overhead)
- Not play "pretend" games by 18 months old (such as pretend to feed a doll)
- Avoid eye contact and want to be alone
- Have trouble understanding other people's feelings or talking about his or her own feelings
- Have delayed speech and/or language skills
- Repeat words or phrases over and over (often called "echolalia")
- Give unrelated answers to questions
- Get upset by minor changes
- Have obsessive interests
- Flap hands, rock his or her body or spin in circles
- Have unusual reactions to the way things sound, smell, taste, look or feel

Types of Autism Spectrum Disorders

There are three types of autism spectrum disorders:

Autistic Disorder

This is sometimes called "classic" autism. It is what most people think of when hearing the word "autism". People with autistic disorder usually have significant language delays, social and communication challenges, and unusual behaviors and interests. Many people with autistic disorder also have intellectual disability.

Asperger Syndrome

People with Asperger syndrome usually have milder symptoms of autistic disorder. They might have social challenges and unusual behaviors and interests. However, they typically do not have problems with language or intellectual disability.

Pervasive Developmental Disorder – Not Otherwise Specified

This is sometimes called "atypical autism," or PDD-NOS. People who meet some of the criteria for autistic disorder or Asperger syndrome, but not all, may be diagnosed with atypical autism. These people usually have fewer and milder symptoms than those with autistic disorder. The symptoms might cause only social and communication challenges



UAA Center for Human Development

UNIVERSITY of ALASKA ANCHORAGE

Workforce Development for Serving Young Children with Autism

Background

For the last 2 years, the UAA Center for Human Development has operated a program to prepare professionals wishing to serve as *Autism Specialists*. This role is one that plans and provides direct service, trains staff and parents, and oversees services on several levels. Those services may include evidence-based ABA interventions covered under the proposed Autism Insurance legislation. Nationally, the “credential of choice” for this post-Master’s role is called BCBA, or Board Certified Behavior Analyst. An American Psychological Association (APA) division, named *Applied Behavior Analysis, International*, created a structure to provide guidance, oversight and national certification of graduate-level professionals. Their certification body, the *Behavioral Analysis Certification Board* (<http://www.bacb.com/>) sets training standards, accredits graduate and undergraduate programs (for associate level behavior analysis at the bachelors or paraprofessional level), administers national testing, and maintains state registries of programs and professionals. Currently, we partner with two state universities (Northern Arizona University and University of Kansas) to provide training for professionals. We also work with the UAA Department of Psychology to meet paraprofessional workforce needs.

Typically an individual who has earned BCBA national credentialing also has a Masters or Ph.D. in Psychology, Special Education, Social Work or Speech/Language Pathology. For most, it is a 2-3 year process with 1 year of the program of study associated with didactic coursework and 2 years needed for clinical field work. It is not the only way to be proficient in serving children with autism, or with use of Applied Behavior Analysis (e.g., the graduate program in Special Education at UAA has 2-3 related courses in their program), but has become the standard, especially for states that have Autism Waiver programs. BAC Board then also sets standards for and provides certificates for undergraduate level “associate” behavior analysts (BCABA).

Current workforce status in Alaska

Two years ago, there was but one Alaskan BCBA professional. She did not provide direct service but worked only as a Special Education administrator for Fairbanks-North Star Borough Schools. We now have 5 certified Alaskan BCBAs. This number is down 1 from a high of 6, with one BCBA-MSW from South Central Foundation recently leaving the state with her husband’s military re-assignment. Two BCBA businesses now exist in Alaska to provide this service for young children. Recently the Fairbanks BCBA resigned her position with the district and began a business providing Autism treatment services in her community. A second, new BCBA professional in the Anchorage area currently works with military families, serving 19 children with autism, billing through Tri-Care. Besides having a Masters in Special Education, she is the parent of a young teen with Autism. While there are NO standards for the size of the caseload for each BCBA when working with young children with autism, several state Autism Waiver programs suggest a caseload of 1 BCBA specialist for every 10 children served.

2702 Gambell Street, Ste. 103 • Anchorage, Alaska 99503

Phone: (907) 272-8270 • Toll Free: 1-800-243-2199 • TTY: (907) 264-6206 • Fax: (907) 274-4802

The Center for Human Development is affiliated with the University of Alaska Anchorage (UAA) College of Health and Social Welfare (CHSW).

The Center for Human Development and UAA are AA/EO employers and educational institutions.


They plan and provide direct services with the child, train staff, and provide oversight of their services. Typically most of the direct services are provided by the entry level BCABA

Then, there are a total of 17 Alaska professionals engaged in graduate BCBA training. Three are doing so independent of the service CHD provides. They will be sitting for their exam within 9 months. Fourteen BCBA students across Cohort 1 and 2 are supported by our state/Trust funding. Seven students in Cohort 1 will be sitting for the national exam within 1 year. The other seven began their program this last January. While a BCBA student is engaged in the required 1500 hr clinical experience and is working under the supervision of a credentialed BCBA, they can engage in direct service and be paid. Several of the staff working with the Tri-Care funded program are in fact also members of our Cohort 1 or 2.

There are **3 BCABAs** known to be working in the state and **3 more paraprofessionals in training** via distance delivered programs. All six currently work serving children and adults with autism in a direct service capacity. Many more are needed. We are very actively working with the UAA Department of Psychology, to obtain UA approval of a new Autism Occupational Endorsement (OE) that is also part of the junior-senior year course offering for typical majors. This OE will then also fulfill these same BCABA standards with the Department and CHD also looking at meeting national BCABA accreditation. We are hoping for this program to pass UA OE review Fall 2011, with initial implementation Spring 2012. Once this 4 semester program becomes operational, it will result in 15 individuals earning the Autism OE annually, with 1/3rd being non-degreed (five OE only) and 2/3rd doing so as part of their Psychology major (15 bachelor's level).



Finally, we have taken steps to link the BCBA's (credentialed or students) to services and together as part of a statewide organization. Earlier this year, a group of 35 individuals met to discuss and frame the mission of such a group. Most in attendance were practicing BCBA's/BCABAs or graduate students in Cohort 1 or 2. We anticipate using this network for several key functions, including serving as a vehicle to link service requests to practitioners.



Health Coverage of Alaska Population





*Premera Exchange Slides - 2010

Autism Spectrum Disorders – Alaska Statistics, Incidence, Prevalence, Rates







The Fiscal Impact of Autism Insurance Reform

Recognizing the importance of early intervention for Autism Spectrum Disorders (ASD), 29 states have enacted autism insurance reform laws. Each of these states require that health insurance cover medically necessary treatment for ASD including behavioral health treatments such as Applied Behavior Analysis (ABA).

In order to determine the fiscal impact of autism insurance reform, Autism Speaks is collecting claims data from states where such laws apply to members of the state employee health plan and have been in effect for at least one year.

Interpretive Summary

1. Autism insurance reform laws have been in effect for at least one year in 15 states. Thirteen of these states require coverage for members of their state employee health plan. The terms of coverage vary and are detailed in Appendix 1.
2. Claims data has been requested from all 13 states. Data has been received from 7 states and is presented in Appendix 2.
3. Claims data is available from the first year of implementation in 6 states (i.e., TX, SC, IL, FL, AZ and KY). The first year costs of coverage range from \$0.05 per member per month (PMPM) to \$0.30 PMPM. The average first year cost of coverage is \$0.14 PMPM. (Table 1)
4. Claims data is available from the second year of implementation in 6 states (i.e., TX, SC, IL, LA, FL and AZ). The second year costs of coverage range from \$0.07 PMPM to \$0.43 PMPM. The average second year cost of coverage is \$0.27 PMPM. (Table 2)
5. Texas is the only state where third year claims data is available. The third year cost of coverage was \$0.06 PMPM. It is important to note that the third year total claims cost as well as PMPM cost are less than those in the second year of coverage. Claims costs would be expected to plateau as a newly implemented benefit matures.
6. Minnesota has not enacted autism insurance reform. However as a result of a settlement of litigation against Blue Cross and Blue Shield of Minnesota, they have been required to cover unlimited treatment for ASD since 2001. After 6 years, the premium impact on the commercial market resulting from unlimited coverage for ASD was \$0.83 PMPM. (BCBS Minnesota)
7. Fiscal notes were prepared for the legislatures in 6 of the states where we have been able to obtain claims data. These cost projections were prepared for fiscal or calendar years that correspond to available claims data in 4 states. Fiscal projections overestimated the actual cost of autism insurance reform by 219% to 1,261%. (Table 3)

Table 1. Year One Costs

	Year of coverage	Number of Covered Lives	Total Claims	PMPM cost
Texas	1	460,510	\$295,379	\$0.05
South Carolina	1	371,384	\$856,369	\$0.19
Illinois	1	171,979	\$187,684	\$0.09
Florida	1	382,083	\$390,724	\$0.09
Arizona	1	130,000	\$473,818	\$0.30
Kentucky	1	240,000	\$278,922	\$0.10
Average first year cost				\$0.14

Table 2. Year Two Costs

	Year of coverage	Number of Covered Lives	Total Claims	PMPM cost
Texas	2	499,993	\$405,762	\$0.07
South Carolina	2	397,757	\$2,042,394	\$0.43
Illinois	2	170,790	\$197,290	\$0.10
Louisiana	2	149,477	\$722,828	\$0.40
Florida	2	386,203	\$1,748,849	\$0.38
Arizona	2	130,000	\$388,662	\$0.25
Average second year cost				\$0.27

Table 3. Projected versus Actual Costs

	Year of coverage	Total Claims	Fiscal Note from State Legislature	Difference in projected versus actual cost
Texas	2	\$405,762	\$888,676	219%
South Carolina	1	\$856,369	\$10,590,000	1,237%
	2	\$2,042,394	\$10,590,000	519%
Louisiana	2	\$722,828	\$2,118,307	293%
	2	\$722,828	\$2,686,796	372%
Arizona	1	\$473,818	\$2,500,000	528%
	1	\$473,818	\$4,900,000	1,034%
	2	\$388,662	\$2,500,000	643%
	2	\$388,662	\$4,900,000	1,261%

Appendix 1. Terms of Coverage

	Bill Number	Statute	Date Enacted	Date Implemented	Terms of Coverage	Applicable to SEHP?
Indiana	HB 1122	Indiana Code 27-8-14.2	5/3/01	5/3/01	unlimited	YES
Texas	HB 1919		6/15/07	1/1/08	unlimited age 0-6	YES
	HB 451		6/19/09	1/1/10	unlimited age 0-10	YES
South Carolina	S 20		6/7/07	7/1/08	\$50,000* age 0-16	YES
Illinois	SB 934	Public Law 095-1005	12/13/08	12/12/08	\$36,000/yr age 0-21	YES
Louisiana	HB 958	Act 648	7/2/08	1/1/09	\$36,000/yr age 0-17	YES
Florida	SB 2654	Florida Statute s. 627.6686	5/2/08	4/1/09	\$36,000/yr age 0-19	YES
New Mexico	SB 39		4/2/09	6/19/09	\$36,000/yr age 0-21	NO
Arizona	SB 1263	A.R.S. § 20-181 A.R.S. § 20-182	3/21/08	7/1/09	\$50,000/yr* age 0-8 \$25,000/yr* age 9-16	YES
Pennsylvania	HB 1150		7/9/08	7/1/09	\$36,000/yr age 0-21	YES
Wisconsin	AB 75	sec. 3197 w. on page 596 of Act 28	10/19/09	11/1/09	\$50,000 for 4 yrs; \$25,000 thereafter	YES
Connecticut	SB 301	Public Act 09-115	6/9/09	1/1/10	\$50,000/yr* age 0-9 \$35,000/yr* age 9-12 \$25,000/yr* age 13-14	YES
Montana	SB 234		5/5/09	1/1/10	\$50,000/yr age 0-8 \$20,000/yr age 9-18	YES
New Jersey	S 1651		8/13/09	2/9/10	\$36,000/yr* age 0-21	YES
Kentucky	HB 159		4/14/10	5/14/10	\$50,000/yr age 0-7 \$1,000/mo age 7-21	YES
Colorado	SB 09-244	C.R.S. 10-16-104	6/2/09	7/1/10	\$34,000/yr* age 0-8 \$12,000/yr* age 9-19	NO

Appendix 2. Claims Data

	Date Implemented	Terms of Coverage	Date of Claims Data	Year	Number of Covered Lives	Total Claimants with ASD Diagnosis	Total Claims	PMPM cost	Source	Fiscal Note from State Legislature
Texas	1/1/08	unlimited age 0-10	Sep 08-Aug 09	1	460,510	350	\$295,379	\$0.05	Employee Retirement System of Texas	\$888,676 (FY 09) <u>Texas Legislative Budget Board</u>
			Sep 09-Aug 10	2	499,993	396	\$405,762	\$0.07		
			Sep 10-Aug 11	3	504,639	419	\$350,736	\$0.06		
South Carolina	7/1/08	\$50,000* age 0-16	CY 2009	1	371,384	60	\$856,369	\$0.19	APS Healthcare	\$10,590,000 per year <u>South Carolina Budget and Control Board</u>
			CY 2010	2	397,757	80	\$2,042,394	\$0.43		
Illinois	12/12/08	\$36,000/yr age 0-21	CY 2009	1	171,979	2,420 (?)	\$187,684	\$0.09	Illinois Department of Healthcare and Family Services	NA
			CY 2010	2	170,790	3,314 (?)	\$197,290	\$0.10		
Louisiana	1/1/09	\$36,000/yr age 0-17	CY 2009	1	NA	NA	NA	NA	Louisiana Office of Group Benefits	\$2,118,307 - \$2,686,796 (FY 10-11) <u>Louisiana Legislative Fiscal Office</u>
			CY 2010	2	149,477	386	\$722,828	\$0.40		
Florida	4/1/09	\$36,000/yr age 0-19	07/01/2009 - 06/30/2010	1	382,083	372	\$390,724	\$0.09	Florida Department of Management Services	"difficult to assess" <u>The Professional Staff of the Florida Banking and Insurance Committee</u>
			07/01/2010 - 06/30/2011	2	386,203	511	\$1,748,849	\$0.38		
Arizona	7/1/09	\$50,000/yr* age 0-8 \$25,000/yr* age 9-16	07/01/2009 - 06/30/2010	1	130,000	257	\$473,818	\$0.30	Arizona Department of Administration	\$2.5 - \$4.9 million (FY 2010) <u>Jorgensen/Zylla for Arizona Legislature</u>
			07/01/2010 - 06/30/2011	2	130,000	187	\$388,662	\$0.25		
Kentucky	5/14/10	\$50,000/yr age 0-7 \$1,000/mo age 7-21	May 2010 - April 2011	1	240,000	NA	\$278,922	\$0.10	Kentucky Department of Employee Insurance	\$4,000,000 (FY 2012) <u>Kentucky Legislative Research Commission</u>

* monetary cap applies only to Applied Behavior Analysis

Jeremiah W. (Jay) Nixon
Governor
State of Missouri



Department of Insurance
Financial Institutions
and Professional Registration
John M. Huff, Director

Feb. 1, 2012

The Honorable Jeremiah W. (Jay) Nixon, Governor
State Capital Building
Room 216
Jefferson City, Missouri 65101

Re. Report to General Assembly pursuant to 376.1224 RSMo, regarding the impact of Autism /
ABA coverage mandates on the insurance marketplace

Dear Governor Nixon:

The Department of Insurance, Financial Institutions & Professional Registration (DIFP) has completed a report assessing the impact on the insurance marketplace of recent requirements that health insurers provide coverage for the treatment of autism, including applied behavior analysis (ABA). Pursuant to 376.1224, the DIFP issued a data call from all insurers providing comprehensive health insurance subject to the mandate for claims experience during 2011. Among the findings:

- Insurers incurred claims equal to \$4.3 million for the treatment of autism, of which \$1.1 million was directed to ABA therapies. These amounts represent 0.1 percent and 0.02 percent of total claim costs incurred by health insurers during 2011, and are consistent with initial DIFP projections.
- Nearly 4,000 individuals diagnosed with autism received treatment covered by their insurer, a figure that amounts to 1 in every 350 insureds.
- For each individual diagnosed with an ASD that received treatment during 2011, the average monthly cost was \$143, of which \$35 consisted of ABA therapies.
- By year-end, all individuals insured through the small and large group markets had the mandated coverage. Only one-third of persons insured in the individual market had such coverage. In total, nearly 1.6 million individuals either have the coverage or have the option of purchasing it as an endorsement for an additional premium.
- The mandate was effective for all policies issued or renewed after January 1, 2011. By year-end, the infrastructure necessary to deliver services for autism was still growing. One example is the licensure of behavior analysts. The first licenses were issued in Missouri in December, 2010. By the end of June, 85 licenses had been issued, increasing to 120 by mid-January, 2012. An additional 24 persons obtained assistant behavior analyst licenses mid-January.

Now that medical delivery systems are more fully developed, it is expected that the benefits of the mandate will be more fully realized over the course of the new year. While costs are expected to increase somewhat as a result, no credible evidence suggests that they will exceed 0.2 – 0.5 percent of claim costs, and a smaller percentage of premiums. Given the low costs of autism treatment as a percent of all claims costs, the autism mandate is expected to have minimal impact of health insurance premiums. However, because the DIFP has no authority over health insurance rates and does not receive rate filings, a more exact assessment of the rate impact cannot be provided.

The DIFP continues to monitor insurance carriers to ensure full compliance with relevant statutes, and will continue to monitor market trends in response to the autism mandate. Additional detail can be found in the full report.

Sincerely,

John M. Huff

Annual Report
to the
Missouri Legislature

Insurance Coverage for Autism Treatment & Applied Behavior Analysis

Statistics Section
Jan. 31, 2012



DIFP

Jeremiah W. (Jay) Nixon
Governor

Department of Insurance,
Financial Institutions &
Professional Registration

John M. Huff
Director

Table of Contents	
Summary of Key Findings	1
Background	3
History of House Bill 1311 and the ABA Mandate	4
Coverage	5
Treatment Rates	7
Licensure	9
Claim Costs	10
Other Department Activities	12
Bibliography	15

Table of Tables	
Percent of Member Months With Coverage for Autism	6
Coverage in the Individual Market	7
Prevalence of Covered Treatment of Autism	8
Applied Behavior Analyst Licensure in Missouri	10
Autism-Related Claim Costs in 2011	11
Autism Treatment as a Percent of All Claims	11
Claims Costs for Autism Per Member Per Month, for Policies With Autism Coverage	11
Average Monthly Costs Per Individual Treated for Autism	12

The efficacy of behavioral interventions for the treatment of Autism Spectrum Disorders (ASDs) has been well established in the scientific literature. Over the past several decades, intensive early behavioral therapy has been shown to increase IQ, language skills, academic performance and sociality. In turn, improved cognitive and social functioning resulting from such treatment has been shown to reduce long-term medical and other costs. However, while Missouri's mental health parity statute (§376.1550 RSMo.) has been in effect since 2005, many behavioral therapies proven to effectively treat ASDs have in the past been routinely excluded from health insurance coverage.

House Bill 1311, signed into law by Governor Jay Nixon on June 10, 2010, mandated health insurance coverage for medically efficacious treatments for ASDs. All group policies issued or renewed after January 1, 2011 were required to cover medically necessary treatments for autism. All policies issued in the individual market were required to offer such coverage as an optional benefit. In addition, the law requires coverage for applied behavior analysis (ABA) for individuals up to 18 years of age. Required coverage for ABA was initially capped at \$40,000 per year, to be adjusted for inflation each year thereafter. The cap currently stands at \$41,263.

To assess the impact of the mandate on the health insurance market, the Department of Insurance, Financial Institutions & Professional Registration (DIFP) obtained data from all insurers that had comprehensive health insurance in force subject to the autism mandate. These data indicate that the mandate has succeeded in broadly extending coverage to autistic individuals during its first year, and is expected to expand access to medically efficacious treatments to Missouri's autistic population in the future.

Summary of Key Findings

The data reflect the fact that 2011 was a transitional year during which much of the infrastructure necessary to deliver the mandated benefits was developed. By the second half of the year clinics had acquired the staff and other capacities to begin treatments pursuant to the mandate, insurance coverage became effective, and patients began to receive treatment.

1. **Coverage** By year-end, all insureds in the small and large group market were covered for the mandated benefits, including ABA therapy. A much lower proportion, about one-third, received similar coverage in the individual market, including individually-underwritten association coverage. A few large providers of individual insurance extended autism coverage to all of their insureds. However, Missouri statute only requires autism benefits as an optional coverage in the individual market, and most insurers do not provide it as a standard benefit.

2. **Number impacted** Nearly 4,000 individuals received treatment covered by insurance for an ASD at some point during 2011. This amounts to 1 in every 350 insureds, a figure in line with estimates in the scientific literature of treatment rates.¹

3. **Licensure** The first licenses for applied behavior analysis were issued in Missouri in December, 2010. As of January 20, 2012, 120 individuals held an applied behavior analyst license, and an additional 24 persons obtained assistant behavior analyst licenses.

4. **Claim payments** Claims costs incurred for autism services during 2011 amounted to \$4.3 million, of which nearly \$1.1 million was directed to ABA services. These amounts represent 0.1 percent and 0.02 percent of total claims incurred during this period, consistent with initial projections produced by the DIFP.² For each member month of autism coverage, total autism-related claims amounted to \$0.25, while the cost of ABA treatment amounted \$0.06.

5. **Average Monthly Cost of Treatment** – For each individual diagnosed with an ASD that received treatment at some point during 2011, the average *monthly* cost of treatment across all market segments was \$143, of which \$35 consisted of ABA therapies. The average, of course, includes individuals with minimal treatment as well as individuals whose treatments very likely cost much more.

6. **Medical infrastructure** Anecdotal evidence indicates that fully operational ABA programs were not widely available during the first half of 2011. Among the many requisites for such a program are the negotiation of contracts and reimbursement rates, the development of billing systems, and the hiring of trained and licensed staff. Correspondence with several clinics indicates that ABA operations began in full between July and September.

7. **Impact on premiums** While claims costs are expected to grow somewhat in the future, it seems very unlikely that costs for autism treatment will have an appreciable impact on insurance premiums. However, because the DIFP has no authority over health insurance rates and does not receive rate filings, a more exact assessment of the impact of the mandate on rates cannot be provided.

¹ While the CDC estimates that the prevalence of autism is between 1/100 and 1/150, autism presents with a high degree of variability. Not all such individuals will benefit from, or seek, treatment specifically targeted at the ASD.

² The DIFP estimated that the mandate would produce additional treatment costs of between 0.2 percent and 0.8 percent. The analytical assumptions associated with the lower-end of the estimate range appear to be validated by the claims data presented in this report.

Background

The term Autism Spectrum Disorder (ASD) encompasses a variety of related neurobiological developmental disorders that can present with varying degrees of impairment. Beyond classic autism, the term ASD includes Asperger's Syndrome, Rett's Syndrome, Childhood Disintegrative Disorder, and Pervasive Developmental Disorder. Generally, autism and related conditions are associated with deficits in communicative skills and capacity for social interaction and reciprocity, restricted repetitive behavioral patterns and sometimes severe cognitive and perceptual dysfunction.

The etiology of ASDs is not currently well understood, although studies have associated the disorder with anomalies in the structures of the brain related to facial recognition and emotional response (Mosconi, et. al., 2009) and with abnormalities associated with neurotransmitters and synapses (Wittenmayer, et. al., 2009). Left untreated, severe cases may require life-long care.

While there is no cure, the success of behavioral therapies in improving cognitive, linguistic and social functioning has been convincingly demonstrated in controlled studies. Behavioral interventions have led to robust improvements in IQ, behavioral adaptation, and a reduction in other symptoms associated with ASDs. Remington et. al. (2007) found that early intensive behavioral intervention led to dramatic increases in intelligence, language, daily living skills and positive social behavior compared to a control group that received "treatment as usual." Similar results were obtained by Cohen, Amerine-Dickens and Smith (2006), who found that a community-based behavioral treatment program resulted in significantly higher IQ scores and adaptive behavior scores. Nearly one-third of the children receiving behavioral treatment were able to transition into a regular educational setting without additional assistance, and 11 others did so with assistance, compared to only 1 in the control group.

There appears to be a strong consensus within the literature regarding the efficacy of behavioral treatments for autism in a variety of settings (see also Eikeseth, Smith, Jahr and Eldevik, 2002 and 2006; Howard, et. al. 2005; Sallows and Graupner, 2005). A good overview of clinical practice related to behavioral interventions can be found in Scott and Johnson (2007). Summarizing the large body of research, the Surgeon General reported as early as 1999 that "Among the many methods available for treatment and education of people with autism, applied behavior analysis (ABA) has become widely accepted as an effective treatment. Thirty years of research demonstrated the efficacy of applied behavioral methods in reducing inappropriate behavior and increasing communication, learning, and appropriate social behavior" (US Department of Health and Human Services, 1999).

History of HB 1311 and the ABA mandate

Prior to the passage of HB 1311 in 2010, Missouri enacted a mental health parity statute that became effective in 2005 (§376.1550). The purpose of this statute was to ensure that health insurers offered mental health benefits in a manner consistent with the provision of services for physical health: “A health benefit plan shall provide coverage for treatment of a mental health condition and shall not establish any rate, term, or condition that places a greater financial burden on an insured for access to treatment for a mental health condition than for access to treatment for a physical health condition” (§376.1550.1(2)). Under the terms of the statute, the term *mental health condition* is defined broadly to include all of the disorders recognized in the Diagnostic and Statistical Manual.

By this definition, insurers were required to cover treatment of ASDs even prior to the passage of HB 1311. However, the prior statute granted a broad exemption for treatments that were considered primarily for familial, educational or training purposes, that were custodial in nature, that were not clinically appropriate or that were experimental (§376.1550.5). Many, and perhaps most health insurance contracts issued in Missouri prior to HB 1311 included broad exclusionary language. For example, a typical exclusion was “...no Benefits will be provided for any of the following services, supplies, equipment or care; or for any complications, related to, or received in connection with, such services, supplies, equipment or care that are:

Not Medically Necessary.

Not specifically covered under this Agreement.

Any Health Care Service that is determined by the Company, in its discretion and subject to the right to submit a Grievance as set forth in Section 12 of this Agreement, to be Experimental or Investigational for the treatment of a specific patient’s disease and clinical circumstance...” was excluded from coverage.

Autism treatments such as ABA were commonly excluded via the rationale that they are experimental in nature. Prior analysis by the DIFP indicated that even under the most generous set of assumptions, insurance carriers did not offer benefits of a level or kind that could have been expected to have any significant impact on individuals diagnosed an ASD. This analysis was consistent with the academic literature, which has documented that treatment for ASDs are either generally paid out-of-pocket by parents and relatives, are provided via public services such as special education programs, or, as was more likely, left largely untreated (Peele, Lave and Kelleher, 2002). Further, insurer-compensated treatment was not targeted to young individuals for whom treatments are known to be most effective and most likely to achieve an enduring and dramatic improvement in symptoms.

The paucity of insurance benefits for effective treatments of ASDs very likely contributed to lasting functional impairment of individuals with autistic and related disorders. To the extent that

such care cannot be funded by parents, nor provided publicly, individuals are likely to endure life-long cognitive and social deficits with enormous direct and indirect social costs (see Ganz, 2007).

To address the inadequate coverage for the treatment of ASDs in the private insurance market, and to ensure broader access to treatments that were known to be efficacious, HB 1311 established broad coverage requirements for ASD treatments. Applied behavior analysis (ABA) was specifically mandated for individuals 18 and under, for an amount up to \$40,000 per year (adjusted for inflation in each subsequent year). All group plans were required to offer blanket coverage for all insureds. Individual plans, and individually-underwritten association plans, were required to extend an offer to cover the mandated benefits, though the offer can be refused by the policyholder. In addition, HB1311 established a system of licensure for behavioral analysts to ensure the delivery of high-quality care.

HB1311 became effective for all health insurance plans issued or renewed in Missouri after January 1, 2011. Earlier this year, the DIFP issued a data call to assess the impact of the new law through June 30th, and to serve as a trial run to assess the kinds and quality of information that could be provided by insurers. A follow-up data call was issued at year-end. The experience during the first half of 2011 revealed that significant lags were associated with the implementation of the new law: mandated coverage was not extended until the renewal date of a health insurance policy; individuals required training and credentialing to practice ABA; medical providers faced the task of developing the infrastructure to secure compensation for services that were previously excluded by most health insurance plans; and insureds faced a learning curve with respect to the scope of the newly available benefits. Data below indicate that as the medical delivery infrastructure was put into place, significant benefits delivered through health plans were steadily increasing by the second half of 2011.

Coverage

All group plans issued or renewed after January 1, 2011, are required to extend the mandated benefits for the treatment of ASDs, including ABA, to all insureds. An offer of such coverage must accompany any insurance purchased in the individual market, including individually-underwritten association plans.³ As such, many insureds will not have received ASD coverage until well after the January 1 effective date, since renewal dates will not coincide with the calendar year.

³ Association health coverage, such as insurance sold through the AARP and a broad variety of other groups, is considered group coverage for some purposes. However, because it is individually-underwritten in a fashion similar to the true individual market, it is often treated as individual coverage. Under HB1311, such association coverage is considered individual coverage and therefore must only offer the mandated benefits.

By year-end, all insureds in the group market, and about one-third of insureds in the individual market were covered for the mandated ASD and ABA benefits. Over 90 percent of “member-months” over the course of the entire year in the group market were covered for the benefit, indicating the relative rapidity with which coverage went into effect after the effective date of the mandate.⁴ The percentage of annual member months with such coverage in the individual market is considerably lower at 32.2 percent, which is virtually unchanged since the first half of the year.

Percent of Member Months With Coverage for Mandated ASD Benefits By Market Segment 2011			
Market Segment	Total Member Months	Member Months of Policies with Autism Coverage	% With Coverage
Individual	3,272,121	1,053,043	32.2%
Small Group	5,524,721	5,034,574	91.1%
Large Group	11,871,686	11,245,146	94.7%
Total	20,668,528	17,332,763	83.9%

It is less likely that coverage will be broadly extended in the individual market due to the distribution of costs in this market. For group coverage, costs associated with the mandate are borne by the entire group in the same manner as any other illness. Since only the offer of coverage is required in the individual market, there will be a strong tendency of “adverse selection” with respect to autism benefits. Namely, the vast majority of individuals accepting ASD coverage will already have a dependent with an autism-related diagnosis. Since the coverage is usually provided as a rider at an additional premium, the entire costs of the mandated benefits will therefore be concentrated among such policyholders. The resulting premiums will likely make such coverage unaffordable for many. The DIFP is aware that the cost for an autism endorsement in the individual market can range from \$500 to several thousand dollars per month.

⁴ That is, most member months without ABA coverage occurred during the beginning of the year. Implementation of coverage occurred as plans were renewed over the course of the year.

For those individual plans for which coverage is optional, the take-up rate for ASD benefits is nearly zero. As noted earlier, a few large insurers have extended ABA coverage to all of their policy-holders in the individual market, though they are only required to extend it as an optional coverage that can be purchased for additional premium. The remaining insurers offering individual coverage comprise 69 percent of the market. For these carriers, less than 1/10th of 1 percent of member months had such coverage in effect for 2011.

Coverage in the Individual Market – Excluding Insurers That Offer ABA Coverage to All Policyholders			
		Member Months With Autism Coverage	Member Months With Autism Coverage
Member Months	% of Individual Market		%
2,251,456	68.8%	1,353	0.1%

Treatment Rates

The DIFP attempted to assess the prevalence of individuals diagnosed with an ASD with coverage under a licensed health insurer. Unfortunately, insurers are only able to identify such individuals via information available from submitted claims, such that an individual with an ASD diagnosis must have sought a treatment for conditions specific to the ASD during the period under examination to appear in our data.⁵ Thus, the estimates that follow should not be considered as even a proxy for all ASD-diagnosed individuals with health insurance coverage, but rather a subset of that group that received some form of ASD-related treatment during 2011. The overall prevalence of ASD-diagnosed insureds is quite likely to be significantly larger.

Lastly, the DIFP sought to estimate the number of individuals diagnosed with an ASD that *lacked* coverage under the autism mandate. However, because such individuals would be far less

⁵ That is, individuals that did not seek treatment directly associated with the ASD would not normally be identified on a typical claims form. The DIFP requested that insurers count anyone who sought an ASD-related treatment during the preceding 12 months as part of their autistic population.

likely to seek treatment than their covered counterparts, and would be less likely to submit the claim when treatment was sought, these estimates are considered unreliable and not presented here.


During the last year, over 1.3 million Missourians obtained comprehensive coverage through a licensed insurer⁶ in the individual, small group or large group markets. Of this number, nearly 4,000 individuals sought treatment during the reporting period for which the primary diagnosis was an ASD. The majority of these individuals, or 3,123, were 18 and under and therefore eligible for coverage under the ABA mandate. Across all market segments, 1 insured in 350 sought treatment for an ASD-related condition. Treatment rates are considerably lower than the prevalence rate of ASDs in the general population, which the Centers for Disease Control has estimated to be between 1/100 and 1/150. Autism can present with a high degree of variability. Many autistic individuals will neither seek, nor benefit from, extensive treatment.

Prevalence of ASD Covered Treatment⁷				
Market Segment	Insureds	Insureds With an ASD, Covered Under Mandate	1 Covered ASD Diagnosed Individual Per X Insureds	Insureds Under 18 With an ASD
Individual	249,188	182	1,369	153
Small Group	379,767	706	538	585
Large Group	702,218	2,917	241	2,385
Total	1,331,173	3,805	350	3,123

As expected, the percent of insureds with a covered ASD was nearly twice as high in the group market compared to the individual market. Only 182 individuals sought treatment for an ASD covered in the individual market, representing only 4.8 percent of all such individuals across all market segments.

⁶ These figures exclude the non-licensed market and employers that self-insure under federal ERISA statutes. Self-insurers comprise a significant portion of the group market. Prior estimates by the DIFP suggest that self-insureds represent as much as 2/3 of the group market. Also excluded from these figures are all forms of public coverage.

⁷ Figures are based solely on initial survey responses of licensed insurers for fully-insured plans related to the data period 2011. Some entities that are known to offer autism-related benefits, such as the Missouri Consolidated Health Care Plan (MCHCP) and some self-insured employer plans, are not included in the data.



Licensure

House Bill 1311 requires that each behavior analyst and assistant behavior analyst pass an examination and obtain board certification to be eligible for a license to practice in Missouri. The first licenses were issued in December, 2010. By mid-January of 2012, licenses were issued to 120 behavior analysts. In addition, 24 assistant behavior analysis licenses were issued. Assistants must practice under the supervision of a behavior analyst. In addition to licensed behavior therapists, licensed psychologists may also provide ABA therapy.

These figures indicate that Missouri is well on the way to developing the necessary medical infrastructure and expertise to deliver ABA services to a broad population. Correspondence with medical providers specializing in ASD treatment reinforce this impression, but also illustrate the considerable time and effort necessary to make ABA treatment more widely available as coverage for such treatment is extended. Coding methodology and claim transmittal protocols must be developed. Rates for the provision of previously excluded services must be negotiated. Appropriately trained and licensed personnel must be added to existing staff. One clinic indicated that they were not fully operational to deliver ABA services until July 1. A second began providing ABA treatments as of September 1.

Applied Behavior Analyst Licensure in Missouri				
	Behavior Analysts		Assistant Behavior Analysts	
Month License Issued	No. Lic. Issued During Month	Cumulative Licensed Analysts	No. Lic. During Month	Cumulative Licensed Analysts
December, 2010	19	19	0	0
January	28	47	5	5
February	11	58	4	9
March	14	72	2	11
April	9	81	2	13
May	3	84	0	13
June	1	85	1	14
July	11	96	3	17
August	0	96	4	21
September	2	98	0	21
October	3	101	1	22
November	6	107	1	23
December	6	113	1	24
January, 2012 (partial)	7	120	0	24
Total	120		24	

Claim Payments

During 2011, comprehensive health plans incurred a total of \$4.3 billion in total claim costs. Only a small fraction of this amount resulted from autism-related treatments, which amounted to \$4.6 million or 0.1 percent of total claims. Costs incurred for ABA therapies were only 0.02 percent of total claims, or \$1,050,764.

The DIFP has previously estimated that the ABA mandate would produce claim costs of between 0.2 percent and 0.8 percent of total premium. Amounts incurred thus far are well below this estimate, but for reasons already discussed are expected to grow as the benefits of the mandate are more fully realized.

Autism-Related Claim Costs			
Line of Business	Total Incurred Losses	All Autism-Related Incurred Losses	Losses Incurred, ABA
Individual	\$484,064,498	\$543,916	\$36,252
Small Group	\$975,765,332	\$1,027,953	\$205,499
Large Group	\$2,889,525,540	\$2,737,959	\$809,013
Total	\$4,349,355,370	\$4,309,828	\$1,050,764

Autism Treatment as Percent of Incurred Losses		
Line of Business	All Autism-Related Incurred Losses	ABA-Related Incurred Losses
Individual	0.11%	0.01%
Small Group	0.11%	0.02%
Large Group	0.09%	0.03%
Total	0.10%	0.02%

Another method of expressing the costs of the mandate is the ratio of autism-related treatment costs to the total member months during which autism coverage was in effect. Across all market segments, the average autism-related claim costs for each month of autism coverage was \$0.25, and \$0.06 for the costs of ABA treatments.

Claim Costs for Autism Per Member Per Month for Policies with Autism Coverage					
Market Segment	Member Months of Policies With Autism Coverage	All Autism Related Claims	ABA Claims	All Autism-Related Claims, PMPM	ABA-Related Claims, PMPM
Individual	1,053,043	\$543,916	\$36,252	\$0.52	\$0.03
Small Group	5,034,574	\$1,027,953	\$205,499	\$0.20	\$0.04
Large Group	11,245,146	\$2,737,959	\$809,013	\$0.24	\$0.07
Total	17,332,763	\$4,309,828	\$1,050,764	\$0.25	\$0.06

For each individual receiving any form of treatment directly associated with an ASD, the average monthly claims cost during 2011 was \$143, ranging from \$293 in the individual market to \$142 in the large group market. With respect to the population 18 years of age and younger, the costs of ABA treatments ranged from \$15 in the individual market to \$58 in the large group market.

Average Monthly Claim Cost Per Individual Treated for Autism				
All Ages			Age 18 and Under	
Market Segment	All Autism-Related Treatment	ABA	All Autism-Related Treatment	ABA
Individual	\$293	\$19	\$314	\$15
Small Group	\$115	\$23	\$122	\$29
Large Group	\$142	\$42	\$161	\$58
Total	\$143	\$35	\$160	\$47

Other DIFP Activities Related to Autism

The DIFP worked on numerous fronts to successfully implement the autism mandate during 2011. Following the passage of the law, staff engaged stakeholders representing a wide variety of perspectives and needs – from insurance companies to providers to parents and advocates. This outreach was designed to anticipate and address any potential problems. Additionally, the Department was able to provide education and resources to parents and providers as they began navigating through the process of obtaining insurance coverage for autism benefits for the first time.

Complaints

The DIFP monitors the number of complaints and inquiries received that are related to the autism mandate. Over the course of 2011, DIFP staff responded to 109 consumer contacts by insureds with questions about autism coverage. Only six of these contacts resulted in formal complaints against an insurer. Subject matter ranged from the lack of medical providers, the lack of coverage in self-funded plans under federal jurisdiction, to concerns about costs and requests for clarification of various aspects of the new law.

Impact on Small Business

Initial concerns about the potential costs of the mandate resulted in an opt-out provision for small employers. Any small employer may petition the director for a waiver of the mandate if providing the coverage causes premiums to increase by 2.5 percent or more over any 12 month period. The earliest such a waiver request could have been made is therefore January 1, 2012. To date, the DIFP has received no requests for a waiver.

National recognition for online education

Before the law took effect on Jan. 1, 2011, the Department launched new educational content online for parents, health care providers and insurers on its website. The online resources include explanations of the new law's various provisions, frequently asked questions, instructions for filing consumer complaints, a Parent Resource Center and content specifically designed for health care providers. The Department's efforts in creating this comprehensive online guide were heralded by Autism Speaks, the nation's largest advocacy group for autism. At its Autism Law Summit in October 2011, the group recognized the DIFP for outstanding efforts on behalf of individuals with autism.

Outreach

The Department assembled an autism working group meeting in Jefferson City during November, 2010, which was attended by parents, advocates, medical providers and representatives of major insurance companies in the Missouri market. At the meeting, stakeholders discussed concerns and how the Department could best facilitate consumer and provider education about the new law as well as facilitate an open exchange of information between the insurance industry and the provider community.

In response to many of the issues identified through the working group, the DIFP issued a bulletin to all health insurance companies on January 3, 2011, outlining Department plans for enforcing the new law. This bulletin:

- Encourages the insurance industry to accept HCPCS codes
- Asks any companies that are not able to utilize these codes make information readily available to providers both in- and out-of-network.
- Reminds that the department will closely monitor the delivery of autism related services and ensure no unnecessary barriers to treatment are imposed
- Encourages companies to exercise flexibility in accommodating children already enrolled in ABA treatment, so as not to interrupt their ongoing therapy.

- Extends a one year “safe harbor” from any enforcement or disciplinary action related to temporary modifications or deviations to practices or procedures in order to accommodate those currently enrolled in ABA treatment.

Following the passage of HB 1311, Director Huff and other members of the DIFP team appeared throughout the state at more than 10 public events for consumers, industry and stakeholders.

Most recently, the Department hosted the Autism Provider Summit in December of 2011. The summit served as a one-day training program to educate autism treatment providers about insurance billing, navigating the insurance world, and ensuring that their staffs are properly credentialed and licensed. Close to 80 providers and interested parties attended the summit.

Conclusion

Applied behavior therapies have been shown to dramatically reduce long-term costs for a significant proportion of individuals diagnosed with an ASD, and to significantly improve their quality of life. The costs associated with the autism and ABA coverage mandate has thus far been minimal, even as the mandate has led to dramatically expanded coverage and the delivery of medically beneficial services. The law has achieved its purposes in an unqualified way for every measureable metric.

Bibliography

- American Psychiatric Association. 2000. Pervasive development disorders. In **Diagnostic and Statistical Manual of Mental Disorders**. Fourth edition. Washington, D.C: American Psychiatric Association: 69-70.
- Cohen, Howard, Mila Amerine-Dickens, and Tristram Smith. 2006. Early intensive behavioral treatment: Replication of the UCLA model in a community setting.
- Eikeseth, S., T. Smith, E. Jahr, and S. Eldevik. 2002. Intensive behavioral treatment at school for 4- to 7-year-old children with autism: a 1year comparison controlled study. **Behavioral Modification**. 26: 49-68.
- Ganz, Michael. 2007. The lifetime distribution of the incremental societal costs of autism. **Archive of Pediatric and Adolescent Medicine**. 161: 343 – 349.
- Howard, J.S. et. al. 2005. A comparison of intensive behavior analytic and eclectic treatments for young children with autism. **Research in Developmental Disabilities**. 26: 359-383.
- Mosconi, Matthew W., et. al. 2009. Longitudinal study of Amygdala volume and joint attention in 2- to 4-year-old children with autism. **Archive of General Psychiatry**. 66 (5): 509.
- Peele, Pamela B., Judith R. Lave, and Kelly J. Kelleher. 2002. Exclusions and limitations in children's behavioral health care coverage. **Psychiatric Services**. 53(5): 591-594.
- Remington, B., et. al. 2007. Early intensive behavioral intervention: outcomes for children with autism and their parents after two years. **American Journal on Mental Retardation**. 112; 418-38.
- Sallows, G. O. and T. D. Graupner. 2005. Intensive behavioral treatment for children with autism: four-year outcome and predictors. **American Journal on Mental Retardation**. 110: 417-438.
- U.S Department of Health and Human Services. 1999. **Mental Health: A Report of the Surgeon General—Executive Summary**. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health.
- Wittenmayer, N, et. al. 2009. Postsynaptic neuroligin-1 regulates presynaptic maturation. **Proceedings of the National Academy of Sciences**. 106(32): 13564-13569.
- _____. 2006. Effects of low-intensity behavioral treatment for children with autism and mental retardation. **Journal of Autism and Developmental Disorders**. 36: 211-224.

Insurance Consumer Hotline

Contact DIFP's Insurance Consumer Hotline
if you have questions about your insurance policy
or to file a complaint against an
insurance company or agent:

difp.mo.gov

800-726-7390



DIFP

**Department of Insurance,
Financial Institutions &
Professional Registration**

Harry S Truman Building, Room 530
301 W. High St.
PO Box 690
Jefferson City, MO 65102

JANUARY 2012

The TRUST

The Alaska Mental Health Trust Authority

February 7, 2011

Representative Pete Petersen
Room #422
State Capitol
Juneau, AK 99801

RE: HB 79 – Private Autism Insurance Coverage

Dear Representative Petersen,

I am writing in support of **HB 79 – Private Autism Insurance Coverage**

The Alaska Mental Health Trust Authority (The Trust) appreciates your efforts to ensure that children in Alaska who experience autism receive the treatment and supports they need to be active members of our Alaskan communities. The Trust supports HB79, which mandates that private insurance companies include coverage for treatment of autism spectrum disorders.

The Trust advocates for a robust continuum of healthcare opportunities for its beneficiaries, those experiencing developmental disabilities, mental illness, Alzheimer's disease and other related dementias and chronic alcoholics with psychosis. In Alaska today 1,512 children and young people have autism, approximately 454 of whom need significant clinical treatment. In response to these numbers, The Trust has partnered with the *Governor's Council on Disabilities and Special Education* to identify and develop treatment options for persons diagnosed with a disorder on the autism spectrum.

Thirty years of research demonstrates that with intensive early intervention, children on the autism spectrum could gain a significant number of IQ points, and half of them could achieve normal functioning within 2-3 years of treatment. With early intervention and treatment, Alaska will see a savings of \$208,500 per capita in avoided special education costs and a lifetime savings of \$1.08 million per capita. According to economists, without treatment it is estimated it will cost the state \$3.2 million per capita. Requiring that private insurance policies include coverage for treating autism, we can help many children access the services they need, and live more productive lives.

We appreciate your advocacy on behalf of Trust beneficiaries; specifically, beneficiaries diagnosed with autism and their families, and look forward to continuing to work with you on this issue.

Sincerely,



Jeff Jessee, CEO



From: **AUTISM SPEAKS**



Rebecca Shaffer Stelzner -- 202.955.3114; rshaffer@autismspeaks.org

Rubenstein Communications, Inc.
Adam Pockriss – 212.843.8286; apockriss@rubenstein.com

FOR IMMEDIATE RELEASE

AUTISM SPEAKS ENDORSES ALASKA AUTISM INSURANCE REFORM BILL

House Bill 79 Would End Health Care Discrimination Against Children with Autism by Requiring Coverage of Diagnosis and Treatment

NEW YORK, NY (January 27, 2011) – Autism Speaks, the nation's largest autism advocacy organization, today announced its support for House Bill 79, the autism insurance reform bill. The legislation would require private health insurance companies to cover the diagnosis, testing, and treatment of autism spectrum disorder (ASD).

Sponsored in the Alaska State House by State Representative Pete Petersen, HB 79 includes coverage of behavioral health treatments, such as Applied Behavior Analysis (ABA), an evidence-based, medically-necessary autism therapy, for individuals with autism under the age of 21. HB 79 has been referred to the House Health & Social Services Committee, which may hear the bill next month.

"We applaud and thank Representative Petersen for his leadership again this year on this issue of critical concern to thousands of Alaska's families," said Peter Bell, Autism Speaks executive vice president for programs and services. "Autism Speaks joins Alaska's autism community in calling on the legislature to pass HB 79 and join the growing number of states that have ended healthcare discrimination against children with autism."

Many states do not require private insurance companies to cover even essential autism treatments and services. In the absence of coverage, families often pay as much as they can out-of-pocket for services that can cost upwards of \$50,000 per year. In the process, many risk their homes and the educations of their unaffected children – essentially mortgaging their entire futures.

To date, twenty-three states – Arizona, Colorado, Connecticut, Florida, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Massachusetts, Missouri, Montana, Nevada, New Hampshire, New Jersey, New Mexico, Pennsylvania, South Carolina, Texas, Vermont, and Wisconsin – have enacted autism insurance reform legislation. Several other state legislatures will introduce similar legislation during the current 2011 session.

To learn more about Autism Votes, an initiative of Autism Speaks focused on federal and state legislative advocacy, please visit www.autismvotes.org.

About Autism

Autism is a complex neurobiological disorder that inhibits a person's ability to communicate and develop social relationships, and is often accompanied by behavioral challenges. Autism spectrum disorders are diagnosed in one in 110 children in the United States, affecting four times as many boys as girls. The prevalence of autism increased 57 percent from 2002 to 2006. The Centers for Disease Control and Prevention have called autism a national public health crisis whose cause and cure remain unknown.

About Autism Speaks

Autism Speaks is North America's largest autism science and advocacy organization. Since its inception only five short years ago, Autism Speaks has made enormous strides, committing over \$142.5 million to research and developing innovative new resources for families through 2014. The organization is dedicated to funding research into the causes, prevention, treatments and a cure for autism; increasing awareness of autism spectrum disorders; and advocating for the needs of individuals with autism and their families. In addition to funding research, Autism Speaks also supports the Autism Treatment Network, Autism Genetic Resource Exchange and several other scientific and clinical programs. Notable awareness initiatives include the establishment of the annual United Nations-sanctioned World Autism Awareness Day on April 2 and an award-winning "Learn the Signs" campaign with the Ad Council which has received over \$210 million in donated media. Autism Speaks' family resources include the Autism Video Glossary, a 100 Day Kit for newly-diagnosed families, a School Community Tool Kit, a community grant program and much more. Autism Speaks has played a critical role in securing federal legislation to advance the government's response to autism, and has successfully advocated for insurance reform to cover behavioral treatments. Each year *Walk Now for Autism Speaks* events are held in more than 80 cities across North America. To learn more about Autism Speaks, please visit www.autismspeaks.org.

About the Co-Founders

Autism Speaks was founded in February 2005 by Suzanne and Bob Wright, the grandparents of a child with autism. Bob Wright is Senior Advisor at Lee Equity Partners and served as vice chairman, General Electric, and chief executive officer of NBC and NBC Universal for more than twenty years. He also serves on the boards of the Polo Ralph Lauren Corporation, RAND Corporation and the New York Presbyterian Hospital. Suzanne Wright has an extensive history of active involvement in community and philanthropic endeavors, mostly directed toward helping children. She serves on the boards of several non-profit organizations and is also Trustee Emeritus of Sarah Lawrence College, her alma mater. Suzanne has received numerous awards such as

the CHILD Magazine Children's Champions Award, Luella Bennack Volunteer Award, Spirit of Achievement award by the Albert Einstein College of Medicine's National Women's Division and the Weizmann Institute of Science. In 2008, the Wrights were named to the *Time* 100 list of the most influential people in the world for their commitment to global autism advocacy.

###

Gina Green, PhD
Board Certified Behavior Analyst
6977 Navajo Rd., PMB 176
San Diego, CA 92119

September 2, 2008

The Honorable S. Ward Casscells, MD
Assistant Secretary of Defense for Health Affairs
1200 Defense Pentagon, Room 3E1082
Washington, DC 20301-1200
Via FAX: 703-697-4197

Dear Dr. Casscells:

As a long-time autism researcher and practitioner, I am writing to offer some information in support of your efforts to make effective treatment more widely and easily accessible to military children with autism spectrum disorders (ASD). In addition to having worked in this field for more than three decades, it has been my privilege over the past couple of years to work with some extraordinary military families who are advocating for coverage of effective treatment for ASD by TRICARE. They have taught me a great deal and have won my everlasting admiration, so I am grateful to have this opportunity to help them by providing expert opinion on the efficacy and medical necessity of applied behavior analysis (ABA) treatment for ASD.

As you know, ASDs are neurodevelopmental conditions that affect virtually all aspects of everyday functioning to some degree. Difficulties are typically seen in communication, social interaction, intellectual functioning, play and leisure skills, academics, and self-care skills. Many individuals with ASD also exhibit behavior disorders that interfere with their acquisition of useful skills and put them and others at risk of physical harm. Without effective intervention to help them build the skills required for everyday living and to reduce problem behaviors, many people with ASD suffer needless injuries and illnesses, and require extensive – and expensive – specialized services throughout the lifespan. That takes an enormous toll on their families, on healthcare and human service systems, and on society as a whole. Fortunately, research has shown that much of that toll can be alleviated for people with ASD who receive competently delivered applied behavior analysis (ABA) intervention.

Behavior analysis is a natural science approach to understanding how behavior interacts with environmental variables. In this scientific discipline, “behavior” means anything done by living organisms (not just misbehavior), and “environment” includes all types of physical and social events that might change or be changed by an individual’s behavior. Like many other sciences, behavior

analysis has conceptual, experimental, and applied branches. The basic science focuses on discovering principles (that is, general laws) about how behavior works, or how learning takes place. For example, one principle of behavior analysis is positive reinforcement: When a behavior is followed by a consequence that is valued by the individual, that behavior is likely to be repeated in the future. Applied behavior analysis (ABA) is the use of the principles and methods derived from research to bring about meaningful changes in socially important behaviors. The applied component of the field was originally created by blending the experimental analysis of behavior – the basic science – with research on human development. Through nearly five decades of laboratory and field research, the discipline of behavior analysis has developed many techniques for increasing useful behaviors and reducing those that may be harmful or that interfere with learning. Some of the many areas in which this science has been applied fruitfully include developmental disabilities, education, brain and spinal cord injury rehabilitation, communication disorders, public health, substance abuse, business and industry, safety, child abuse and neglect, parenting, gerontology, and of course, ASD.

Numerous reviews of scientific research have identified ABA as a proven, safe, and effective approach to ASD intervention. Several of those reviews have cited the hundreds of published studies documenting the efficacy of a variety of ABA techniques for increasing a wide array of specific skills and decreasing a wide array of problem behaviors in people with ASD of all ages. In addition to those focused interventions, comprehensive, intensive early intervention programs using combinations of many ABA techniques have been shown to produce large improvements in multiple skill domains in many young children with ASD, more modest but still clinically important improvements in many other children. Those effects have been obtained when ABA intervention was designed and overseen by qualified professional behavior analysts. Among those who have recognized competently delivered ABA as an evidence-based approach to ASD intervention are the U.S. Surgeon General, New York State Department of Health, U.S. Department of Defense, American Academy of Pediatrics, Association for Science in Autism Treatment, and Autism Speaks.

I understand that in the course of deliberations about TRICARE policies, questions have arisen about the medical necessity of ABA intervention for ASD and whether that intervention is special education. I hope the following points of information will help ease concerns you and others may have about those issues.

ABA is medically necessary treatment for ASD

- Unfortunately, many people with ASD engage in behaviors that jeopardize their safety and health, such as self-injury, pica (ingesting inedible items), elopement (running away), flopping (throwing themselves on the ground), aggression, sleep disorders, and severely restricted eating. Several studies have found that such behaviors lead to disproportionate numbers of emergency room visits, hospitalizations, and prescriptions of psychotropic drugs for people with ASD, with the associated high costs. Extensive

research by behavior analysts has shown that those behaviors are often learned, and are triggered and reinforced by environmental events. Behavior analysis methods have proved effective not only for identifying those environmental events, but also for reducing problem behaviors and developing appropriate alternative behaviors, such as requesting help with a task instead of eloping or aggressing, eating a healthy diet, and sleeping through the night.

- Although some drugs can reduce some of the problem behaviors just mentioned, relatively few psychotropic medications have been tested adequately with children with ASD. Further, as the American Academy of Pediatrics noted recently, no drugs ameliorate the core symptoms of ASD, and many drugs that are prescribed for problem behaviors have negative side effects. For example, the only drug that has been approved by the FDA to date for the treatment of ASD – risperidone -- has been shown to reduce irritable and agitated behavior. But risperidone is not 100% effective, and its negative side effects include incontinence and weight gain, which increases the risk of diabetes and other health problems. ABA methods, on the other hand, can effectively reduce problem behaviors without adverse physical side effects.
- The behavioral excesses and deficits exhibited by people with ASD often hamper the delivery of health care services to this population. Communication difficulties and fearful responses to unfamiliar situations, for example, can make routine medical and dental checkups major ordeals for people with ASD and their families. Studies have shown that with ABA intervention, people with ASD can learn to communicate and cooperate with health care professionals, to comply with medical and dental care routines, and to undergo medical procedures like scans and EEGs.
- In a related vein, a variety of ABA techniques have proved effective for building self-care, hygiene, and personal safety skills in people with ASD, thus enhancing their health and reducing their risk of injury.
- Many people with ASD have difficulty recognizing and responding appropriately to situations that put them at risk of harm. Research has shown that ABA methods are effective for teaching people with ASD to be aware of and to avoid potentially hazardous situations, to seek help when necessary, and to communicate essential information to individuals who can assist them.
- In sum, ABA intervention for ASD is similar to certain treatments that are commonly provided to children and adults with other neurological disorders to develop or restore independent functioning. Those treatments are covered under many health insurance plans. With competently delivered ABA intervention, many people with ASD can enjoy safe and healthy lives. The earlier a child with ASD receives effective intervention, the more likely she is

to achieve large improvements in multiple skill areas, and the less likely it is that health-threatening problem behaviors will develop. Adolescents and adults with ASD can also benefit from ABA intervention. TRICARE insurance coverage to make this medically necessary treatment available to military children with ASD and their families will not only enhance the lives of those individuals, it will also reduce their need for health care services and the associated costs.

ABA is not special education

- Although ABA intervention methods are effective for building academic and other skills, and certainly could be used by properly trained teachers and other school personnel serving students with ASD, applied behavior analysis is increasingly recognized as a unique and distinct professional practice. In fact, in its 2007 report on autism, the U.S. Department of Defense described applied behavior analysis as an “emerging profession.” There is an accredited international certification program for practitioners, managed by the Behavior Analyst Certification Board (see www.BACB.com). Some Board Certified Behavior Analysts and Board Certified Assistant Behavior Analysts work in special education, but the BACB certification is not an education credential per se. University training in behavior analysis is provided in a wide range of academic departments (e.g., behavior analysis, psychology, human development, public health, criminal justice, education, special education). Unfortunately, however, most special education teacher certification programs provide little, if any, training in ABA; very few provide all of the didactic training and supervised practical experience that the discipline deems necessary to practice ABA at even a rudimentary level.
- ASDs affect multiple areas of functioning, not just the skill domains that are typically addressed by the education system. Further, schools typically serve students with ASD for just a few hours each weekday for 9 months of the year. As noted previously, many people with ASD have difficulties with eating, sleeping, self-care, and personal safety. Those difficulties are most salient – and are best addressed – in home and community settings. Indeed, the need for intervention to build crucial skills of all kinds and to reduce problem behaviors does not stop with the end of the school day, the school week, or the school year. Abundant research shows that in order to generalize learned skills, people with ASD need carefully planned, consistently delivered behavior analytic intervention throughout each day, 7 days a week, year around, in multiple environments. Behavior analysts have developed specific techniques for promoting skill generalization. Importantly, those techniques include training family members to prompt and reinforce functional skills and to manage problem behaviors in a variety of everyday settings. The education system unfortunately lacks the resources to provide that kind of intervention. Therefore, if the responsibility for treating ASD is placed entirely on the schools, most people with ASD will not receive effective treatment so will

require substantial and expensive health care and other services throughout their lives.

- To expand upon a previous point, ABA intervention for ASD parallels the intensive speech, occupational, and physical therapies that are provided to children and youths with other neurological disorders to build or rebuild communication, cognitive, self-care, academic, and other skills. Those therapies are often delivered in schools, yet they are not narrowly construed as "special education." On the contrary, they are deemed medically necessary, and are covered by most health insurance plans. ABA intervention should be granted the same status.

With effective treatment, military children and youths with ASD can lead happier and healthier lives than they would otherwise. ABA is an effective and safe treatment for ASD when it is designed and overseen by qualified professional behavior analysts. If this medically necessary treatment is delayed or is provided at suboptimal levels, the health and wellbeing of the child with ASD and his family will be affected negatively in both the short and the long run. Failure to cover ABA treatment under the basic TRICARE program will not only add to the already heavy burden carried by military families of children with ASD, it will also add to the costs of health care and other services for those military dependents for years to come. I urge you to head off those tragedies by correcting the Code of Federal Regulations and TRICARE policies to include coverage of ABA treatment for ASD.

Very respectfully,

Gina Green, PhD, BCBA

cc: Karen Driscoll (Karen0622@aol.com)
MG Elder Granger, Deputy Director, TRICARE (fax: 703-681-3665)



Sean Parnell, Governor
State of Alaska

GOVERNOR'S COUNCIL ON DISABILITIES AND SPECIAL EDUCATION

P.O. Box 240249 • Anchorage, Alaska 99524-0249 • Phone: 907-269-8990 • Fax: 907-269-8995 • Toll Free 888-269-8990

February 24, 2011

Representative Pete Petersen
State of Alaska
House of Representatives
State Capital, Room 422
Juneau, AK 99801

Re: HB 79 Insurance Coverage for Autism Spectrum Disorders

Dear Representative Petersen:

Thank you for sponsoring HB 79, which provides private insurance coverage for Autism Spectrum Disorders. The Governor's Council on Disabilities and Special Education strongly supports this bill House Bill 79 (HB 79), which will provide coverage for the diagnosis and treatment of autism spectrum disorders, including but not limited to applied behavior analysis, the leading evidence-based intervention for autism.

As you know, many families struggle when their child is diagnosed with autism a diagnosis in the Autism Spectrum because most insurance policies specifically excludes treatments for Autism Spectrum Disorders (even if those treatments are routinely covered otherwise). This bill will put services for people with autism on the same footing as other health issues. Otherwise, families often go into debt to secure needed services or go without them.

In addition, 40 years of research clearly shows that 50 percent of children with severe autism who receive early intervention and treatment do not require lifelong services and supports. According to a study conducted by Michael Ganz, a Harvard economist, with treatment, the State will see savings of \$208,500 per person in avoided or reduced special education costs and lifetime saving of \$1.8 million; without treatment, it is estimated lifetime costs to the State of Alaska will exceed \$3.2 million per person.

Thanks again for your support on this important issue.

Respectfully,

A handwritten signature in cursive script that reads "Donna Swihart".

Donna Swihart, Chair

Key Campaign XXIV Priority IV:

Autism Insurance Reform

BACKGROUND:

Autism is a disorder affecting at least 1 in 110 children with approximately 1 in 500 requiring significant clinical treatment. Alaska currently has around 1,512 children and youth under the age of 21 who have autism; approximately 454 need significant clinical treatment.

It is recommended that private, state employee and university employee insurance policies provide coverage for the diagnosis and treatment of autism spectrum disorders, including, but not limited to applied behavior analysis, the leading evidence-based intervention for autism.

URGENCY:

- Most insurance policies specifically exclude coverage for treating autism, even when the services are otherwise covered by the health plan.
- Because Alaska law does not require insurance coverage for autism services, families that do not qualify for DHSS services pay out-of-pocket, often as much as \$50,000 per year or more; in some instances, bearing this burden results in divorce or bankruptcy.
- Autism is treatable. 20 years of research shows that with treatment, many children overcome the severe symptoms of their disorder.
- The earlier the diagnosis, the more effective the treatment.
- Treatment equals savings. Without treatment it is estimated that it will cost the state \$3.2 million per capita.
- Coverage of medically necessary autism treatment in Alaska will enable many children to access the services they need and live more productive lives.
- The costs of this insurance reform are small and will have very little impact on the cost of health insurance premiums for the individual consumer.

ACTION REQUESTED

The Key Coalition of Alaska asks the Alaska State Legislature to:

***Pass HB79 and SB94 requiring insurance coverage
for autism spectrum disorders.***

Representative Pete Petersen
Room 422
State Capitol
Juneau, AK 99801
RE: HB 79 — Private Autism Insurance Coverage

Dear Representative Petersen,

I am writing in support of HB 79 — Private Autism Insurance Coverage

The Alaska Chapter of NASW appreciates your efforts to ensure that children in Alaska who experience autism receive the supports they need to be active members of our Alaskan communities. NASW of Alaska supports SB 74, which mandates that private insurance companies include coverage for treatment of autism spectrum disorders.

Autism is a complex neurobiological disorder and is the fastest-growing serious developmental disability in the U.S. The Centers for Disease Control estimates that one in every 110 children, with one in every 70 boys are diagnosed annually. These children require extensive services from medical professionals. Early intervention is critical to gain maximum benefit from existing therapies. Most private health insurance plans do not provide coverage for Applied Behavioral Analysis (ABA) and other autism-related services.

Thirty years of research demonstrates that with intensive early intervention, children on the autism spectrum could gain a significant number of IQ points, and half of them could achieve normal functioning within 2-3 years of treatment. With early intervention and treatment, Alaska will see a savings of \$208,500 per capita in avoided special education costs and a lifetime savings of \$1.08 million per capita. According to economists, without treatment it is estimated it will cost the state \$3.2 million per capita. Requiring that private insurance policies include coverage for treating autism, we can help many children access the services they need, and live more productive lives.

Sincerely,



Meg Loomis
Executive Director



Stone Soup Group

Supporting families of children & youth with special needs

January 21, 2012

Representative Pete Petersen
Alaska State Legislature
State Capitol Room 422
Juneau AK, 99801

Dear Rep. Petersen,

I'm writing on behalf of families served by Stone Soup Group to thank you for your leadership in sponsoring House Bill 79, the Autism Insurance Reform Bill. Stone Soup Group is a nonprofit agency that provides support services to families caring for children and youth with special health care needs and disabilities. With the increased incidents of autism and related disorders in the past decade, Stone Soup Group has grappled with how to assist families in accessing therapeutic interventions not covered by private insurance programs. The ability to use private insurance to access those services opens doors for thousands of families.

Autism is a complex neurobiological disorder and is the fastest-growing serious developmental disability in the U.S. The Centers for Disease Control estimates that one in every 110 children, with one in every 70 boys are diagnosed annually. These children require extensive services from medical professionals. Early intervention is critical to gain maximum benefit from existing therapies. Most private health insurance plans do not provide coverage for Applied Behavioral Analysis (ABA) and other autism-related services.

Stone Soup Group full supports House Bill 79 and the companion Senate Bill 74 sponsored by Sen. Ellis. Thank you for all of your hard work for Alaska's families.

Respectfully,

A handwritten signature in cursive script that reads 'K Donnelly'.

Kelly Donnelly
Executive Director

From: Jan Plummer [<mailto:harleymama99507@hotmail.com>]
Sent: Friday, May 06, 2011 11:07 AM
To: Sen. Johnny Ellis; Rep. Pete Petersen
Subject: Autism Spectrum Disorder bill

Not that I can help in any way, but I want to support you in this! My 23 year old son was just diagnosed with ASD last year (AFTER he'd already graduated from High School). We struggled throughout his school years & no one knew what was wrong. They (the doctors & school counselors) kept saying that it was "just" ADD / ADHD. I always knew there must be something else and now we understand. Now that we know, at least we have the diagnosis and are getting some (minimal at this time) help from outside sources. It's frustrating not knowing what to do, where to go, who to trust etc.... I know this bill won't help that but at least if it passes then others may have a chance of getting assistance SOONER than we did.

Keep up the good work!

Jan Plummer

From: Ellen Pryor <ellenpryor@alaska.com>
Date: May 6, 2011 10:18:07 AM AKDT
To: "Sen. Johnny Ellis" <Senator_Johnny_Ellis@legis.state.ak.us>
Cc: "Rep. Pete Petersen" <Representative_Pete_Petersen@legis.state.ak.us>
Subject: Autism Coverage Bill

Senator Ellis,

Please tell me how I can assist in helping to get the bill to assure insurance coverage for autism passed.

I am an Occupational Therapist who has worked with children with autism and their families in AK for the past 34 years. I have seen the effects of autism and the effects of the financial burdens families bear.

Yes, TEFRA coverage is helpful for children with autism and other disabilities but those funds are not unlimited. Additionally providers cannot remain solvent in practices with a majority of patients covered only by TEFRA, Medicaid or DKC as the reimbursement rate is so low. I fear that our children with special needs will soon face the same crisis in access to care that AK seniors currently experience in finding Medicare providers.

Sincerely,

Ellen Pryor

Ellen Pryor, OTR/L

Special Treatment, Inc.

4325 Laurel St. Suite 100

Anchorage, AK 99508

phone/fax 907.561.3768

The information contained in this message may be privileged and confidential. If you are NOT the intended recipient, please notify the sender immediately and destroy this message. Please be aware that email communication can be intercepted or misdirected. If you do not wish to have your information sent by email, please contact the sender immediately.

Alaska State Legislature

State Capitol, Suite 422
Juneau, AK 99801-1182
Phone: 465-4939
Fax: 465-2418
Toll Free: (800) 465-4939
Representative_Pete_Petersen@legis.state.ak.us



716 W. 4th Ave, Suite 380
Anchorage, AK 99501-2133
Phone: 269-0265
Fax: 269-0264

Representative Pete Petersen
Serving Northeast Anchorage and Muldoon

List of Invited Testimony

January 13, 2012

To: Rep. Wes Keller
Chair, House Health and Social Services Committee

From: Rep. Pete Petersen

Re: List of Invited Testimony

Please see the following list of individuals that we have invited to testify on HB 79.

Millie Ryan, Executive Director of the Governor's Council on Disabilities and Special Education
Tonya Updike
Judith Ursitti, Autism Speaks
Mark Lambright, Oliver Wyman Actuarial Consulting
Dennis Bailey, Bill Drafter
Stephen Williams, Mental Health Trust Authority, Trust Program Officer
Kelly Donnelly, Stone Soup Group

Please feel free to contact me, or my aide Monica Southworth, at 465-4939 with any questions, thoughts, or ideas.



The Voice of Small Business®

ALASKA

January 31, 2011

The Honorable Pete Petersen
Alaska House of Representatives
State Capitol Building
Juneau, Alaska 99801-1182

RE: House Bill 79

Dear Representative Petersen,

On behalf of the National Federation of Independent Business/Alaska, I wish to express our opposition to House Bill 79. The National Federation of Independent Business is the largest small-business advocacy group in Alaska.

Health-care costs have been the No. 1 issue facing small-business owners since 1986, and those concerns are growing, according to NFIB's members. As health-care costs go through the roof, small-business owners have very few choices when selecting insurance coverage for their employees. The tipping point is here, and small businesses are begging for solutions to rising health-care costs, lack of access and other issues.

For many small employers in Alaska insurance premiums for small groups or single coverage have increased by more than 82 percent since 2000, a jaw-dropping statistic. This is completely unsustainable over the long-term. Much of the increase is driven by the additions to coverage by state mandates

Unfortunately HB 79 mandates coverage for autism spectrum disorders that may not fit employee's needs but for which small employers providing health insurance bear the cost. Increased mandates force employers to consider whether they can afford to continue coverage or are forced by increased prices to eliminate health insurance for their employees. Mandates prevent small employers from providing affordable insurance programs tailored to its specific work force.

The Honorable Pete Peterson

January 31, 2011

Page 2

HB 79 is discriminatory against small employers as the mandate applies only to those who provide coverage regulated by state insurance statutes, but not programs offered by the state and other governmental entities, unions, or large employers who typically offer ERISA programs. Thus it creates a less fair business environment for Alaska's small employers and favors outside business interests.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Dennis L. DeWitt", written over a horizontal line.

Dennis L. DeWitt
Alaska State Director

cc: Health and Social Services Committee