

ALASKA LEGISLATURE COMMITTEE FILES 1997-1998 8672

9179 HOUSE JUDICIARY

PHACT

Physicians' Ad Hoc Coalition for Truth

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Family Practitioner, Obstetrician
Member, U.S. House of
Representatives (OK-9)

Nancy Komet, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Fanella Smith, M.D.
Director of Medical Education
Dept. of Ob/Gyn
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stalter, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Denis Cavanaugh, M.D.
Professor, Ob/Gyn
University of South Florida
College of Medicine, Tampa
FACOG

1150 South Washington Street
Suite 230
Alexandria, VA 22314
(703) 641-3004

Communications Contact:
Oona Terns, Michelle Powers

January 29, 1997

Fredric D. Frigoletto, Jr. M.D.
President of the Executive Board.
American College of Obstetricians and Gynecologists

Dear Dr. Frigoletto:

We write to you on behalf of the hundreds of doctors nationwide who are members of the Physicians' Ad hoc Coalition for Truth (PHACT). PHACT was formed to address expertly one issue: partial-birth abortion. While the coalition includes physicians from all medical specialties, the vast majority of its members are obstetricians and gynecologists. Of these, a sizeable number are also Fellows of the American College of Obstetricians and Gynecologists (ACOG).

With this in mind, we are writing to express our surprise and concern over a recent statement issued by ACOG, dated January 12, 1997, on the subject of partial-birth abortion. Surprise, because those of us who are fellows were never informed that ACOG was even investigating this subject, with the goal of issuing a public statement, presumably on behalf of us and the others within ACOG's membership. And concern, because the statement that was issued, by endorsing a practice for which no recognized research data exist, would seem to be violating ACOG's own standards.

Let us address the latter concern -- content -- first.

The statement correctly notes at the outset that the procedure in question is not recognized in the medical literature. The same, it should be noted, can be said of the name you have chosen to call it -- "Intact Dilatation and Extraction," or "Intact D&X" -- and all the other names proponents of this procedure have concocted for it. We have closely followed the issue of partial-birth abortion -- again, it is the *only* issue PHACT addresses -- and the term Intact Dilatation and Extraction is new to us and would appear to be unique to you. The late Dr. James McMahon, until his death a leading provider of partial-birth abortions, called them "Intact Dilation and Evacuation (Intact D&E)" while another provider, Dr. Martin Haskell of Ohio, calls them "Dilation and Extraction (D&X)." Planned Parenthood, for example, calls them D&X abortions, while the National Abortion Federation prefers Intact D&E, so there is no agreement, even among proponents of this procedure, as to what to call it. Indeed, in its January, 1996 newsletter, ACOG then referred to it as "intact dilation (sic) and evacuation." Your new coinage would seem to be a combination of these various "names" floating about, but to what end is not clear. What is clear is that none of these terms, including your own "Intact D&X" can be found in any of the standard medical textbooks or databases.

It is wrong to say, as your statement does, that descriptions, at least the description in last year's Partial-Birth Abortion Ban Act, are "vague" and "could be interpreted to include elements of many recognized" medical techniques. The description in the federal legislation is very precise as to what is being proscribed and is based on Dr. Haskell's own descriptions. Moreover, the legislation is so worded as to clearly distinguish the procedure being banned from recognized obstetric techniques, and recognized abortion techniques, such as D&E, which would be unaffected by the proposed ban.

By far, however, the most disturbing part of ACOG's statement is the assertion that "An intact D&X, however, may be the best or most appropriate procedure in a particular circumstance to save the life or preserve the health of the mother."

On what possible basis does ACOG make this rather astounding assertion?

Many of our members hold teaching positions or head departments of obstetrics and gynecology or perinatology at universities and medical centers. To our knowledge there are no published peer-reviewed safety data regarding the procedure in question. It is not taught as a formally recognized medical procedure. We can think of no data that could possibly support such an assertion. If ACOG or its "select panel" has such data, we would, as teachers and practicing ob/gyns, certainly like to review it.

The best that your statement does to back this claim is the very vague assertion that "other data show that second trimester transvaginal instrumental abortion is a safe procedure." While this may be true, it is, as surely you must be aware, totally beside the point. Such data may exist regarding, e.g., second trimester D&E abortion, but this is irrelevant to the fact that no similar data, at least to our knowledge, exists with respect to partial-birth abortion (or, as you prefer, "intact D&X" or whatever other medical-sounding coinage supporters of this procedure may use). To include such an assertion that can only refer to second trimester abortion procedures *other* than partial-birth is deceptive and misleading at best.

ACOG clearly recognizes that in no circumstances is partial-birth abortion the only option for women. In other words, ACOG agrees that there are other, *medically recognized*, and standard procedures available to women other than partial-birth abortion. Given ACOG's acceptance of this medical fact, your claim that a totally unrecognized, non-standard procedure, for which no peer-reviewed data exist, can nonetheless be the safest and most appropriate in certain situations, simply defies understanding.

If ACOG is truly committed to standing by this claim, then it would appear to be violating its own standards by recommending the use of a procedure for which no peer-reviewed studies or safety data exist.

In contrast, our research of the subject leads us to conclude that there are no obstetrical situations that would necessitate or even favor the medically unrecognized partial-birth abortion procedure as the safest or most appropriate option. Indeed, we have concerns that this procedure may itself pose serious health risks for women.

Ordinarily, we would agree that the intervention of legislative bodies into medical decision making is usually inappropriate. However, when the medical decision making itself is inappropriate, and may be putting women at risk by subjecting them to medically unrecognized procedures, then the intervention of a legislative body, such as the U.S. Congress, may be the only way to protect mothers and infants threatened by the partial-birth abortion procedure.

In addition to these concerns over the content of the statement, we are also concerned as to the procedure by which it came to be issued.

As mentioned, the vast majority of PHACT members are specialists and sub-specialists (i.e. perinatologists) in obstetrics and gynecology, and many of these are also fellows of ACOG. After them, our membership consists largely of family practitioners and pediatricians. Former Surgeon General C. Everett Koop, perhaps the nation's leading pediatric surgeon, has been associated with PHACT and his public statements on partial-birth abortion are in agreement with PHACT. Our membership is open to any doctor, regardless of his or her political views on the larger question of abortion rights, precisely because our focus is strictly on the medical realities that relate to this procedure. (In fact, doctors who are pro-choice have publicly stated their opposition, on medical grounds, to the use of this abortion method).

We cannot recall receiving any notification whatsoever that the American College of Obstetricians and Gynecologists was even reviewing the issue of partial-birth abortion toward the end of issuing a statement of policy. We cannot recall ever being informed that ACOG was going to convene a "select panel" to accomplish this. We find it unusual that PHACT, a coalition of doctors formed for no other reason than to investigate medical claims made about partial-birth abortion, was not invited to participate in these deliberations. Those of us who are fellows of ACOG were kept completely in the dark as to what ACOG's leadership was doing in regard to this issue.

In truth, this statement is the product of a panel -- whose membership ACOG has not made public -- that was working behind closed doors and with no real participation from ACOG's membership itself. In crafting this statement, ACOG simply ignored its own members. There is the danger that in issuing this statement, ACOG is giving the larger public the impression that the statement somehow represents the thinking of its members on this subject. It does not. ACOG members had no knowledge of this statement until it was issued as a *fait accompli*.

In conclusion, this statement clearly does *not* represent a consensus among the nation's obstetricians and gynecologists as to the safety or appropriateness, under any circumstances, of the partial-birth abortion method. We ask you to provide the medical data, research and all other relevant materials which could possibly have led to such an assertion. We ask that you also make available the names of those on the select panel who arrived at such a conclusion. We would also ask that the leadership of ACOG officially withdraw this statement until the matter at issue -- partial-birth abortion -- has been subject to a thorough and open discussion among the members of ACOG and those doctors in related specialties who have significant knowledge regarding this issue. We look forward to your response.

Sincerely:

Denis Cavanagh

Denis Cavanagh, M.D.
Professor of Ob/Gyn
Director, Division of Ob/Gyn
University of South Florida
College of Medicine
FACOG

Curtis Cook

Curtis Cook, M.D.
Maternal-Fetal Medicine
Michigan State College
of Human Medicine
FACOG

Joseph L. DeCook

Joseph DeCook, M.D.
Ob/Gyn
FACOG

R Don Gambrell Jr.

Don Gambrell Jr., M.D.
Clinical Prof. of Endocrinology
and Ob/Gyn
Medical College of Georgia,
Augusta
V. President, South Atlantic Assoc.
of Ob/Gyns
FACOG

Hans E. Geisler

Hans E. Geisler, M.D.
Gyn Oncology and Gyn Surgery
Clinical Staff, Dept. of Ob/Gyn
Indiana University Medical Center
FACOG

Nancy Y. Romer

Nancy Romer, M.D.
Clinical Prof., Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn
Miami Valley Hospital, OH
FACOG

Pamela Smith

Pamela Smith, M.D.
Director of Medical Education
Dept. of Ob/Gyn, Mt. Sinai
Medical Center, Chicago
Member, Assoc. of Professors of
Ob/Gyn
FACOG

William Stalter

William Stalter, M.D.
Clinical Assoc. Prof., Ob/Gyn
Wright State University
FACOG

Stephen H. Cruikshank

Stephen H. Cruikshank, M.D.
Nicholas J. Thompson Professor and Chairman
Department of Obstetrics and Gynecology
Wright State University, OH

PHACT

Physicians' Ad Hoc Coalition for Truth

"...They will rip your bodies to shreds and you could never have another baby even though the baby you were carrying couldn't live."

-- President Clinton, as to why partial birth abortion must remain available.

The Physicians' Ad-hoc Coalition for Truth (PHACT) about partial-birth abortion brings together experts in the fields of obstetrics and gynecology, perinatology and fetal and maternal medicine for one purpose: to bring the medical facts to bear on the public policy debate over partial-birth abortion.

As practitioners and teachers of a medical specialty that must, at all times, be responsible for the well-being of two patients -- mother and child -- we feel compelled to take this course of action in order to counter the very widespread and dangerous misstatements, misperceptions and outright distortions surrounding this procedure.

The most serious such distortion is the claim, now endorsed by President Clinton, that a partial-birth abortion can be *medically necessary* to protect the health of a woman carrying a child diagnosed with severe genetic disabilities, and to also protect that woman's future fertility and ability to carry other children.

There is no medical basis for such an assertion. Given the many potential risks the procedure entails for the mother, far from ever being medically indicated, partial-birth abortion is actually *counter*-indicated. Far from ever being a medical necessity, partial-birth abortion is not even a procedure recognized by the medical community, including the American College of Obstetricians and Gynecologists. Statements by practitioners of partial-birth abortion indicate that the vast majority of such procedures are elective in nature. There is only one reason to ever consider the partial-birth abortion procedure "necessary:" to ensure the delivery of a dead child rather than a living one.

Because of the dangers posed to women, the distortions regarding the so-called "medical necessity" of partial-birth abortion must not be allowed to stand. Already we have seen the harm done to women by other false statements made by those who defend partial-birth abortions. Proponents of partial-birth abortion have claimed, for example, that the anesthesia given the woman kills the child in her womb even before the procedure begins. Though leading experts in the field of anesthesiology have repeatedly denounced this claim, the media have repeated it often enough to frighten some pregnant women in need of surgery. The medical community's efforts to dispel this lie have gone largely unreported.

As members of the Physicians' Ad-hoc Coalition for Truth (PHACT) about Partial-Birth Abortion, we will take every opportunity presented to correct the misinformation and educate the public as to the medical facts regarding the partial-birth abortion procedure. We ask our fellow professionals in the field of journalism and communications in particular to give these facts the attention they deserve by reporting them in a clear, evenhanded and objective fashion.

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Profess., Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Pamela Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stalter, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

1150 South Washington Street
Suite 230
Alexandria, VA 22314
(703) 683-5004

7/24/96

Communications Counsel:
Gene Tame, Michelle Powers

PHACT

Physicians' Ad Hoc Coalition for Truth

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Obstetrician/Gynecologist
Member, U.S. House of
Representatives (OK-2)

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Pamela Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Staker, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

1150 South Washington Street
Suite 230
Alexandria, VA 22314
(703) 683-5004

Communications Counsel:
Gene Tame, Michelle Powers

SCIENCE FACT VS. SCIENCE FICTION:

DOCTORS REPORT THE MEDICAL FACTS ABOUT PARTIAL-BIRTH ABORTION

"People deserve to know that the partial-birth abortion is never medically indicated either to save the health of a woman or preserve her future fertility."

-- Dr. Nancy Romer, FACOG, Chairman, Dept. of Obstetrics and Gynecology, Miami Valley Hospital, Ohio

(Following are highlights from a July 24 Congressional Briefing by the Physicians' Ad-hoc Coalition for Truth (PHACT) about partial-birth abortion):

On the Claimed "Medical Necessity" of this Procedure:

"I am insulted to be told that I am tearing women's bodies apart by not doing this procedure. I am not. ...As physicians, we can no longer stand by while abortion advocates, the President of the United States and newspapers and television shows continue to repeat false medical claims to members of Congress and to the public."

-- Dr. Nancy Romer

"This procedure is currently not an accepted medical procedure. A search of medical literature reveals no mention of this procedure and there is no critically evaluated or peer review journal that describes this procedure. ...There is currently also no peer review or accountability of this procedure. It is currently being performed by a physician with no obstetric training in an outpatient facility behind closed doors and no peer review."

-- Dr. Nancy Romer

On Claims that Unborn Children with Certain Disabilities Must be Aborted by the Partial-Birth Method to Preserve Their Mother's Health or Fertility.

In vetoing the Partial-Birth Abortion Ban, President Clinton showcased the stories of 5 women who, he said "had to make a life-saving -- certainly, health saving -- but still tragic decision" to have partial-birth abortions, given the severe disabilities suffered by the children they carried. He said that "their own lives, their health, and in some cases their capacity to have children in the future were in danger" on account of these children. Six weeks later, the President defended the necessity of partial-birth abortion on the grounds that, without it, these women would be "eviscerated," their bodies "ripped...to shreds and you could never have another baby, even though the baby you were carrying couldn't live." The conditions suffered by the aborted children included: hydrocephalus, polyhydramnios, Trisomy 13, and anencephaly.

Responding to these specific claims, medical experts from PHACT made clear:

1. "[T]hese are honest women who were sadly misinformed and whose decision to have a partial birth abortion was based on a great deal of misinformation."

-- Dr. Joseph DeCook

2. "[T]he presence of *fetal disabilities or fetal anomalies* are not a reason to have a termination of pregnancy to preserve the life of the mother."

-- Dr. Curtis Cook

3. Regarding "a *genetic abnormality* where there is an extra chromosome or a *Trisomy*...These abnormalities do not pose a risk to the mother per se, do not require early delivery, and can be safely delivered vaginally by methods that we use on a regular basis."

-- Dr. Curtis Cook

4. Regarding "*hydrocephalus*...excessive cerebral-spinal fluid... that causes a very large-shaped head in proportion to the rest of the body. ...These patients can be safely delivered by cesarean section. They can even be delivered safely vaginally. We can do that by first decompressing some of the fluid around the baby's head. ...Again, the baby can be delivered safely, without a risk to the mother, and without a risk to her fertility."

-- Dr. Curtis Cook

5. Regarding "*polyhydramnios*...an excessive amount of amniotic fluid around the baby. ...They can be delivered vaginally, safely, and in the need for it in such situations, a cesarean section can be performed."

-- Dr. Curtis Cook

On Claims for the "Safety" of the Partial-Birth Abortion Procedure

-- "[The procedure] sounds like science fiction. It ought to be science fiction!"

-- "It is a maverick medical procedure made up by maverick doctors for the purpose of delivering a dead fetus."

-- Dr. Joseph DeCook

1. "Dilation [forcible opening] of the cervix" -- the first step -- risks creating the condition of "incompetent cervix," which is "the main cause of subsequent infertility." It also risks "infection of the mother" given that the uterus is a "non-sterile environment" exposed by dilation.

-- Dr. Joseph DeCook

2. "Podalic version" -- reaching into the uterus to pull the baby feet first through the cervix -- the second step -- is a very dangerous procedure, "frightening" because of the chance that it might "rupture" or "tear the uterus." This is the "reason this was abandoned 30 or more years ago."

There is also the danger of "perforating the uterus" with the instrument used to grab the baby's leg.

-- Dr. Joseph DeCook

3. The third step of partial-birth abortion -- "putting the scissors through the cortical magnum, spread them and out comes the brain" -- is extremely dangerous given that this step exposes "sharp shards of bone," which, if scraped against the uterus, with its "immense blood supply" would cause "deep shock in 3 or 4 minutes" and would "totally pump out [the mother's] blood supply in ten minutes."

-- Dr. Joseph DeCook

PHACT

DATE: July 24, 1996
CONTACT: 703/683-5004

MEDIA ADVISORY

Physicians' Ad Hoc Coalition for Truth

PHYSICIANS' CONGRESSIONAL BRIEFING TODAY IN ADVANCE OF PARTIAL BIRTH ABORTION VETO OVERRIDE

President Clinton has publicly endorsed the medical conclusion that women carrying children diagnosed with certain severe genetic abnormalities have no medical choice but partial birth abortion. He has stated that without partial birth abortion, a mother of such a child risks having her body ripped "to shreds," with the result that "you can never have another baby even though the baby you were carrying couldn't live."

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Women who've been in this situation, yet did not have the partial birth abortion, are concerned about the President's medical misstatements and inaccurate claims, which are potentially dangerous to women and their children. These women will also brief Congressional Members.

Pamela Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

WHAT: Leading doctors in the fields of obstetrics and perinatology have formed the Physicians' Ad-hoc Coalition for Truth (PHACT) about Partial Birth Abortion. Physicians from the coalition will brief members of Congress on the medical facts regarding the procedure: that partial birth abortion is *never* medically indicated for women, even in cases of severe fetal abnormality; it is not even a procedure recognized by the medical community or the American College of Obstetricians and Gynecologists (ACOG).

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

WHO: Members from PHACT who will conduct the briefing are **Dr. Curtis Cook**, Maternal Fetal Medicine, Buttersworth Hospital, Michigan State College of Human Medicine; **Dr. Nancy Romer**, fellow ACOG, clinical professor in Dept. of Ob/Gyn at Wright State University School of Medicine, and Chair, Dept of Ob/Gyn of Miami Valley Hospital (both in Dayton, OH); **Dr. Joseph L. DeCook**, Fellow, American College of Obstetricians and Gynecologists, Grand Rapids, MI.

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

The physicians will be joined by five women who found they were carrying children with conditions incompatible with life outside the womb, such as anencephaly, Trisomy, encephaloceles and body stalk anomaly. None of these women had an abortion, and none suffered serious health consequences or saw their fertility impaired. They will share their personal experiences, and release correspondence to President Clinton seeking a meeting to correct the President's medical misstatements.

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stiller, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Representatives Charles Canady (R-FL), author of the Partial Birth Abortion Ban Act, and **Tom Coburn (R-OK)**, himself a practicing ob/gyn, will host the briefing.

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

WHEN: Wednesday, July 24, 1996, 2 - 3 p.m

WHERE: Room 2237 Rayburn House Office Building

CONTACT: Gene Tarné or Michelle Powers (703) 683-5004

1150 South Washington Street
Suite 230
Alexandria, VA 22314

Doctors deny health value of late abortions

By Julia Duin
THE WASHINGTON TIMES

President Clinton is preaching medical nonsense by claiming that a form of late-term abortion protects a mother's health or fertility, three physicians said yesterday.

"So many physicians like myself watch in disbelief as false medical facts about partial-birth abortions get circulated in the public square," Dr. Nancy Romer, a Dayton, Ohio, obstetrician, said at a briefing to announce the founding of the Physicians Ad-hoc Coalition for Truth (Phact).

"In fact," she said, "there's a lot of evidence they may do harm to women."

Phact, to be based in Alexandria, aims to counteract pro-choice claims about partial-birth abortion, in which a doctor delivers an unborn child feet first up to its neck, punctures the skull and sucks out the brain.

She and two Michigan doctors said they were most incensed by the president's claim that such abortions are medically necessary for mothers of deformed children.

Mr. Clinton made this argument in his April 10 veto statement on the Partial Birth Abortion Ban Act. The ceremony featured five women who said they underwent such abortions for health reasons.

"These were honest women who were sadly misinformed," said Dr. Joseph DeCook, a Grand Rapids, Mich., obstetrician. "There is no literature that testifies to the safety of partial-birth abortion. It's a maverick procedure devised by maverick doctors who wish to deliver a dead fetus."

Instead of protecting a woman's fertility, such abortions endanger it by using methods that could lead to an infection, causing sterility, Dr. DeCook said.

He also said that drawing out the child in a breech position "is a very dangerous procedure, and you could tear the uterus." He said a ruptured uterus could cause the mother to bleed to death in 10 minutes.

The puncturing of the child's skull also produces bone shards that could puncture the uterus.

"It sounds like science fiction," Dr. DeCook said. "It's not taught in any residency program in the country."

Joining the doctors were five women who said they elected not to abort when they discovered they were carrying deformed children.

Among them was Whitney Goin, who was with her husband, Bruce. The Orlando, Fla., couple arrived holding their 10-month-old son, Andrew, whom doctors offered to abort when they learned he would be born with several vital organs outside his body.

The child, who cooed and gurgled while Mrs. Goin spoke, has undergone many painful surgeries and eight blood transfusions, she said, as the organs, one by one, have been inserted into his body.

"The worst-case scenarios that were painted by the doctors did not come to fruition, and we are thankful that our son was allowed the opportunity to fight," she said. "My ability to have more children was not affected at all."

The other four women, who have requested a meeting with the president, displayed photos of children who died.

Several said their conditions were similar to those of the women with whom Mr. Clinton spoke.

NANCY G. ROMER, M.D.

1126 South Main Street

Dayton, Ohio 45409

Telephone 222-0297

Douglas Johnson
National Right to Life

May 28, 1996

Dear Mr. Johnson,

This is in reference to our conversation in regards to the 60 Minutes program on late term abortions. Lisa Binns of 60 Minutes called me on Friday April 26 and we spoke for approximately 45 minutes. I made several points in regard to late term abortions:

1. A handicapped fetus is not a threat to the mother's life. Ms. Binns suggested that a fetus with anencephaly has a higher risk of intrauterine death and this presents a risk to the mother. I told her that intrauterine fetal death under any circumstances is not a medical emergency and can be treated in a few days. Once the fetus dies partial birth abortion ban does not apply.

2. If a mother has a serious medical condition what is required is separation of the fetus from the mother not fetal death. This can be accomplished in several ways, either through induction of labor or cesarean section.

3. There are safe alternatives to partial birth abortion. I FAXed her a copy of Dr. Warren Hearn's article where he described his method of second trimester terminations. He injects the fetal heart with digoxin on day two to allow fetal death. On day three he documents fetal death and again now that the fetus is dead the law no longer applies. I can fax this article to you if you do not have it.

While I was out of the country May 1-10 Ms. Binns called to speak to me. I returned her call on May 14. She said she had a quick question. "Do you personally know of any physicians who would electively terminate a healthy fetus in a healthy mother past viability." I answered yes that I personally had a patient that Dr. Haskell had done an abortion on at 26 weeks. She argued that was not really viable and we debated viability. She then asked "Do you personally know of any physician who terminated a healthy fetus in a healthy mother at term?" I said Dr. McMahon had reported terminating babies with cleft lip and cleft palate. She suggested these were not healthy. I said they were not PERFECT but arguably healthy. Then I said "So what your asking is do I personally know of

any physician who has terminated a PERFECT baby in a PERFECT mother at term? The answer is no."

I hope this is of some help to you and apologize for taking so long to respond. If I can be of further help or answer any questions please don't hesitate to call.

Sincerely,

A handwritten signature in cursive script, appearing to read "Nancy G. Romer, M.D.", written in dark ink.

Nancy G. Romer, M.D.

Partial-Birth Abortion: It's the *Only* Correct Term

By Douglas Johnson
NRLC Federal Legislative Director

You may have read in the paper that President Clinton vetoed a bill "outlawing late-term abortions" or "banning a medical procedure called intact dilation and evacuation." But actually, Congress never passed such a bill.

Rather, Congress passed - - and President Clinton vetoed - - a bill to ban partial-birth abortion (unless necessary to save a mother's life). The bill (HR 1833) defines partial-birth abortion, for purposes of the U.S. criminal code, as "an abortion in which the person performing the abortion partially vaginally delivers a *living* fetus before killing the fetus and completing the delivery." (emphasis added)

The bill does *not* contain any reference to the gestational age of the fetus/baby. From available evidence, it appears that the partial-birth abortion method is generally used after 20 weeks (4½ months) - - often much later. However, there are indications that the method at times has been used earlier - - and the bill bans the practice of partial-birth abortion at any point in pregnancy.

The phrase "outlawing late-term abortions" is doubly misleading, because methods of "late-term" abortion, other than the partial-birth method, would be unaffected by HR 1833.

In the interests of objectivity, the press should use the term that Congress has defined as a matter of law - - partial-birth abortion. That is the practice that the press has followed on other controversial issues. For example, most media outlets refer to the 1993 congressional ban on certain "assault weapons," even though manufacturers of such weapons and opponents of the ban use other terminology to refer to some or all of the firearms affected by that legislation.

Some opponents of HR 1833 insist that anyone writing about the bill should say that it bans a procedure "known medically as intact dilation and evacuation." But when journalists comply with this demand, they do so at the expense of accuracy. The bill itself makes no reference

whatever to "intact dilation and evacuation" abortions. More importantly, the term "intact dilation and evacuation" is *not* equivalent to the class of procedures banned by the bill.

The term "intact dilation and evacuation" was invented by the late Dr. James McMahon. When HR 1833 was introduced in June, 1995, the term did not appear in the standard medical textbooks and databases, nor does it appear anywhere in the standard textbook on abortion methods, *Abortion Practice* by Dr. Warren Hern.

It is clearly inaccurate to equate "intact dilation and evacuation" procedures with the abortions banned by HR 1833. In his writings, Dr. McMahon used the term "intact dilation and evacuation" to cover any procedure that resulted in an intact cadaver. This included partial-birth abortion procedures - - but it also included procedures to remove the bodies of babies who had died *natural* deaths in utero, and procedures to remove the bodies of babies who had been *deliberately* killed in utero, neither of which is a partial-birth abortion as defined by the bill.

[The term "intact dilation and evacuation" should not be confused with "dilation and evacuation" (D&E), which is a procedure commonly used to perform second-trimester abortions, involving *dismemberment* of the baby *while still in the uterus*. The bill does not apply to this method at all.]

Because "intact dilation and evacuation" is not a standard, clearly defined medical term, the House Judiciary Constitution Subcommittee legal staff (which drafted the bill under Congressman Canady's supervision) rejected it as useless for purposes of defining a criminal offense. Indeed, it is worse than useless - - a criminal statute that relied on such a term would be stricken by the federal courts as "void for vagueness."

The term chosen by Congress, partial-birth abortion, is in no sense misleading. In sworn testimony in an Ohio lawsuit in Nov. 8, 1995, Dr. Martin Haskell - - who has done over 1,000 partial-birth abortions, and who authored the 1992

instructional paper that touched off the national controversy over the procedure - - explained that he first learned of the method when a colleague "described very briefly over the phone to me a technique that I later learned came from Dr. McMahon where they internally grab the fetus and rotate it and accomplish - - be *somewhat equivalent to a breech type of delivery.*" (emphasis added)

Dr. Haskell said that he "coined" the term "dilation and extraction" (D&X) to refer to this method of abortion. However, Dr. Haskell also used the same term to apply to procedures to remove babies already dead - - which are not partial-birth abortions. The term "dilation and extraction" does not appear in medical dictionaries.

Some journalists cite the National Abortion Federation (NAF) as "authority" for the assertion that "intact dilation and evacuation" is the "medical" term for the procedure that HR 1833 would ban. NAF is a lobbying organization for abortionists and abortion clinics that pay their dues.

NAF has a history of disseminating blatant misinformation with respect to partial-birth abortions. In a tape-recorded 1993 interview with *American Medical News*, Dr. Haskell specifically rebutted several of the claims that were being made by NAF officials at that time (e.g., NAF falsely claimed that the fetuses are dead *before* being "extracted;" that the procedures were done mainly in extreme medical cases, etc.). Dr. Haskell explained: "Well, I had heard that they were giving that information.... The people that staff the NAF office are not medical people.... Here they're rabid supporters of abortion. They work in the office there. And... some of them have never seen one performed..."

When questioned about Dr. Haskell's recorded remarks, Barbara Radford, at that time the executive director of NAF, "acknowledged that the information her group was quoted as providing was inaccurate," *American Medical News* reported (July 5, 1993).

In summary, it is a strange kind of "objectivity" that sets aside the term for a criminal offense that has been adopted and explicitly defined by the U.S. Congress, and substitutes a non-equivalent, pseudo-medical term promoted by the very special-interest group that would be "regulated" by the legislation.

The Wall Street Journal, 10/14/96

Letters to the Editor

Abortions of Healthy Babies

Alexander Sanger's Oct. 2 Letter to the Editor in response to our Sept. 19 editorial-page article is a perfect example of why we, as doctors, felt the need to establish the Physician's Ad Hoc Coalition for Truth (PHACT) to correct the many medical distortions surrounding the partial-birth abortion procedure.

Mr. Sanger's charge that the term "partial-birth abortion" is "made up" and appears nowhere in the medical literature is equally true of the term he prefers: "intact dilation and evacuation." Contrary to his assertion, this is not the medical term for partial-birth abortion. Rather, it was coined by the late Dr. James McMahon, until his recent death a leading provider of partial-birth abortions. In contrast, another leading partial-birth abortion provider, Dr. Martin Haskell of Ohio, has his own personal name for this technique—"D&X," for "Dilation and Extraction." What both terms have in common is that neither appear in any standard medical textbook, dictionary or database. Neither do they appear in the nation's standard textbook on abortion methods, "Abortion Practice" by Dr. Warren Hern (in fact, Dr. Hern has expressed reservations as to the safety of the procedure that would be banned by H.R. 1833).

Thus, because the term "intact dilation and evacuation" is not a standard medical term, and because Dr. McMahon's idiosyncratic usage of it was so broad as to cover procedures not affected by the language of H.R. 1833 (e.g. removal of children who have died naturally or been killed in utero), it is inappropriate both to use the term in the legislation and to equate so-called "intact D&E" abortion with "partial-births" abortions. In crafting legislation to ban this particular procedure, it was crucial to employ terminology distinguishing it from techniques that are standard in abortion practice. The term "partial birth-abortion" encompasses both legislative and descriptive concerns.

Mr. Sanger asks, "What would they recommend" if the mid-trimester uterus needs emptying? Every medical school and every training program in America would agree that amniocentesis and/or cephlocentesis followed by induction of labor with prostaglandin or pitocin is the

accepted Standard of Care—the most physiologic and safest method of mid-trimester delivery. It is by far preferable to partial-birth abortion, a two-and-a-half-day, potentially dangerous procedure unsupported by any safety data in the medical literature.

In fact, we would ask Mr. Sanger to produce evidence of safety or preference for the "intact D&E" procedure over existing and proven safe procedures. ("Intact D&E" should not be confused with "dilation and evacuation" [D&E], a procedure commonly used in second-trimester abortions involving the dismemberment of the fetus in utero and which is, of course, unaffected by H.R. 1833).

As to Mr. Sanger's charge that we "irresponsibly advance the argument" that most partial-birth abortions are "purely elective," we do not: Dr. Haskell does. In an interview with American Medical News, Dr. Haskell volunteered the information that of the partial-birth abortions he performs, "80 percent are purely elective." In materials he submitted to Congress, Dr. McMahon included "indica-

tions" such as maternal depression, young age of mother, sickle cell trait, and a host of other conditions associated with the birth of perfectly normal infants. No partial-birth abortion is ever medically indicated, and recent investigative reports by the Washington Post and the Bergen (N.J.) Record confirm what PHACT and other supporters of H.R. 1833 have been saying all along: Most partial-birth abortions are performed on healthy mothers with healthy babies.

Finally, Mr. Sanger's assertion that anencephaly and "400 other types of catastrophic anomalies" cannot be detected prior to 20 weeks is categorically false. Many of us make our living detecting just such anomalies in ultrasound examinations performed between 18 and 20 weeks' gestation.

We again stand by our statement that there is no obstetrical situation that requires the willful destruction of a partially delivered baby to protect the life, health or future fertility of a woman.

NANCY G. ROMER, M.D.,

CURTIS R. COOK, M.D.,

PAMELA E. SMITH, M.D.,

JOSEPH L. DECOOK, M.D.

Physicians' Ad Hoc Coalition for Truth
Alexandria, Va.

* * *
Partial-birth abortion is a moral matter of the most obvious kind. The effort to sterilize it with a technical name is itself reprehensible. The demands of morality are most apparent where the order of nature is clearest and hence most clearly demands respect. It may be that morality has a bad name partly because the natural order has been too long obscured by the pretensions of technology. But deified technology is increasingly becoming recognized for the idol that it really is, and nowhere can the frustrated order and intentions of nature—from the Latin *nascor*, "to be born"—be more manifest than in a human birth brutally cut off in its very moment of accomplishment. This is more true, not less, when the name given to the act betrays studied coldness. (Is this not what we elsewhere refer to as being "cold blooded"?) One should be no more surprised at finding an "emotional charge" in the name used here than with the names of those new highly exalted crimes known as "rape" and "incest."

It should also be noted in reply to Mr. Sanger that this discussion is not, in its most important aspect, about the consequences or circumstances of partial-births abortion, although both friends and foes of abortion often speak as if it were. The essential issue here is the intrinsic character of the procedure itself. If nothing can be weighed, judged and named according to its intrinsic character, then nothing can be weighed, judged or named at all.

SEAN D. COLLINS

Professor of Philosophy, Theology
and Liberal Arts

Thomas Aquinas College

Santa Paula, Calif.

The Wall Street Journal, Thursday, September 19, 1996, A22

Partial-Birth Abortion Is Bad Medicine

By NANCY ROMER, PAMELA SMITH,
CURTIS R. COOK AND JOSEPH L. DECOOK

The House of Representatives will vote in the next few days on whether to override President Clinton's veto of the Partial Birth Abortion Ban Act. The debate on the subject has been noisy and rancorous. You've heard from the activists. You've heard from the politicians. Now may we speak?

We are the physicians who, on a daily basis, treat pregnant women and their babies. And we can no longer remain silent while abortion activists, the media and even the president of the United States continue to repeat false medical claims about partial-birth abortion. The appalling lack of medical credibility on the side of those defending this procedure has forced us—for the first time in our professional careers—to leave the sidelines in order to provide some sorely needed facts in a debate that has been dominated by anecdote, emotion and media stunts.

Since the debate on this issue began, those whose real agenda is to keep all types of abortion legal—at any stage of pregnancy, for any reason—have waged what can only be called an orchestrated misinformation campaign.

First the National Abortion Federation and other pro-abortion groups claimed the procedure didn't exist. When a paper written by the doctor who invented the procedure was produced, abortion proponents changed their story, claiming the procedure was only done when a woman's life was in danger. Then the same doctor, the nation's main practitioner of the technique, was caught—on tape—admitting that 80% of his partial-birth abortions were "pu-ly elective."

Then there was the anesthesia myth. The American public was told that it wasn't the abortion that killed the baby, but the anesthesia administered to the mother before the procedure. This claim was immediately and thoroughly denounced by the American Society of Anesthesiologists, which called the claim "entirely inaccurate." Yet Planned Parenthood and its allies continued to spread the myth, causing needless concern among

our pregnant patients who heard the claims and were terrified that epidurals during labor, or anesthesia during needed surgeries, would kill their babies.

The latest baseless statement was made by President Clinton himself when he said that if the mothers who opted for partial-birth abortions had delivered their children naturally, the women's bodies would have been "eviscerated" or "ripped to shreds" and they "could never have another baby."

That claim is totally and completely false. Contrary to what abortion activists would have us believe, partial-birth abortion is never medically indicated to protect a woman's health or her fertility. In fact, the opposite is true: The procedure can pose a significant and immediate threat to both the pregnant woman's health and her fertility. It seems to have escaped anyone's attention that one of the five women who appeared at Mr. Clinton's veto ceremony had five miscarriages after her partial-birth abortion.

Consider the dangers inherent in partial-birth abortion, which usually occurs after the fifth month of pregnancy. A woman's cervix is forcibly dilated over several days, which risks creating an "incompetent cervix," the leading cause of premature deliveries. It is also an invitation to infection, a major cause of infertility. The abortionist then reaches into the womb to pull a child feet first out of the mother (internal podalic version), but leaves the head inside. Under normal circumstances, physicians avoid breech births whenever possible; in this case, the doctor intentionally causes one—and risks tearing the uterus in the process. He then forces scissors through the base of the baby's skull—which remains lodged just within the birth canal. This is a partially "blind" procedure, done by feel, risking direct scissor injury to the uterus and laceration of the cervix or lower uterine segment, resulting in immediate and massive bleeding and the threat of shock or even death to the mother.

None of this risk is ever necessary for any reason. We and many other doctors

across the U.S. regularly treat women whose unborn children suffer the same conditions as those cited by the woman who appeared at Mr. Clinton's veto ceremony. Never is the partial-birth procedure necessary. Not for hydrocephaly (excessive cerebrospinal fluid in the head), not for polyhydramnios (an excess of amniotic fluid collecting in the women) and not for trisomy (genetic abnormalities characterized by an extra chromosome). Sometimes, as in the case of hydrocephaly, it is first necessary to drain some of the fluid from the baby's head. And in some cases, when vaginal delivery is not possible, a doctor performs a Caesarean section. But in no case is it necessary to partially deliver an infant through the vagina and then kill the infant.

How telling it is that although Mr. Clinton met with women who claimed to have needed partial-birth abortions on account of these conditions, he has flat-out refused to meet with women who delivered babies with these same conditions, with no damage whatsoever to their health or future fertility!

Former Surgeon General C. Everett Koop was recently asked whether he'd ever operated on children who had any of the disabilities described in this debate. Indeed he had. In fact, one of his patients—"with a huge omphalocele [a sac containing the baby's organs] much bigger than her head"—went on to become the head nurse in his intensive care unit many years later.

Mr. Koop's reaction to the president's veto? "I believe that Mr. Clinton was misled by his medical advisers on what is fact and what is fiction" on the matter, he said. Such a procedure, he added, cannot truthfully be called medically necessary for either the mother or—he scarcely need point out—for the baby.

Considering these medical realities, one can only conclude that the women who thought they underwent partial-birth abortions for "medical" reasons were tragically misled. And those who purport to speak for women don't seem to care.

So whom are you going to believe? The activist-extremists who refuse to allow a little truth to get in the way of their agenda? The politicians who benefit from the activists' political action committees? Or doctors who have the facts?

Dr. Romer is clinical professor of obstetrics and gynecology at Wright State University and chairman of obstetrics and gynecology at Miami Valley Hospital in Ohio. Dr. Smith is director of medical education in the department of obstetrics and gynecology at Chicago's Mt. Sinai Medical Center. Dr. Cook is a specialist in maternal fetal medicine at Butterworth Hospital, Michigan State College of Human Medicine. Dr. DeCook is a fellow of the American College of Obstetricians and Gynecologists. The authors are founding members of the Physicians' Ad Hoc Coalition for Truth, which now has more than 300 members.

The New York Times, Thursday, September 26, 1996, A27

Why Defend Partial-Birth Abortion?

By C. Everett Koop

THANOVER, N.H. The debate in Congress about the procedure known as partial-birth abortion reveals deep national uneasiness about abortion 23 years after the Supreme Court legalized it. As usual, each side in the debate shades the statistics and distorts the facts. But in this case, it is the abortion-rights advocates who seem inflexible and rigid.

The Senate is expected to vote today on whether to join the House in overriding President Clinton's veto of a bill last April banning partial-birth abortion. In this procedure, a doctor pulls out the baby's feet first, until the baby's head is lodged in the birth canal. Then, the doctor forces scissors through the base of the baby's skull, suctions out the brain, and crushes the skull to make extraction easier. Even some pro-choice advocates wince at this, as when Senator Daniel Patrick Moynihan termed it "close to infanticide."

The anti-abortion forces often imply that this procedure is usually

Pro-choicers twist the medical facts.

performed late in the third trimester on fully developed babies. Actually, most partial-birth abortions are performed late in the second trimester, around 26 weeks. Some of these would be viable babies.

But the misinformation campaign conducted by the advocates of partial-

birth abortion is much more misleading. At first, abortion-rights activists claimed this procedure hardly ever took place. When pressed for figures, several pro-abortion groups came up with 500 a year, but later investigations revealed that in New Jersey alone 1,500 partial-birth abortions are performed each year. Obviously, the national annual figure is much higher.

The primary reason given for this procedure — that it is often medically necessary to save the mother's life — is a false claim, though many people, including President Clinton, were misled into believing this. With all that modern medicine has to offer, partial-birth abortions are not needed to save the life of the mother, and the procedure's impact on a woman's cervix can put future pregnancies at risk. Recent reports have concluded that a majority of partial-birth abortions are elective, involving a healthy woman and normal fetus.

I'll admit to a personal bias: In my 30 years as a pediatric surgeon, I operated on newborns as tiny as some of these aborted babies, and we corrected congenital defects so they could live long and productive lives.

In their strident effort to protect partial-birth abortion, the pro-choice people remind me of the gun lobby. The gun lobby is so afraid of any effort to limit any guns that it opposes even a ban on assault weapons, though most gun owners think such a ban is justified.

In the same way, the pro-abortion people are so afraid of any limit on abortion that they have twisted the truth to protect partial-birth abortion, even though many pro-choice Americans find it reasonable to ban the procedure. Neither AK-47's nor partial-birth abortions have a place in civil society.

Both sides in the controversy need to straighten out their stance. The pro-life forces have done little to help prevent unwanted pregnancies, even though that is why most abortions are performed. They have also done little to provide for pregnant women in need.

On the other side, the pro-choice forces talk about medical necessity and under-represent abortion's prevalence: each year about 1.5 million babies have been aborted, very few of them for "medical necessity." The current and necessarily graphic debate about partial-birth abortion should remind all of us that what some call a choice, others call a child.

C. Everett Koop was Surgeon General from 1981 to 1989.

Some Second Thoughts on Partial-Birth Abortions

From "A New Look At Late-term Abortion," by syndicated columnist Richard Cohen, September 24, 1996: [In a June, 1995 column] I also was led to believe that these late-term abortions were extremely rare and performed only when the life of the mother was in danger or the fetus irreparably deformed. I was wrong... my Washington Post colleague David Brown looked behind the purported figures and purported rationale for these abortions and found something other than medical crises of one sort or another. After interviewing doctors who performed late-term abortions and surveying the literature, Brown-- a physician himself-- wrote: "These doctors say that while a significant number of their patients have late abortions for medical reasons, many others-- perhaps the majority-- do not" In the latter stages of pregnancy, the word abortion does not quite suffice; we are talking about the killing of the fetus-- and, too often, not for any urgent medical reason....Late-term abortions once seemed to be the choice of women who, really, had no other choice. The facts now are different. If that's the case, then so should be the law.

From a column by Newsweek Senior Editor Jonathan Alter, "The Fight Over Partial-Birth Abortion Illustrates the Practical Limits of Unflinching Principle," October 7, 1996: When the partial-birth-abortion debate took shape last year, pro-choice groups insisted the procedure was extremely rare. The number 500 to 600 was tossed around, with the president and others explaining that it was reserved for heart-wrenching cases involving women whose tests show severely deformed fetuses or whose health was at risk. Not so. When deemed medically appropriate, it is used much more commonly-- perhaps several thousand times a year... The Washington Post surveyed physicians and found that most of those patients receiving partial-birth abortions were young, poor, single women without health problems. They simply wanted abortions, and in the second trimester it is sometimes the recommended procedure, though pro-life former surgeon general C. Everett Koop says this type of abortion is never truly medically necessary. If progressives listen raptly to Koop on tobacco, they at least owe him a hearing on obstetrics.

From "Sustaining Partial-Birth Abortion," an editorial in the Wall Street Journal for September 26, 1996: Partial-birth abortion is about pregnancies from the fifth month onward, and as such puts us into a different realm of political, medical and cultural concerns.... When the partial-birth abortion matter first arose in the House, choice advocates such as Planned Parenthood asserted that the procedure-- making an incision or punctured hole in the skull and withdrawing the contents so that the collapsed head can be pulled through the cervix-- was "extremely rare and done only when the woman's life is in danger or in cases of extreme fetal abnormality." That turns out to be untrue. No official records are kept on later-term abortions. But to their credit some newspapers have produced stories on a little-discussed area of the abortion business without the heavy reporter bias that normally attends this subject. Last week Ruth Padawer of the Record newspaper of Bergen County, N.J., reported that a clinic in Englewood said it used the method in about half the 3,000 abortions it did between weeks 20 and 24.... We entirely doubt that most Americans would support abortions past 20 weeks for no better purpose than birth control. Releasing a baby for adoption is always an honored alternative, especially given the disgusting nature of such abortion procedures.



**National
RIGHT TO LIFE
committee, inc.**

Suite 500, 419 7th Street, N.W.
Washington, D.C. 20004-2293 — (202) 626-8800 (FAX) 737-9189 or 347-5907

(202) 626-8820

Partial-Birth Abortions: A Closer Look

By Douglas Johnson
NRLC Federal Legislative Director

September 11, 1996

The final version of the Partial-Birth Abortion Ban Act (HR 1833) was approved by the U.S. Senate by a vote of 54-44 on December 7, 1995, and by the U.S. House of Representatives on March 27, 1996, by a vote of 286-129. On April 10, 1996, President Clinton vetoed the bill. The House is expected to vote on whether to override the veto on or about September 19, 1996. If two-thirds of the House votes to override, the Senate also will vote on whether to override.

Opponents of the bill, including President Clinton and his subordinates, have propagated a number of myths regarding the partial-birth abortion procedure and the bill. These myths include the assertions that partial-birth abortions are very rare and are performed only in extreme circumstances involving serious fetal deformities or threat to the life of the mother; that the bill would jeopardize the lives or health of some women; and that anesthesia given to the mother kills the fetus/baby or renders her pain-free before the procedure is performed. Some of this misinformation -- especially the claim that the procedure is used mostly in cases of severe "fetal deformity" -- has been uncritically adopted as factual by some journalists, columnists, and editorialists.

Yet, these claims are contradicted by the past writings and recorded statements of doctors who have performed thousands of partial-birth abortions, and by other available documentation, including authoritative medical information gathered by the House Judiciary Committee and the Senate Judiciary Committee. This factsheet relies heavily upon such primary sources. For copies of documents cited here, contact the NRLC Federal Legislative Office at (202) 626-8820, fax (202) 347-3668.

Table of Contents

Page 3: What is a partial-birth abortion, and what is the Partial-Birth Abortion Ban Act (HR 1833)?

(continued)

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 2

Page 4: Aren't "third trimester" abortions rare? At what stage in pregnancy do partial-birth abortions occur? Are these babies "viable"?

Page 6: Is the baby alive when she is pulled feet-first from the womb?

Page 7: Does anesthesia given to the mother kill the baby?

Page 8: Since the baby is still alive when "extracted" from the womb, does she feel pain?

Page 9: Does the bill contain an exception for life-of-the-mother cases?

Page 10: What reasons has President Clinton given for vetoing HR 1833?

Page 11: How often are partial-birth abortions performed?

Page 12: For what reasons are late-term abortions usually performed?

Page 13: For what reasons are *partial-birth* abortions usually performed?

13: Reasons for partial-birth abortions: Dr. Martin Haskell

14: Reasons for partial-birth abortions: Dr. James McMahan

16: Reasons for partial-birth abortions: Dr. David Grundmann

Page 17: Is a partial-birth abortion ever the only way to preserve a mother's physical health?

Page 19: What about President Clinton's statement that for some women, the only alternative to partial-birth abortion is to "rip your body to shreds"?

Page 20: What about the small minority of cases that *do* involve "serious fetal deformity"?

Page 22: Is there a more "objective" term for the procedure than "partial-birth abortion"?

Page 23: Are the five line drawings circulated by NRLC accurate, or misleading?

Page 24: Does the bill contradict U.S. Supreme Court decisions?

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 3

● **What is a partial-birth abortion, and what is the Partial-Birth Abortion Ban Act (HR 1833)?**

The Partial-Birth Abortion Ban Act (HR 1833) would prohibit performance of a **partial-birth abortion**, except in cases (if there are any) in which the procedure is necessary to save the life of a mother. The complete text of the bill is attached to this factsheet.

The bill defines a "partial-birth abortion" as "an abortion in which the person performing the abortion partially vaginally delivers a *living* fetus before killing the fetus and completing the delivery." [emphasis added] Abortionists who violate the law would be subject to both criminal and civil penalties, but no penalty could be applied to the woman who obtained such an abortion.

This procedure is generally used *beginning at* 20 weeks (4½ months) into pregnancy, and "routinely" to at least 24 weeks (5½ months). It has often been used much later-- even into the ninth month. The *Los Angeles Times* accurately and succinctly described this abortion method in a June 16, 1995 news story:

The procedure requires a physician to extract a fetus, feet first, from the womb and through the birth canal until all but its head is exposed. Then the tips of surgical scissors are thrust into the base of the fetus' skull, and a suction catheter is inserted through the opening and the brain is removed.

In 1992, Dr. Martin Haskell of Dayton, Ohio, wrote a paper that described in detail, step-by-step, how to perform the procedure. ["Dilation and Extraction for Late Second Trimester Abortion."] Dr. Haskell is a family practitioner who has performed over 1,000 such procedures in his walk-in abortion clinics. **Anyone who is seriously seeking the truth behind the conflicting claims regarding partial-birth abortions would do well to start by reading Dr. Haskell's paper, and the transcripts of the explanatory interviews that Dr. Haskell gave in 1993 to two medical publications, *American Medical News* (the official AMA newspaper) and *Cincinnati Medicine*.** [All are available from NRLC.]

Here is how Dr. Haskell explained a key part of the abortion method:

With a lower [fetal] extremity in the vagina, the surgeon uses his fingers to deliver the opposite lower extremity, then the torso, the shoulders and the upper extremities. The skull lodges at the internal cervical os [the opening to the uterus]. Usually there is not enough dilation for it to pass through. The fetus is oriented dorsum or spine up. At this point, the right-handed surgeon slides the fingers of the left hand along the back of the fetus and "hooks" the shoulders of the fetus with the index and ring fingers (palm down).... [T]he surgeon takes a pair of blunt curved Metzenbaum

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 4

scissors in the right hand. He carefully advances the tip, curved down, along the spine and under his middle finger until he feels it contact the base of the skull under the tip of his middle finger... [T]he surgeon then forces the scissors into the base of the skull or into the foramen magnum. Having safely entered the skull, he spreads the scissors to enlarge the opening. The surgeon removes the scissors and introduces a suction catheter into this hole and evacuates the skull contents." ["Dilation and Extraction for Late Second Trimester Abortion," pages 30-31.]

Dr. Haskell also wrote that he "routinely performs this procedure on all patients 20 through 24 weeks LMP [i.e., from 4½ to 5½ months after the last menstrual period] with certain exceptions," these "exceptions" involving complicating factors such as being more than 20 pounds overweight. Dr. Haskell also wrote that he used the procedure through 26 weeks [six months] "on selected patients." [p.28] He added, "Among its advantages are that it is a quick, surgical outpatient method that can be performed on a scheduled basis under local anesthesia." (p. 33).

In sworn testimony in an Ohio lawsuit on Nov. 8, 1995, Dr. Haskell explained that he first learned of the method when a colleague

described very briefly over the phone to me a technique that I later learned came from Dr. [James] McMahon where they internally grab the fetus and rotate it and accomplish-- be *somewhat equivalent to a breech type of delivery*. [emphasis added]

Dr. James McMahon, who died in 1995, used essentially the same procedure *thousands* of times, and to a much later point in pregnancy-- even into the ninth month. Other abortionists also employ the procedure, as discussed below.

● Aren't "third trimester" abortions rare? At what stage in pregnancy do partial-birth abortions occur? Are these babies "viable"?

It appears that the substantial majority of partial-birth abortions are performed late in the *second* trimester -- that is, before the 27-week mark -- but usually after 20 weeks (4½ months). There is compelling evidence that the overwhelming majority of these pre-week-27 partial-birth abortions are performed for purely "social" reasons.

In an attempt to "filter out" this documentation, many opponents of the bill attempt to narrow the debate to only *third-trimester* partial-birth abortions procedures -- that is, to abortions performed beginning in the 27th week [seventh month] of pregnancy. Some journalists and commentators have readily adopted this "filter." However, there is really

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 5

no non-ideological justification for adopting this "third trimester" demarcation. It has no basis in the text of the Partial-Birth Abortion Ban Act (HR 1833), which bans partial-birth abortion at *any point* in pregnancy. Nor, contrary to some popular misconceptions, is there any basis in current Supreme Court constitutional doctrine or in neo-natal medical practice for adopting a "third trimester" demarcation.

Under the Supreme Court's doctrine, "viability" is regarded as the constitutionally significant demarcation. In *Planned Parenthood v. Casey* (1992), the Supreme Court explicitly disavowed the "trimester framework" of *Roe v. Wade* (1973), and reaffirmed that "viability" is (in the Court's view) the constitutionally significant demarcation. "Viability" is the point at which a baby born prematurely can be sustained by good medical assistance. **Currently, many babies are "viable" a full three weeks before the "third trimester." Therefore, most partial-birth abortions kill babies who are already "viable," or who are at most a few days or weeks short of viability.¹**

(Even at 20 weeks, the baby is seven inches long on average. And, as discussed below, at a March 21 congressional hearing leading medical authorities testified that the baby by this point is very sensitive to painful stimuli.)

At least one partial-birth abortion specialist, the late Dr. James McMahan, regularly performed the procedure *even after* 26 weeks-- even into the ninth month. In 1995, Dr. McMahan submitted to the House Judiciary Constitution Subcommittee a graph and explanation that explicitly showed that he aborted *healthy* ("not flawed") babies *even in the third trimester (after 26 weeks of pregnancy)*. Dr. McMahan's own graph showed, for example, that at 29 or 30 weeks, *one-fourth* of the aborted babies had no "flaw" however slight. Underneath the graph, Dr. McMahan offered this explanation:

After 26 weeks, those pregnancies that are not flawed are still non-elective. They are interrupted because of maternal risk, rape, incest, psychiatric or pediatric indications. [chart and caption reproduced in June 15 hearing record, page 109]

In an interview with Constitution Subcommittee Counsel Keri Harrison, Dr. McMahan

¹According to the landmark survey of neonatal units in the National Institute of Child Health and Human Development Neonatal Research Network, conducted in 1987 and 1988 by Dr. Maureen Heck, et al, babies born at 23 weeks had on average a 23% chance of survival, rising to 34% at 24 weeks, and 54% at 25 weeks. See "Very Low Birth Weight Outcomes of the National Institute of Child Health and Human Development Neonatal Network," *Pediatrics*, May 1991.

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 6

explained that "pediatric indication" referred to underage mothers, not to any medical condition of the mother or the baby.

● **Is the baby alive when she is pulled feet-first from the womb?**

American Medical News reported in 1993, after conducting interviews with Drs. Haskell and McMahon, that the doctors "told *AM News* that the majority of fetuses aborted this way are alive until the end of the procedure." On July 11, 1995, *American Medical News* submitted the transcript of the tape-recorded interview with Dr. Haskell to the House Judiciary Committee. The transcript contains the following exchange:

American Medical News: Let's talk first about whether or not the fetus is dead beforehand.

Dr. Haskell: No it's not. No, it's really not. A percentage are for various numbers of reasons. Some just because of the stress-- intrauterine stress during, you know, the two days that the cervix is being dilated [to permit extraction of the fetus]. Sometimes the membranes rupture and it takes a very small superficial infection to kill a fetus in utero when the membranes are broken. **And so in my case, I would think probably about a third of those are definitely are [sic] dead before I actually start to remove the fetus. And probably the other two-thirds are not.**

In an interview quoted in the Dec. 10, 1989 *Dayton News*, Dr. Haskell conveyed that the scissors thrust is usually the lethal act: "When I do the instrumentation on the skull... it destroys the brain tissue sufficiently so that even if it (the fetus) falls out at that point, it's definitely not alive," Dr. Haskell said. [For further evidence on this issue, see the next section.]

Brenda Pratt Shafer, a registered nurse from Dayton, Ohio, stood at Dr. Haskell's side while he performed three partial-birth abortions in 1993. In testimony before the Senate Judiciary Committee (Nov. 17, 1995), Shafer described in detail the first of the three procedures-- which involved, she said, a baby boy at 26½ weeks (over 6 months). According to Mrs. Shafer, the baby was alive and moving as the abortionist

delivered the baby's body and the arms-- everything but the head. The doctor kept the baby's head just inside the uterus. The baby's little fingers were claspings and unclaspings, and his feet were kicking. Then the doctor stuck the scissors through the back of his head, and the baby's arms jerked out in a flinch, a startle reaction, like a baby does when he thinks that he might fall. The doctor opened up the scissors, stuck a high-powered suction tube into the opening and sucked the baby's brains out. Now the baby was completely limp.

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 7

Under HR 1833, in any case in which a baby dies *before* being partly removed from the uterus -- whether of natural causes or by an action of an abortionist -- the subsequent removal of that baby is *not* a **partial-birth abortion** as defined by the bill.

• Does anesthesia given to the mother kill the baby?

Many prominent defenders of partial-birth abortion have publicly insisted that the unborn babies are killed by anesthesia given to the mother, *prior to* being "extracted" from the womb. For example, syndicated columnist Ellen Goodman wrote in November, 1995, that if you listened to supporters of the ban, "You wouldn't even know that anesthesia ends the life of such a fetus before it comes down the birth canal." NARAL President Kate Michelman said, "The fetus, is, before the procedure begins, the anesthesia that they give the woman already causes the demise of the fetus. That is, it is not true that they're born partially. That is a gross distortion, and it's really a disservice to the public to say this." [KMOX-AM, St. Louis, Nov. 2, 1995]

Likewise, Planned Parenthood distributed to Congress a "fact sheet" signed by Dr. Mary Campbell, Medical Director of Planned Parenthood of Metropolitan Washington, which stated, "The fetus dies of an overdose of anesthesia given to the mother intravenously....This induces brain death in a fetus in a matter of minutes. Fetal demise therefore occurs at the beginning of the procedure while the fetus is still in the womb."

However, when this statement was read to Dr. Norig Ellison, the president of the 34,000-member American Society of Anesthesiologists (ASA), he testified, "There is absolutely no basis in scientific fact for that statement....I think the suggestion that the anesthesia given to the mother, be it regional or general, is going to cause brain death of the fetus is without basis of fact." [Senate Judiciary Committee hearing record J-104-54, Nov. 17, 1995, p. 153]

Subsequently, in attempting to defend their "fetal demise" claims, pro-abortion advocacy groups disseminated new claims that the late Dr. James McMahon had utilized exceptionally massive doses of narcotic anesthesia before performing his abortions, and that these massive doses would indeed kill a fetus. But in testimony before the House Judiciary Constitution Subcommittee on March 21, 1996, Dr. David J. Birnbach, president-elect of the Society for Obstetric Anesthesia and Perinatology, testified:

In order to cause fetal demise, it would be necessary to give the mother dangerous and life-threatening doses of anesthesia." [...] Although there is no evidence that this massive dose will cause fetal demise, there is clear evidence that this excessive dose could cause maternal death. [House Judiciary Committee hearing record no. 73, pages 140, 142]

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 8

- **Since the baby is still alive when "extracted" from the womb, does she feel pain?**

Dr. Norig Ellison, president of the American Society of Anesthesiologists (ASA), wrote to the Senate Judiciary Committee:

Drugs administered to the mother, either local anesthesia administered in the paracervical area or sedatives/analgesics administered intramuscularly or intravenously, will provide little-to-no analgesia [pain relief] to the fetus. [Senate Judiciary Committee, Nov. 17, 1995 hearing record, page 226]

On March 21, 1996, the House Judiciary Subcommittee on the Constitution conducted a public hearing on "The Effects of Anesthesia During a Partial-Birth Abortion." Four leading experts in the field testified that the fetuses/babies who are old enough to be "candidates" for partial-birth abortion possess the neurological equipment to respond to painful stimuli, whether or not the mother has been anesthetized. Opponents of the bill were unable to produce a single medical witness willing to testify in support of the claims that anesthesia kills the fetus or renders the fetus insensible to pain. [See House Judiciary Committee Hearing Record No. 73, March 21, 1996.]

Dr. Jean A. Wright, associate professor of pediatrics and anesthesia at the Emory University School of Medicine in Atlanta, testified that recent research shows that by the stage of development that a fetus could be a "candidate" for a partial-birth abortion (20 weeks), the fetus "is more sensitive to pain than a full-term infant would be if subjected to the same procedures," Prof. Wright testified. These fetuses have "the anatomical and functional processes responsible for the perception of pain," and have "a much higher density of Opioid (pain) receptors" than older humans, she said.

Dr. David Birnbach, president-elect of the Society for Obstetric Anesthesia and Perinatology, testified, "Having administered anesthesia for fetal surgery, I know that on occasion we need to administer anesthesia directly to the fetus because even at these early ages the fetus moves away from the pain of the stimulation." [hearing record, page 288]

At a hearing before the same panel on June 15, 1995, Professor Robert White, Director of the Division of Neurosurgery and Brain Research Laboratory at Case Western Reserve School of Medicine, testified, "The fetus within this time frame of gestation, 20 weeks and beyond, is fully capable of experiencing pain." After analyzing the partial-birth procedure step-by-step for the subcommittee, Prof. White concluded: "Without question, all of this is a dreadfully painful experience for any infant subjected to such a surgical procedure." [House Judiciary Committee hearing No. 31, June 15, 1995, page 70.]

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 9

Prof. Jean Wright concluded, "This procedure, if it were done on an animal in my institution, would not make it through the institutional review process. The animal would be more protected than this child is." [hearing record, page 286]

• Does the bill contain an exception for life-of-the-mother cases?

HR 1833 explicitly provides that the ban "shall not apply to a partial-birth abortion that is necessary to save the life of a mother whose life is endangered by a physical disorder, illness, or injury," if "no other medical procedure would suffice for that purpose."

[Some pro-abortion advocacy groups have insisted that exception does not apply to disorders associated with pregnancy, since "pregnancy" per se is not a disorder or disease. House Judiciary Committee Chairman Henry J. Hyde (R-Il.) commented that this reading "is absurdly convoluted, and violates standard principles of statutory construction." In a June 7 letter, even President Clinton has acknowledged that the bill "provides an exception to the ban on this procedure only when a doctor is convinced that a woman's life is at risk."]

Under HR 1833, an abortionist could not be convicted of a violation of the law *unless the government proved, beyond a reasonable doubt, that the abortion was not covered by this exception.* (In addition, of course, the government would have to prove, beyond a reasonable doubt, all of the other elements of the offense-- that the abortionist "knowingly" partly removed a baby from the womb, that the baby was still alive, and that the abortionist then killed the baby.)

It is noteworthy that none of the five women who appeared with President Clinton at his April 10 veto ceremony required a partial-birth abortion because of danger to her life. As one of the women, Claudia Crown Ades, said in a tape-recorded April 12 radio interview on WNTM (Mobile, AL):

"My procedure was elective. That is considered an elective procedure, as were the procedures of Coreen Costello and Tammy Watts and Mary-Dorothy Line and all the other women who were at the White House yesterday. All of our procedures were considered elective." [Complete tape recording available on request.]

[Two of the women said that *if* their babies had died natural deaths within their wombs, it could have placed them at risk. But the removal of a baby who dies a natural death, whether by foot-first extraction or in any other manner, is not an abortion and has nothing to do with the bill. Professor Watson Bowes, Jr., of the University of North Carolina, co-editor of the *Obstetrical and Gynecological Survey*, has stated that weeks would pass between the baby's natural demise and the development of any resulting risk to the mother.]

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 10

● What reasons has President Clinton given for vetoing HR 1833?

On December 7, 1995, before the Senate had even voted on final passage of the bill, chief opponent Sen. Barbara Boxer (D-Ca.) took the floor to make an unqualified statement that President Clinton would veto the bill. On December 8, White House Press Secretary Michael McCurry said unequivocally that the President would veto the bill because "it would represent an erosion of a woman's right to choose."

However, when President Clinton next publicly addressed the issue in a February 28 letter to key members of Congress (after a national poll found 71% support for the ban), he took a different tone, although the legal bottom line was unchanged. Mr. Clinton wrote of having "studied and prayed about this issue... for many months," of finding the procedure "very disturbing," and of seeking "common ground... that respects the views of those--including myself-- who object to this particular procedure," while defending *Roe v. Wade*. But the "common ground" that Mr. Clinton proposed tracked the language offered by Sen. Boxer on December 7, and endorsed by the National Abortion and Reproductive Rights Action League (NARAL) as a "pro-choice vote." The Boxer/NARAL amendment would have allowed partial-birth abortion to be performed without any limitation whatever until "viability," and also "after viability where, in the medical judgment of the attending physician, the abortion is necessary to preserve the life of the woman or avert serious adverse health consequences to the woman." (The Senate rejected this gutting amendment.)

The Boxer/Clinton language must be read in the light of *Doe v. Bolton*, the 1973 companion case to *Roe v. Wade*, in which the Supreme Court said that "health" must encompass "all factors-- physical, emotional, psychological, familial and the woman's age-- relevant to the well-being of the patient." Given this expansive definition of "health," adding the word "serious" has no legal effect, since Mr. Clinton proposes to leave entirely up to each abortionist to decide whether "depression" or some other "health" concern is "serious."

In a June 7 letter to leaders of the Southern Baptist Convention, Mr. Clinton said that he favored banning the procedure with an exception for "cases where a woman risks death or serious damage to her health." but not for cases involving "youth" or "emotional stress." But in his formal veto message on the bill, Mr. Clinton referred to a "health" exception as required by *Roe v. Wade*. Mr. Clinton, a former teacher of constitutional law, knows full well that these two positions are inconsistent, because if *Roe/Doe* applies to partial-birth abortions, then even after "viability," the exception must indeed cover "emotional" health.

In his June 7 letter, President Clinton asserted that "the medical community... broadly supports the continued availability of this procedure where a woman's serious health interests are at stake." However, the American Medical Association (AMA) Legislative Council voted *unanimously* to recommend endorsement of the bill, with one member

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 11

explaining that the procedure was "not a recognized medical technique." (The full AMA Board of Trustees was divided on the bill and ultimately took "no position.") Of the five medical doctors who serve in Congress, four voted for the bill, including the only family practitioner/gynecologist.

• How often are partial-birth abortions performed?

There are at least 164,000 abortions a year after the first three months of pregnancy, and 13,000 abortions annually after 4½ months, according to the Alan Guttmacher Institute (*New York Times*, July 5 and November 6, 1995), which is an arm of Planned Parenthood. These numbers should be regarded as *minimums*, since they are based on *voluntary reporting* to the AGI. (The Centers for Disease Control reported that in 1993, over 17,000 abortions were performed at 21 weeks and later-- and the CDC acknowledges that the reports that it receives are incomplete.)

No one really knows how many late abortions are done by the partial-birth procedure. The Center for Reproductive Law and Policy told *The New York Times*, "The number of procedures that clearly meet the definition of partial birth abortion is very small, probably only 500 to 1,000 a year." (March 28, 1996) Even if such figures were accurate, the legislation would be urgently needed. If a new virus swept through neo-natal units and killed 500 or 1,000 premature babies, it would be a top news story -- not dismissed as too "rare" to be of consequence. For each human being at the pointed end of the scissors, a partial-birth abortion is a 100% proposition.

Moreover, the numbers may be considerably higher-- perhaps thousands per year. Dr. Martin Haskell and the late Dr. James McMahon spent years trying to convince other abortionists of the merits of the procedure -- that was the purpose of Dr. Haskell's 1992 instructional paper (see page 3), which was distributed by the National Abortion Federation, a lobbying group for abortion clinics. For years, Dr. McMahon was director of abortion instruction at the Cedar-Sinai Medical Center in Los Angeles. In addition, he invited other doctors to visit his abortion clinic for a period of days to learn the procedure. Also, *The New York Times* reported on Nov. 6, 1995:

"Of course I use it, and I've taught it for the last 10 years," said a gynecologist at a New York teaching hospital who spoke on condition of anonymity. "So do doctors in other cities."

It is not known how many other abortionists have adopted the method, but a few have made themselves known. On March 19, 1996, Dr. William Rashbaum of New York City wrote a letter to Congressman Charles Canady (R-Fl.), stating that he has performed 19,000 late-

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 12

term "procedures," and that he has performed the procedure that HR 1833 would ban "routinely since 1979. This procedure is only performed in cases of later gestational age."

In 1995, Dr. Martin Haskell filed a lawsuit challenging a state abortion-regulation law. In that proceeding, two other doctors filed affidavits affirming that they perform the same procedure as Dr. Haskell -- and that's just in Ohio.

● For what reasons are late-term abortions usually performed?

There is no evidence that the reasons for which late-term abortions are performed by the partial-birth abortion method are any different, in general, than the reasons for which late-term abortions are performed by other methods -- and it is well established that the great majority of late-term abortions do not involve any illness of the mother or the baby. They are purely "elective" procedures-- that is, they are performed for purely "social" reasons.

In 1987, the Alan Guttmacher Institute (AGI), an affiliate of the Planned Parenthood Federation of America (PPFA), collected questionnaires from 1,900 women who were at abortion clinics procuring abortions. Of the 1,900, "420 had been pregnant for 16 or more weeks." These 420 women were asked to choose among a menu of reasons why they had not obtained the abortions earlier in their pregnancies. Only two percent (2%) said "a fetal problem was diagnosed late in pregnancy," compared to 71% who responded "did not recognize that she was pregnant or misjudged gestation," 48% who said "found it hard to make arrangements," and 33% who said "was afraid to tell her partner or parents." The report did not indicate that any of the 420 late abortions were performed because of maternal health problems. ["Why Do Women Have Abortions?," *Family Planning Perspectives*, July/August 1988.]

Also illuminating is an 1993 internal memo by Barbara Radford, then the executive director of the National Abortion Federation, a "trade association" for abortion clinics:

There are many reasons why women have late abortions: life endangerment, fetal indications, *lack of money or health insurance, social-psychological crises, lack of knowledge about human reproduction, etc.* [emphasis added]

Likewise, a June 12, 1995, National Abortion Federation letter to members of the House of Representatives noted that late abortions are sought by, among others, "very young teenagers...who have not recognized the signs of their pregnancies until too late," and by "women in poverty, who have tried desperately to act responsibly and to end an unplanned pregnancy in the early stages, only to face insurmountable financial barriers."

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 13

In her article about late-term abortions, based in part on extensive interviews with Dr. McMahon and on direct observation of his practice (*Los Angeles Times Magazine*, January 7, 1990), reporter Karen Tumulty concluded:

If there is any other single factor that inflates the number of late abortions, it is youth. Often, teen-agers do not recognize the first signs of pregnancy. Just as frequently, they put off telling anyone as long as they can.

According to Peggy Jarman, spokeswoman for Dr. George Tiller, who specializes in late-term abortions in Wichita, Kansas:

About three-fourths of Tiller's late-term patients, Jarman said, are teen-agers who have denied to themselves or their families they were pregnant until it was too late to hide it. [*Kansas City Star*]

• For what reasons are *partial-birth* abortions usually performed?

Some opponents of HR 1833, such as NARAL and the Planned Parenthood Federation of America (PPFA), have persistently disseminated claims that the partial-birth abortion procedure is employed only in cases involving extraordinary threats to the mother or grave fetal disorders. For example, NARAL President Kate Michelman wrote in a Scripps Howard News Service op ed published June 16, 1996, "Late-term abortions are only used under the most compelling of circumstances-- to protect a woman's health or life or because of grave fetal abnormality....nearly all abortions are performed in the first trimester." PPFA said in a press release that the partial-birth abortion procedure is "done only in cases when the woman's life is in danger or in cases of extreme fetal abnormality." (Nov. 1, 1995)

However, claims such as these are inconsistent with the writings and recorded statements of the three doctors who are most closely identified with the procedure: Dr. Martin Haskell, Dr. James McMahon, and Dr. David Grundmann.

Reasons for Partial-Birth Abortions: Dr. Martin Haskell

In his 1992 paper, Dr. Martin Haskell, who has performed over 1,000 partial-birth abortions, described the procedure as "a quick, surgical outpatient method that can be performed on a scheduled basis under local anesthesia." Dr. Haskell, a family practitioner who operates three abortion clinics, wrote that he "routinely performs this procedure on **all** patients 20 through 24 weeks" (4½ to 5½ months) pregnant [emphasis added], except on women who are more than 20 pounds overweight, have twins, or have certain other complicating factors.

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 14

For information on why Dr. Haskell adopted the method, the 1993 interview in *Cincinnati Medicine* is very instructive. Dr. Haskell explained that he had been performing dismemberment abortions (D&Es) to 24 weeks:

But they were very tough. Sometimes it was a 45-minute operation. I noticed that some of the later D&Es were very, very easy. So I asked myself why can't they all happen this way. You see the easy ones would have a foot length presentation, you'd reach up and grab the foot of the fetus, pull the fetus down and the head would hang up and then you would collapse the head and take it out. It was easy. . . . Then I said, "Well gee, if I just put the ultrasound up there I could see it all and I wouldn't have to feel around for it." I did that and sure enough, I found it 99 percent of the time. Kind of serendipity.

In 1993, the *American Medical News*-- the official newspaper of the AMA-- conducted a *tape-recorded* interview with Dr. Haskell concerning this *specific* abortion method, in which he said:

And I'll be quite frank: most of my abortions are elective in that 20-24 week range. . . . In my particular case, probably 20% [of this procedure] are for genetic reasons. And the other 80% are purely elective.

In a lawsuit in 1995, Dr. Haskell testified that women come to him for partial-birth abortions with "a variety of conditions. Some medical, some not so medical." Among the "medical" examples he cited was "agoraphobia" (fear of open places). Moreover, in testimony presented to the Senate Judiciary Committee on November 17, 1995, ob/gyn Dr. Nancy Romer of Dayton (the city in which Dr. Haskell operates one of his abortion clinics) testified that three of her own patients had gone to Haskell's clinic for abortions "well beyond" 4½ months into pregnancy, and that "none of these women had any medical illness, and all three had normal fetuses."

Brenda Pratt Shafer, a registered nurse who observed Dr. Haskell use the procedure to abort three babies in 1993, testified that one little boy had Down Syndrome, while the other two babies were completely normal and their mothers were healthy. [Nurse Shafer's testimony before the House Judiciary subcommittee, with associated documentation, is available on request to NRLC.]

Reasons for Partial-Birth Abortions: Dr. James McMahon

The late Dr. James McMahon performed thousands of partial-birth abortions, including the third-trimester abortions performed on the five women who appeared with President Clinton

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 15

at his April 10 veto ceremony. Dr. McMahon's general approach is illustrated by this illuminating statement in the July 5, 1993 edition of *American Medical News*:

"[A]fter 20 weeks where it frankly is a child to me, I really agonize over it because the potential is so imminently there. I think, 'Gee, it's too bad that this child couldn't be adopted.' On the other hand, I have another position, which I think is superior in the hierarchy of questions, and that is: 'Who owns the child?' It's got to be the mother."

In June, 1995, Dr. McMahon submitted to Congress a detailed breakdown of a "series" of over 2,000 of these abortions that he had performed. He classified only 9% (175 cases) as involving "maternal [health] indications," of which the most common was "depression."

Dr. Pamela E. Smith, director of Medical Education, Department of Obstetrics and Gynecology, Mt. Sinai Hospital, Chicago, gave the Senate Judiciary Committee her analysis of Dr. McMahon's 175 "maternal indication" cases. Of this sample, 39 cases (22%) were for maternal "depression," while another 16% were "for conditions consistent with the birth of a normal child (e.g., sickle cell trait, prolapsed uterus, small pelvis)," Dr. Smith noted. She added that in one-third of the cases, the conditions listed as "maternal indications" by Dr. McMahon really indicated that the procedure itself would be seriously risky to the mother.

Of Dr. McMahon's series, another 1,183 cases (about 56%) were for "fetal flaws," but these included a great many non-lethal disorders, such as cleft palate and Down Syndrome. In an op ed piece written for the *Los Angeles Times*, Dr. Katherine Dowling, a family physician at the University of Southern California School of Medicine, examined Dr. McMahon's report on this "fetal flaws" group. She wrote:

Twenty-four were done for cystic hydroma (a benign lymphatic mass, usually treatable in a child of normal intelligence). Nine were done for cleft lip-palate syndrome (a friend of mine, mother of five, and a colleague who is a pulmonary specialist were born with this problem). Other reasons included cystic fibrosis (my daughter went through high school with a classmate with cystic fibrosis) and duodenal atresia (surgically correctable, but many children with this problem are moderately mentally retarded). Guess they can't enjoy life, can they? In fact, most of the partial-birth abortions in that [McMahon] survey were done for problems that were either surgically correctable or would result in some degree of neurologic or mental impairment, but would not harm the mother. Or they were done for reasons that were pretty skimpy: depression, chicken pox, diabetes, vomiting. ["What Constitutes A Quality Life?," *Los Angeles Times*, Aug. 28, 1996]

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 16

Over one-third of McMahon's 2,000-abortion "series" involved neither fetal nor maternal health problems, however trivial.

In Dr. McMahon's interviews with *American Medical News* and with Keri Harrison, counsel to the House Judiciary Subcommittee on the Constitution, Dr. McMahon freely acknowledged that he performed **late second trimester** procedures that were "elective" even by *his* definition ("elective" meaning without fetal or maternal medical justification).

After 26 weeks, Dr. McMahon claimed that all of his abortions were "non-elective" -- but his definition of "non-elective" was very expansive. His written submission stated:

"After 26 weeks [six months], those pregnancies that are not flawed are still non-elective. They are interrupted because of maternal risk, rape, incest, psychiatric or pediatric indications." [emphasis added] ["Pediatric indications" was Dr. McMahon's terminology for young teenagers.]

Reasons for Partial-Birth Abortions: Dr. David Grundmann

Dr. David Grundmann, the medical director for Planned Parenthood of Australia, has written a paper in which he explicitly states that he uses the partial-birth abortion procedure (he calls it "dilatation and extraction") as his "method of choice" for abortions done after 20 weeks (4½ months), and that he performs such abortions for a broad variety of social reasons. [This paper, "Abortion After Twenty Weeks in Clinical Practice: Practical, Ethical and Legal Issues," and associated documentation, is available from NRLC.]

Dr. Grundmann himself described the procedure in a television interview as "essentially a breech delivery where the fetus is delivered feet first and then when the head of the fetus is brought down into the top of the cervical canal, it is decompressed with a puncturing instrument so that it fits through the cervical opening."

In the 1994 paper, Dr. Grundmann listed several "advantages" of this method, such as that it "can be performed under local and/or twilight anesthetic" with "no need for narcotic analgesics," "can be performed as an ambulatory out-patient procedure," and there is "no chance of delivering a live fetus." Among the "disadvantages," Dr. Grundmann wrote, is "the aesthetics of the procedure are difficult for some people; and therefore it may be difficult to get staff." (Dr. Grundmann also wrote that "abortion is an integral part of family planning. Theoretically this means abortions at any stage of gestation. Therefore I favor the availability of abortion beyond 20 weeks.")

Dr. Grundmann wrote that in Australia, late-second-trimester abortion is available "in many

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 17

major hospitals, in most capital cities and large provincial centres" in cases of "lethal fetal abnormalities" or "gross fetal abnormalities," or "risk to maternal life," including "psychotic/suicidal behavior." However, Dr. Grundmann said, his Planned Parenthood clinic *also* offers the procedure after 20 weeks for women who fall into five additional "categories": (1) "minor or doubtful fetal abnormalities," (2) "extreme maternal immaturity i.e. girls in the 11 to 14 year age group," (3) women "who do not know they are pregnant," for example because of amenorrhea [irregular menstruation] "in women who are very active such as athletes or those under extreme forms of stress i.e. exam stress, relationship breakup...," (4) "intellectually impaired women, who are unaware of basic biology...," (5) "major life crises or major changes in socio-economic circumstances. The most common example of this is a planned or wanted pregnancy followed by the sudden death or desertion of the partner who is in all probability the bread winner."

• Is a partial-birth abortion ever the only way to preserve a mother's physical health?

President Clinton and pro-abortion advocacy groups have made strenuous efforts to persuade the public that partial-birth abortions are necessary to protect the lives or health of pregnant women, and many journalists have uncritically accepted this claim at face value. However, these claims are coming under increasingly sharp challenge from prestigious medical experts, and from women who have given birth to babies in circumstances such as those cited by President Clinton.

The sort of cases highlighted by President Clinton-- third-trimester abortions of babies with disorders incompatible with sustained life outside the womb-- account for a small fraction of all the partial-birth abortions. Confronted with identical cases, most specialists would never consider executing a breech extraction and puncturing the skull. Instead, most would deliver the baby alive, sometimes early, without jeopardy to the mother-- usually vaginally-- and make the baby as comfortable as possible for whatever time the child has allotted to her.

In an interview published in the August 19 edition of *American Medical News*, former Surgeon General C. Everett Koop said, "I believe that Mr. Clinton was misled by his medical advisors on what is fact and what is fiction in reference to late-term abortions. Because in no way can I twist my mind to see that the late-term abortions as described-- you know, partial birth, and then destruction of the unborn child before the head is born-- is a medical necessity for the mother. It certainly can't be a necessity for the baby."

Dr. Koop, a world-renown pediatric surgeon, was asked by the *American Medical News*

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 18

reporters whether he had ever "treated children with any of the disabilities cited in this debate? For example, have you operated on children born with organs outside of their bodies?" Dr. Koop replied, "Oh, yes indeed. I've done that many times. The prognosis usually is good. There are two common ways that children are born with organs outside of their body. One is an omphalocele, where the organs are out but still contained in the sac... the first child I ever did, with a huge omphalocele much bigger than her head, went on to develop well and become the head nurse in my intensive care unit many years later."

In addition, in the summer of 1996, an organization called Physicians' Ad Hoc Coalition for Truth (PHACT) began circulating material directly challenging President Clinton's claims. As of early September, PHACT reportedly consisted of over 230 physicians, mostly professors and other specialists in obstetrics, gynecology, and fetal medicine. In an advertisement published in August, the PHACT physicians said:

Congress, the public-- but most importantly women-- need to know that partial-birth abortion is never medically indicated to protect a mother's health or her future fertility.

The PHACT doctors also referred directly to the specific medical conditions that affected some of the women who appeared with President Clinton at his April 10 veto ceremony, such as hydrocephalus (excessive fluid in the head), and commented:

We, and many other doctors across the United States, regularly treat women whose unborn children suffer these and other serious conditions. Never is the partial-birth procedure medically indicated. Rather, such infants are regularly and safely delivered live, vaginally, with no threat to the mother's health or fertility.

At a July 24 briefing on Capitol Hill, PHACT member Dr. Curtis Cook, an ob/gyn perinatologist with the West Michigan Perinatal and Genetic Diagnostic Center (616-391-3681), said that partial-birth abortion

is never necessary to preserve the life or the fertility of the mother, and may in fact threaten her health or well-being or future fertility. In my practice, I see these rare, unusual cases that come to most generalists' offices once in a lifetime-- they all come into our office. We see these every day....The presence of fetal disabilities or fetal anomalies are not a reason to have a termination of pregnancy to preserve the life of the mother-- they do not threaten the life of the mother in any way....[and] where these rare instances do occur, they do not require the death of the baby or the fetus prior to the completion of the delivery.

Also present at the July 24 briefing were several women who, while pregnant, had learned

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 19

that their unborn babies were afflicted with conditions similar or identical to those cited by President Clinton, but who gave birth to their babies alive. One of the women, Jeannie French of Oak Park, Illinois, distributed a July 17 letter that she and several other women sent to President Clinton, asking for a meeting so that he could learn about the medical alternatives to partial-birth abortion. Ms. French wrote:

In recent months, I have had the opportunity to get to know many women who've carried and given birth to children with fatal conditions from anencephaly, encephaloceles, Trisomy 18, hydrocephaly, and even a rare disease called body stalk anomaly, in which internal organs develop outside a baby's body. We gave birth to our children knowing that their serious physical disabilities might not allow them to live long.... You say that partial-birth abortion has to be legal for cases *like ours*, because women's bodies would be 'ripped to shreds' by carrying their very sick children to term. By your repeated statements, you imply that partial-birth abortion is the *only or the most desirable response to children suffering severe disabilities* like our children... This message is so wrong!... Will you meet with us personally, and hear our stories?

Ms. French got a brief letter of response from two White House scheduling aides, who said that "the tremendous demands on the President will not give him the opportunity to speak with you and your group.... Your continued interest and support are deeply appreciated."

● **What about President Clinton's statement that for some women, the only alternative to partial-birth abortion is to "rip your body to shreds"?**

President Clinton has repeatedly justified his veto by referring to cases in which the baby suffers from advanced hydrocephaly (head enlargement). Speaking in Milwaukee on May 23, President Clinton suggested that Bob Dole or others who would deny a partial-birth abortion in such cases are saying "it's okay with me if they ripped your body to shreds and you could never have another baby."

But this is medical nonsense. Medical specialists commonly deal with cases of severe hydrocephaly by a procedure called cephalocentesis, in which a needle is used to withdraw the excess fluid (but *not* the brain), reducing the head size so that normal delivery of a live baby can occur. An eminent authority on such matters, Dr. Watson A. Bowes, Jr., professor of ob/gyn (maternal and fetal medicine) at the University of North Carolina, who is co-editor of the *Obstetrical and Gynecological Survey*, wrote to Congressman Charles Canady:

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 20

Critics of your bill who say that this legislation will prevent doctors from performing certain procedures which are standard of care, such as cephalocentesis (removal of fluid from the enlarged head of a fetus with the most severe form of hydrocephalus) are mistaken. In such a procedure a needle is inserted with ultrasound guidance through the mother's abdomen into the uterus and then into the enlarged ventricle of the brain (the space containing cerebrospinal fluid). Fluid is then withdrawn which results in reduction of the size in the head so that delivery can occur. This procedure is not intended to kill the fetus, and, in fact, is usually associated with the birth of a live infant.

(Note: Cases of hydrocephaly accounted for less than 4% of Dr. McMahon's partial-birth abortions, according to his submission to the House Judiciary Committee.)

• **What about the small minority of cases that *do* involve "serious fetal deformity"?**

It is true that *some* partial-birth abortions -- a small minority -- involve babies who have grave disorders that will result in death soon after birth. But these unfortunate members of the human family deserve compassion and the best comfort-care that medical science can offer-- not a scissors in the back of the head. In some such situations there are good medical reasons to deliver such a child early, after which natural death will follow quickly.

Dr. Harlan Giles, a professor of "high-risk" obstetrics and perinatology at the Medical College of Pennsylvania, performs abortions by a variety of procedures up until "viability." However, in sworn testimony in the U.S. Federal District Court for the Southern District of Ohio (Nov. 13, 1995), Prof. Giles said:

[After 23 weeks] I do not think there are any maternal conditions that I'm aware of that mandate ending the pregnancy that also require that the fetus be dead or that the fetal life be terminated. In my experience for 20 years, one can deliver these fetuses either vaginally, or by Cesarean section for that matter, depending on the choice of the parents with informed consent. . . But there's no reason these fetuses cannot be delivered intact vaginally after a miniature labor, if you will, and be at least assessed at birth and given the benefit of the doubt. [transcript, page 240]

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 21

In a partial-birth abortion, the abortionist dilates a woman's cervix for three days, until it is open enough to deliver the entire baby breech, except for the head. When *American Medical News* asked Dr. Martin Haskell why he could not simply dilate the woman a little more and remove the baby without killing him, Dr. Haskell responded:

The point here is you're attempting to do an abortion... not to see how do I manipulate the situation so that I get a live birth instead. [*American Medical News* transcript]

Under closer examination, it becomes clear that in some cases, the primary reason for performing the procedure is not concern that the baby will die in utero, but rather, that he/she will be *born alive*, either with disorders incompatible with sustained life outside the womb, or with a *non-lethal* disability. (Again, in Dr. McMahon's table of partial-birth abortions performed for "fetal indications," the largest category was for Down Syndrome.)

Viki Wilson, whose daughter Abigail died at the hands of Dr. McMahon at *38 weeks*, said:

I knew that I could go ahead and carry the baby until full term, but knowing, you know, that this was futile, you know, that she was going to die... I felt like I needed to be a little more in control in terms of her life and my life, instead of just sort of leaving it up to nature, because look where nature had gotten me up to this point. [NAF video transcript, page 4.]

Tammy Watts, whose baby was aborted by Dr. McMahon in the 7th month, said:

I had a choice. I could have carried this pregnancy to term, knowing everything that was wrong. [Testimony before Senate Judiciary Committee, Nov. 17, 1995]

Claudia Crown Ades, who appeared with President Clinton at the April 10 veto, said:

My procedure was elective. That is considered an elective procedure, as were the procedures of Coreen Costello and Tammy Watts and Mary Dorothy-Line and all the other women who were at the White House yesterday. All of our procedures were considered elective. [Quotes from taped appearance on WNTM, April 12, 1996]

In a letter opposing HR 1833, one of Dr. McMahon's colleagues at Cedar-Sinai Medical Center, Dr. Jeffrey S. Greenspoon, wrote:

As a volunteer speaker to the National Spina Bifida Association of America and the Canadian National Spina Bifida Organization, I am familiar with the burden of raising a significantly handicapped child. . . . The burden of raising one or two abnormal children is realistically unbearable. [Letter to Rep. Hyde, July 19, 1995]

● **Is there a more "objective" term for the procedure than "partial-birth abortion"?**

Some opponents of the Partial-Birth Abortion Ban Act (HR 1833) insist that anyone writing about the bill should say that it bans a procedure "known medically as intact dilation and evacuation." But when journalists comply with this demand, they do so at the expense of accuracy. The bill itself makes no reference whatever to "intact dilation and evacuation" abortions. More importantly, the term "intact dilation and evacuation" is *not* equivalent to the class of procedures banned by the bill.

The bill would make it a criminal offense (except to save a woman's life) to perform a "partial-birth abortion," which the bill *would define— as a matter of law—* as "an abortion in which the person performing the abortion partially vaginally delivers a *living* fetus before killing the fetus and completing the delivery." [emphasis added]

In contrast, the term "intact dilation and evacuation" was invented by the late Dr. James McMahan, and until recently, was idiosyncratic to him. It appeared in no standard medical textbook or database, nor anywhere in the standard textbook on abortion methods, *Abortion Practice* by Dr. Warren Hern. Because "intact dilation and evacuation"² is not a standard, clearly defined medical term, the House Judiciary Constitution Subcommittee staff (which drafted the bill under Congressman Canady's supervision) rejected it as useless for purposes of defining a criminal offense. Indeed, it is worse than useless-- a criminal statute that relied on such a term would be stricken by the federal courts as "void for vagueness."

Although there is no clear definition of the term, we know enough to say that it is inaccurate to *equate* "intact dilation and evacuation" abortions with the procedures banned by HR 1833, since in his writings Dr. McMahan clearly used the term "intact dilation and evacuation" so broadly as to cover certain procedures which would *not* be affected at all by HR 1833 (e.g., removal of babies who are killed entirely in utero, and removal of babies who have died entirely natural deaths in utero). Indeed, at least one of the specific women highlighted by opponents of HR 1833 had various types of "intact D&E" abortion procedures that were *not* covered by HR 1833's definition of "partial-birth abortion."

²The term "*intact* dilation and evacuation" should not be confused with "dilation and evacuation," which is a procedure commonly used in second-trimester abortions, involving *dismemberment* of the fetus/baby *while still in the uterus*. The bill does not apply to "dilation and evacuation" abortions at all.

PARTIAL-BIRTH ABORTIONS: A CLOSER LOOK, 23

[In his 1992 instructional paper, Dr. Haskell referred to the method as "dilation and extraction" or "D&X"-- noting that he "coined the term." When the bill was drafted, the term "dilation and extraction" did not appear in medical dictionaries or databases.]

The term chosen by Congress, **partial-birth abortion**, is in no sense misleading. In sworn testimony in an Ohio lawsuit on Nov. 8, 1995, Dr. Martin Haskell-- who has done over 1,000 partial-birth abortions, and who authored the instructional paper that touched off the controversy over the procedure-- explained that he first learned of the method when a colleague

described very briefly over the phone to me a technique that I later learned came from Dr. McMahon where they internally grab the fetus and rotate it and accomplish-- be *somewhat equivalent to a breech type of delivery*. [emphasis added]

• **Are the five line drawings of the procedure circulated by NRLC accurate, or misleading?**

The AMA newspaper *American Medical News* (July 5, 1993) interviewed Dr. Martin Haskell and reported:

Dr. Haskell said the drawings were accurate "from a technical point of view." But he took issue with the implication that the fetuses were "aware and resisting."

Professor Watson Bowes of the University of North Carolina at Chapel Hill, co-editor of the *Obstetrical and Gynecological Survey*, wrote in a letter to Congressman Canady:

Having read Dr. Haskell's paper, I can assure you that these drawings accurately represent the procedure described therein... Firsthand renditions by a professional medical illustrator, or photographs or a video recording of the procedure would no doubt be more vivid, but not necessarily more instructive for a non-medical person who is trying to understand how the procedure is performed.

On Nov. 1, 1995, Congresswoman Patricia Schroeder and her allies actually tried to prevent Congressman Canady from displaying the line drawings during the debate on HR 1833 on the floor of the House of Representatives. But the House voted by nearly a 4-to-1 margin (332 to 86) to permit the drawings to be used.

- **Does the bill contradict U.S. Supreme Court decisions?**


The Supreme Court has never said that there is a constitutional right to kill human beings who are mostly born.

In its official report on HR 1833, the House Judiciary Committee makes the very plausible argument that HR 1833 could be upheld by the Supreme Court without disturbing *Roe*. In *Roe*, the Supreme Court said that "the word 'person,' as used in the Fourteenth Amendment, does not include the unborn." Thus, under the Supreme Court's doctrine, a human being *becomes* a legal "person" upon emerging from the uterus. But a partial-birth abortion does not involve an "unborn fetus." A partial-birth abortion, by the very definition in the bill, kills a human being who is partly born. Indeed, a partial-birth abortion kills a human being who is four-fifths across the 'line-of-personhood' established by the Supreme Court.

Moreover, in *Roe v. Wade* itself, the Supreme Court took note of a Texas law that made it a felony to kill a baby "in a state of being born and before actual birth," and the Court did not disturb that law.

Thus, the Supreme Court could very well decide that the killing of a mostly born baby, even if done by a physician, is not protected by *Roe v. Wade*.

STEP 5



“[T]he surgeon then forces the scissors into the base of the skull... [H]e spreads the scissors to enlarge the opening. The surgeon removes the scissors and introduces a suction catheter into this hole and evacuates the skull contents. With the catheter still in place, he applies traction to the fetus, removing it completely from the patient.”

Text from Martin Haskell, M.D.
Dilation and Extraction for Late Second Trimester Abortion

Regarding House Bill No.65 Partial Birth Abortion

February 6, 1997

My name is Sharylee Zachary.

My husband, Dan, our three daughters, and I hold life very dearly.

Every conceived baby, whether two cells old or full term, has a God given right to life.

It is not right that they should receive the 'death penalty' as the result of someone who does not want to live up to the consequences of their irresponsibility.

It is not right that they should receive the 'death penalty' as the result of someone else's abusive behavior on the mother, - which created that little life.

It is particularly horrifying and horrible that someone would ever perform a partial-birth abortion on a beautiful, vital baby. Or even on a baby that is not "perfect". All life is sacred.

Mostly, partial-birth abortions are done for the 'convenience' of the aborting mother who does not want the child. It is extremely rare that a medical situation exists to preserve the life of the mother through the partial-birth abortion procedure. If the mother's life were truly in danger, than having her go through the doctors manipulations to 'turn' the baby into the abnormal and undesirable position of 'feet first' birth presentation, having the mother go through all the labor that is involved to get all of the baby out except it's head, and then the horrible procedure of jabbing a scissors into the viable infants skull, sucking its brains out, having the head collapse and then giving birth to what's left of the head, - if all that didn't kill her or cause severe physical and/or emotional problems, then delivering just 'the head' is not going to kill her or cause other problems, - but it will give the baby a chance at life.

We, and thousands of other people, are against any kinda of abortion, - but we are especially AGAINST PARTIAL BIRTH ABORTION.

And we VOTE accordingly. We DO NOT vote for anyone who is pro-choice because that is the same as 'pro-death'. And we know many, many, many people who feel the same way even though they do not express it in this manner, they do express it at the voters booth. And more and more voters are gaining this conviction all the time.

I thank you for all the hard work you go through in evaluating all the things you need to in making our Alaska state laws.

Alaska has made many wise pro-family, pro-nation choices in it's laws and I am very proud of that.

Alaska has to stand strong, not to go the route of many of the lower-48 states that are falling apart because of their unwise, anti-family choices in their living styles and laws.

Alaska needs to be the North Star state pointing the way to strong families, strong communities, strong states, and a strong nation founded and built on absolute values and taking responsibility for personal actions and the consequences thereof so that the innocent no longer suffer.

Very Sincerely and Respectfully,

Sharylee Zachary
Box 1531
Petersburg, AK 99833
(907)772-3681

PHACT

FOR IMMEDIATE RELEASE

FOR INFORMATION CONTACT:
Gene Tame/Michelle Powers 703/683-5004

'Physicians' Ad Hoc Coalition for Truth

FORMER SURGEON GENERAL KOOP SEPARATES MEDICAL FACT FROM FICTION ON PARTIAL-BIRTH ABORTIONS

KOOP: THE PARTIAL-BIRTH ABORTION IS "IN NO WAY...A MEDICAL NECESSITY"

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Family Practitioner, Obstetrician
Member, U.S. House of
Representatives (OK-2)

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Pamela Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Societies of Ob-Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob-Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stalter, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

1150 South Washington Street
730
Alexandria, VA 22314
703) 683-5004

Communications Counsel:
Gene Tame, Michelle Powers

ALEXANDRIA, VA -- In a wide ranging interview with the American Medical News, former Surgeon General C. Everett Koop expressed his opposition to partial-birth abortions and declared that they are not medically necessary.

The former Surgeon General was asked about President Clinton's recent veto of a bill to ban partial-birth abortions and claims regarding the medical need for them. Following is Dr. Koop's response, reported in the August 19th issue of American Medical News:

"I believe that Mr. Clinton was misled by his medical advisers on what is fact and what is fiction in reference to late-term abortions. *Because in no way can I twist my mind to see that the late-term abortion as described -- you know, partial-birth, and then destruction of the unborn child before the head is born -- is a medical necessity for the mother.* It certainly can't be a necessity for the baby. So I am opposed to ... partial birth abortions."

Asked "have you ever treated children with any of the disabilities cited in the debate? For example, have you operated on children with organs outside of their bodies," Koop responded:

"Oh, yes indeed. I've done that many times. The prognosis is usually good. [With an] omphalocele...organs are out but still contained in the sac composed of the tissues of the umbilical cord. I have been repairing those since 1946...In fact, the first child I ever did, with a huge omphalocele much bigger than her head, went on to develop well and become the head nurse in my intensive care unit many years later."

Dr. Koop's remarks echo over three hundred other medical professionals -- leaders in the fields of obstetrics, gynecology and perinatology -- who have joined the Physicians' Ad-hoc Coalition for Truth to help Americans and Congress understand that partial-birth abortion is never medically necessary, and in fact can threaten a mother's health and safety.

The Physicians' Ad-hoc Coalition for Truth (PHACT), with over three hundred members drawn from the medical community nationwide, exists to bring the medical facts to bear on the public policy debate regarding partial birth abortions. Members of the coalition are available to speak to public policy makers and the media. If you would like to speak with a member of PHACT, please contact Gene Tame or Michelle Powers at 703-683-5004.

Why are Partial-Birth Abortions Performed?

On the ABC television show *This Week* on November 24, columnist George Will suggested that there is a close relationship between reported cases involving the murder of newborns, such as a case in Delaware that recently received national media coverage, and society's tolerance of practices such as partial-birth abortion.

In response, ABC News correspondent Sam Donaldson asserted:

First of all, there's no evidence that this couple [in Delaware] would have been able to have a partial-birth abortion. That is an operation, George, as you may know, that's used very rarely because of the life of the mother being jeopardized or some other rare circumstance.

Unfortunately, Mr. Donaldson's assertion - - like similar statements by many other journalists - - cannot be reconciled with the statements of doctors who have themselves performed thousands of partial-birth abortions.

For example, the *Record* of Bergen County, New Jersey, on September 15 published an investigative report by "women's issues" staff writer (and Columbia journalism professor) Ruth Padawer, who found that at a single abortion clinic in Englewood, New Jersey - - only a few miles away from the homes of the young couple in ques-

tion - - doctors acknowledged that they perform **over 1,500 partial-birth abortions a year.** Moreover, the story quotes doctors at the clinic as stating that "only a 'minuscule amount' are for medical reasons." The *Record* reported:

"We have an occasional amnio abnormality, but it's a minuscule amount," said one of the doctors at Metropolitan Medical, an assessment confirmed by another doctor there. "Most are Medicaid patients, black and white, and most are for elective, not medical, reasons: people who didn't realize, or didn't care, how far along they were. Most are teenagers."

The September 17 edition of the *Washington Post* contained the results of an investigation conducted by staff writers Barbara Vobejda and David M. Brown, M.D., who interviewed several abortionists (not those in New Jersey), and concluded:

It is possible - - and maybe even likely - - that the majority of these [partial-birth] abortions are performed on normal fetuses, not on fetuses suffering genetic or other developmental abnormalities. Furthermore, in most cases where the procedure is used, the physical health of

the woman whose pregnancy is being terminated is not in jeopardy.... Instead, the "typical" patients tend to be young, low-income women, often poorly educated or naive, whose reasons for waiting so long to end their pregnancies are rarely medical.

Dr. Martin Haskell of Dayton, Ohio, has performed over 1,000 partial-birth abortions. In a tape-recorded interview, Dr. Haskell told *American Medical News*, "I'll be quite frank: most of my abortions are elective in that 20-24 week range. . . . In my particular case, probably 20% are for genetic reasons. And the other 80% are purely elective."

Dr. Haskell also wrote a paper in which he said he uses the method "routinely" in his walk-in abortion clinic, adding, "Among its advantages are that it is a quick, surgical outpatient method that can be performed on a scheduled basis under local anesthesia."

The late Dr. James McMahon of Los Angeles developed the partial-birth technique, and used it thousands of times. In a written submission to the House Judiciary Committee in 1995, he admitted using the method even during the final three months of pregnancy on babies with no "flaw," for such reasons as mere youth of the mother, or

"psychiatric" difficulties.

In an interview with *American Medical News*, Dr. McMahon explained that "after 20 weeks where it frankly is a child to me, I really agonize over it," but added, "Who owns the child? It's got to be the mother."

In short, anyone who will set aside wishful thinking and the manufactured claims of abortion-industry lobbyists, and examine documentation such as that cited above - - and there is much more of the same sort - - can only conclude that the overwhelming majority of these late-term procedures are performed for entirely non-medical, "personal" reasons.

A small subset of partial-birth abortions involve babies with severe abnormalities, but medical specialists regularly deliver such babies alive, usually vaginally, without jeopardy to their mothers. In September over 300 physician-specialists - - including former Surgeon General C. Everett Koop - - issued a statement "partial-birth abortion is never medically necessary to protect a mother's health or her future fertility."

For copies of the documents cited above or additional information, please contact the Federal Legislative Office of the National Right to Life Committee, (202) 626-8820, fax (202) 347-3668.

file
HB 65

Despite abortion lies, doublespeak goes on

The admission by a prominent abortion advocate that he lied about the number of babies killed during the procedure called "partial-birth abortion" is surprising only in its candor. Ron Fitzsimmons, executive director of the National Coalition of Abortion Providers, said he misled the public because he feared the truth would damage the abortion rights cause.



CAL THOMAS

Recalling a November 1995 appearance on ABC's "Nightline," Fitzsimmons said, ~~"I had through my teeth"~~ when claiming the procedure was rarely used and that only women who sought such abortions were those whose lives were in danger, or whose unborn children were severely damaged. President Clinton used nearly identical language in explaining his veto of a bill that would have outlawed the procedure.

The White House says it will take another look at the matter in light of Fitzsimmons's comments. But the administration is lock-step with the abortion rights movement, so look for more doublespeak. President Clinton frequently says he wants to make abortions "safe, legal and rare," but has done nothing to limit the procedure even in the most extreme of circumstances, such as partial-birth abortion.

Legal abortion was conceived in a lie. Norma McCorvey, "Jane Roe," claimed to have been raped. She later admitted lying in order to make her case more compelling to the Supreme Court. The justices who made abortion legal believed testimony

that thousands of women were dying from illegal abortions, a "fact" asserted by the National Abortion Rights Action League (NARAL), but later acknowledged to be false by top NARAL official Dr. Bernard Nathanson, who was at the time operating the nation's largest abortion clinic in New York.

To maintain a policy of abortion on demand, proponents have had to continue telling lies. Planned Parenthood, which consistently argues for maintaining the abortion status quo, once told a different story. In 1965, a Planned Parenthood pamphlet called "Plan Your Children" said of family planning: "Is it abortion? Definitely not. An abortion kills the life of a baby after it has begun. It is dangerous to your life and health. It may make you sterile so that when you want a child you cannot have it. Birth control merely postpones the beginning of life. Was Planned Parenthood lying then, or is it lying now?"

Also last year, pro-abortion groups claimed that anesthesia takes the life of the unborn child before the procedure in which its brains are sucked out.

On Dec. 11, 1993, NARAL's Kate Michelman was quoted in the Philadelphia Inquirer as saying, "We think abortion is a bad thing. No woman wants to have an abortion." Five days later a NARAL statement claimed that Michelman "has never said — and would never say — that 'abortion is a bad thing.'" But reporter Jodi Enda taped the interview and stood by the quote.

Sandra Cano, the "Mary Doe" in Roe's companion case, *Doe vs. Bolton*, stated that she never wanted an abortion and signed paperwork she thought was related to a divorce she sought from an abusive husband. The American Civil Liberties Union lawyer that Cano believed was helping with her divorce claimed that her client applied for an abortion but was turned down. Cano says she was lied to and that the lawyers handling the case did not explain to her what was happening and why.

During the partial-birth abortion debate last year, in which proponents claimed it is rarely done, the Bergen County Record reported that doctors in one New Jersey clinic perform 3,000 abortions annually, half of them

the partial birth variety. Rather than admit the truth abortion proponents attacked the professionalism of the reporter.

Also last year, pro-abortion groups claimed that anesthesia takes the life of the unborn child before the procedure in which its brains are sucked out. Though many physicians denied the claim, the media continued to spread the falsehood as if it were true, as if that would somehow make the procedure more ethically tolerable.

Then there are the daily lies told to women that their unborn child is not a baby, just tissue, and that having an abortion will solve the problems that lead them to seek one. And let's not forget the lie about no one being available to care for the child or the woman after birth.

Another bill needs to be introduced immediately that would outlaw partial-birth abortions before the public forgets that Fitzsimmons has added his name to a growing list of pro-abortion liars.

Cal Thomas is a nationally syndicated columnist.

Second Trimester Abortion: From Every Angle Fall Risk Management Seminar

September 13-14, 1992
Dallas, Texas

*Dr. Martin Haskell's
paper on how to do
the partial-birth abortion,
with interviews attached.*

Presentations, Bibliography & Related Materials



Table of Contents

Presentations, Bibliography, and Related Materials

Demographics of Second Trimester Abortion - Stanley Henshaw, PhD Second Trimester Abortions in the United States (Grimes)	1
Genetic Indications - Nathan Slotnick, MD Medical Genetics for the Practitioner (Slotnick)	7
Designing an Appropriate Facility - Jacqueline Barbic When Clinics Need Help (DHHS)	11
Second Trimester D&E, 14-19 Wks - E. Steven Lichtenberg, MD, MPH Early D&E Procedure, 13.5 - 19.0 Wks (Lichtenberg)	17
Second Trimester D&E, 14-19 Wks - Gene Glick, MD Second Trimester Abortion (14-20 Wks) (Glick)	21
Second Trimester D&X, 20 Wks and Beyond - Martin Haskell, MD D & E for Late Second Trimester Abortion (Haskell)	27
Second Trimester D&X, 20 Wks and Beyond - James T. McMahon, MD Late Pregnancy Interruption: Key Points (McMahon)	35
Second Trimester D&E, 20 Wks and Beyond - Paul Wright, MD Method for Late Trimester Abortions (Wright)	37
Second Trimester Techniques: Medical Induction - Vanessa Cullins, MD Abortion: Epidemiology, Safety & Technique (Blumenthal)	39
Prevention of Complications - Warren Hern, MD, MPH, PhD Correlation of Fetal Age & Measurements (Hern)	47
Serial Multiple Laminaria & Adjunctive Urea (Hern)	55
Use of Prostaglandins as Abortifacients	61
Ethical Issues in Second Trimester Abortions - Joan Callahan, PhD Elective Abortion: The Moral Debate (Knight & Callahan)	69
Patient Responses to Late Procedures - Anne Baker, MA Reasons for Second Trimester Abortion (Baker)	83
<u>Comprehensive Bibliography</u> on Second Trimester Abortion	87

Dilation and Extraction
for Late Second Trimester Abortion

Martin Haskell, M.D.

Presented at the National Abortion Federation
Risk Management Seminar, September 13, 1992

INTRODUCTION

The surgical method described in this paper differs from classic D&E in that it does not rely upon dismemberment to remove the fetus. Nor are inductions or infusions used to expel the intact fetus.

Rather, the surgeon grasps and removes a nearly intact fetus through an adequately dilated cervix. The author has coined the term *Dilation and Extraction* or *D&X* to distinguish it from dismemberment-type D&E's.

This procedure can be performed in a properly equipped physician's office under local anesthesia. It can be used successfully in patients 20-26 weeks in pregnancy.

The author has performed over 700 of these procedures with a low rate of complications.

BACKGROUND

D&E evolved as an alternative to induction or instillation methods for second trimester abortion in the mid 1970's. This happened in part because of lack of hospital facilities allowing second trimester abortions in some geographic areas, in part because surgeons needed a "right now" solution to complete suction abortions inadvertently started in the second trimester and in part to provide a means of early

second trimester abortion to avoid necessary delays for instillation methods. The North Carolina Conference in 1978 established D&E as the preferred method for early second trimester abortions in the U.S.^{2, 3, 4}

Classic D&E is accomplished by dismembering the fetus inside the uterus with instruments and removing the pieces through an adequately dilated cervix.⁵

However, most surgeons find dismemberment at twenty weeks and beyond to be difficult due to the toughness of fetal tissues at this stage of development. Consequently, most late second trimester abortions are performed by an induction method.^{6, 7, 8}

Two techniques of late second trimester D&E's have been described at previous NAF meetings. The first relies on sterile urea intra-amniotic infusion to cause fetal demise and lysis (or softening) of fetal tissues prior to surgery.⁹

The second technique is to rupture the membranes 24 hours prior to surgery and cut the umbilical cord. Fetal death and ensuing autolysis soften the tissues. There are attendant risks of infection with this method.

In summary, approaches to late second trimester D&E's rely upon some means to induce early fetal demise to soften the fetal tissues making dismemberment easier.

PATIENT SELECTION

The author routinely performs this procedure on all patients 20 through 24 weeks LMP with certain exceptions. The author performs the procedure on selected patients 25 through 26 weeks LMP.

The author refers for induction patients falling into the following categories:

Previous C-section over 22 weeks

Obese patients (more than 20 pounds over large frame ideal weight)

Twin pregnancy over 21 weeks

Patients 26 weeks and over

DESCRIPTION OF DILATION AND EXTRACTION METHOD

Dilation and extraction takes place over three days. In a nutshell, D&X can be described as follows:

- Dilation
- MORE DILATION
- Real-time ultrasound visualization
- Version (as needed)
- Intact extraction
- Fetal skull decompression
- Removal
- Clean-up
- Recovery

Day 1 - Dilation

The patient is evaluated with an ultrasound, hemoglobin and Rh. Hadlock scales are used to interpret all ultrasound measurements.

In the operating room, the cervix is prepped, anesthetized and dilated to 9-11 mm. Five, six or seven large Dilapan hydroscopic dilators are placed in the cervix. The patient goes home or to a motel overnight.

Day 2 - More Dilation

The patient returns to the operating room where the previous day's Dilapan are removed. The cervix is scrubbed and anesthetized. Between 15 and 25 Dilapan are placed in the cervical canal. The patient returns home or to a motel overnight.

Day 3 - The Operation

The patient returns to the operating room where the previous day's Dilapan are removed. The surgical assistant administers 10 IU Pitocin intramuscularly. The cervix is scrubbed, anesthetized and grasped with a tenaculum. The membranes are ruptured, if they are not already.

The surgical assistant places an ultrasound probe on the patient's abdomen and scans the fetus, locating the lower extremities. This scan provides the surgeon information about the orientation of the fetus and approximate location of the lower extremities. The transducer is then held in position over the lower extremities.

The surgeon introduces a large grasping forcep, such as a Bierer or Hern, through the vaginal and cervical canals into the corpus of the uterus. Based upon his knowledge of fetal orientation, he moves the tip of the instrument carefully towards the fetal lower extremities. When the instrument appears on the sonogram screen, the surgeon is able to open and close its jaws to firmly and reliably grasp a lower extremity. The surgeon then applies firm traction to the instrument causing a version of the fetus (if necessary) and pulls the extremity into the vagina.

By observing the movement of the lower extremity and version of the fetus on the ultrasound screen, the surgeon is assured that his instrument has not inappropriately grasped a maternal structure.

With a lower extremity in the vagina, the surgeon uses his fingers to deliver the opposite lower extremity, then the torso, the shoulders and the upper extremities.

The skull lodges at the internal cervical os. Usually there is not enough dilation for it to pass through. The fetus is oriented dorsum or spine up.

At this point, the right-handed surgeon slides the fingers of the left hand along the back of the fetus and "hooks" the shoulders of the fetus with the index and ring fingers (palm down). Next he slides the tip of the middle finger along the spine towards the skull while applying traction to the shoulders and lower extremities. The middle finger lifts and pushes the anterior cervical lip out of the way.

While maintaining this tension, lifting the cervix and applying traction to the shoulders with the fingers of the left hand, the surgeon takes a pair of blunt curved Metzenbaum scissors in the right hand. He carefully advances the tip, curved down,

along the spine and under his middle finger until he feels it contact the base of the skull under the tip of his middle finger.

Reassessing proper placement of the closed scissors tip and safe elevation of the cervix, the surgeon then forces the scissors into the base of the skull or into the foramen magnum. Having safely entered the skull, he spreads the scissors to enlarge the opening.

The surgeon removes the scissors and introduces a suction catheter into this hole and evacuates the skull contents. With the catheter still in place, he applies traction to the fetus, removing it completely from the patient.

The surgeon finally removes the placenta with forceps and scrapes the uterine walls with a large Evans and a 14 mm suction curette. The procedure ends.

Recovery

Patients are observed a minimum of 2 hours following surgery. A pad check and vital signs are performed every 30 minutes. Patients with minimal bleeding after 30 minutes are encouraged to walk about the building or outside between checks.

Intravenous fluids, pitocin and antibiotics are available for the exceptional times they are needed.

ANESTHESIA

Lidocaine 1% with epinephrine administered *intra-cervically* is the standard anesthesia. Nitrous-oxide/oxygen analgesia is administered nasally as an adjunct. For the Dilapan insert and Dilapan change, 12cc's is used in 3 equidistant locations around the cervix. For the surgery, 24cc's is used at 6 equidistant spots.

Carbocaine 1% is substituted for lidocaine for patients who expressed lidocaine sensitivity.

MEDICATIONS

All patients not allergic to tetracycline analogues receive doxycycline 200 mgm by mouth daily for 3 days beginning Day 1.

Patients with any history of gonorrhea, chlamydia or pelvic inflammatory disease receive additional doxycycline, 100mgm by mouth twice daily for six additional days.

Patients allergic to tetracyclines are not given prophylactic antibiotics.

Ergotrate 0.2 mgm by mouth four times daily for three days is dispensed to each patient.

Pitocin 10 IU intramuscularly is administered upon removal of the Dilapan on Day 3.

Rhogam intramuscularly is provided to all Rh negative patients on Day 3.

Ibuprofen orally is provided liberally at a rate of 100 mgm per hour from Day 1 onward.

Patients with severe cramps with Dilapan dilation are provided Phenergan 25 mgm suppositories rectally every 4 hours as needed.

Rare patients require Synalogs DC in order to sleep during Dilapan dilation.

Patients with a hem. globin less than 10 g/dl prior to surgery receive packed red blood cell transfusions.

FOLLOW-UP

All patients are given a 24 hour physician's number to call in case of a problem or concern.

At least three attempts to contact each patient by phone one week after surgery are made by the office staff.

All patients are asked to return for check-up three weeks following their surgery.

THIRD TRIMESTER

The author is aware of one other surgeon who uses a conceptually similar technique. He adds additional changes of Dilapan and/or laminaria in the 48 hour dilation period. Coupled with other refinements and a slower operating time, he performs these procedures up to 32 weeks or more.¹⁰

SUMMARY

In conclusion, Dilation and Extraction is an alternative method for achieving late second trimester abortions to 26 weeks. It can be used in the third trimester.

Among its advantages are that it is a quick, surgical outpatient method that can be performed on a scheduled basis under local anesthesia.

Among its disadvantages are that it requires a high degree of surgical skill, and may not be appropriate for a few patients.

REFERENCES

1 Cates, W. Jr., Schulz, K.F., Grimes D.A., et al: The Effects of Delay and Method of Choice on the Risk of Abortion Morbidity, *Family Planning Perspectives*, 9:266, 1977.

2 Borell, U., Emberey, M.P., Elygdeman, M., et al: Midtrimester Abortion by Dilation and Evacuation (Letter), *American Journal of Obstetrics and Gynecology*, 131:232, 1978.

3 Centers for Disease Control: *Abortion Surveillance 1978*, p. 30, November, 1980.

4 Grimes, D.A., Cates, W, Jr., (Berger, G.S., et al, ed): Dilation and Evacuation, *Second Trimester Abortion—Perspectives After a Decade of Experience*, Boston, John Wright—PSG, 1981, p. 132.

5 *Ibid.*, p. 121-128.

6 *Ibid.*, p. 121.

7 Kerenyi, T.D. (Bergen, G.S., et al, ed): Hypertonic Saline Instillation, *Second Trimester Abortion—Perspectives After a Decade of Experience*, Boston, John Wright—PSG, 1981, p. 79.

8 Hanson, M.S. (Zatuchni, G. I., et al, ed): Midtrimester Abortion: Dilation and Extraction Preceded by Laminaria, *Pregnancy Termination Procedures, Safety and New Developments*, Hagerstown, Harper and Row, 1979, p. 192.

9 Hem, W.M., *Abortion Practice*, Philadelphia, J.B. Lippincott, 1990, p. 127, 144-5.

10 McMahon, J., personal communications, 1992.



NATIONAL ASSOCIATION OF SOCIAL WORKERS
ALASKA CHAPTER

525 Main Street, Juneau AK 99801
586-4438 1-800-478-6279 Fax: 586-4439
naswak@alaska.net

Testimony Regarding

HB 65 - LATE TERM ABORTION

Before the
STATE AFFAIRS COMMITTEE
ALASKA HOUSE OF REPRESENTATIVES
February 6, 1997

Presented by
Angela M. Salerno, ACSW
Executive Director,
National Association of Social Workers Alaska Chapter



NATIONAL ASSOCIATION OF SOCIAL WORKERS
ALASKA CHAPTER

525 Main Street, Juneau AK 99801
586-4438 1-800-478-6279 Fax: 586-4439
naswak@alaska.net

The National Association of Social Workers (NASW) is the world's largest organization of professional social workers. NASW's 155,000 members nationwide and 460 in Alaska work in a wide range of settings at all levels in the public and private sectors. Professional social workers focus on vulnerable populations and promote state and federal policies which enhance the lives of the people we serve.

Thank you for the opportunity to address the Committee on HB 65 - Late Term Abortion.

NASW strongly opposes HB 65 and does not recommend its passage.

Abortion late in pregnancy is rare. 99% of all abortions are performed in the first half of pregnancy and only four one-hundredths of one percent (.04%) of abortions are performed after 26 weeks. Opponents of choice are exploiting a rare and tragic occurrence to further their goal of making all abortion illegal.

Abortion late in pregnancy is needed when a woman's life or health is endangered, and in cases of severe fetal abnormality. The bill as written would allow late-term abortion if it were necessary to save the life of a mother endangered by a physical disorder, illness, or injury and no other medical procedure would suffice for that purpose. We suggest late term abortion is needed when severe abnormality makes the fetus incompatible with life. Such cases include fetus that have developed without a spinal cord, brain, or with underdeveloped and non functional organs, or who have devastating genetic or chromosomal disorders.

A ban on late-term abortion will jeopardize women's health and future fertility. The D&X (dilation and extraction) method is the safest late-term abortion method for many women. An Ohio court compared the D&X procedure to other procedures such as C-section and induced labor and found that these methods constitute "major, traumatic surgeries," are more likely to result in uterine and cervical lacerations and pose risks inherent in undergoing labor. Moreover, late term abortion preserves the mother's body and therefore her future fertility. By prohibiting a physician from using the procedure except in some cases in which a woman's life is endangered, this bill will prevent physicians' exercise of discretion in determining the best course of treatment for their patients.

A ban on late-term abortion would be an unacceptable intrusion into the life of the family. Families and their physicians, not legislatures, must be permitted to make the difficult decisions posed by the rare and heartbreaking circumstances of wanted pregnancies gone tragically wrong.

The debate highlights an extreme situation and uses it opportunistically to further curtail a woman's right to choose. Professional social workers who believe in access to safe and legal abortion are looking for ways to end the standoff advocates find themselves in, and work toward our common goal - prevention. This legislation works to cloud the issue, and ultimately complicates the real problem of unwanted pregnancies. This legislation forces us to continue skirmishing, instead of learning to work collaboratively.

Thank you for the opportunity to testify. I'm available at any time for questions.



NATIONAL ASSOCIATION OF SOCIAL WORKERS ALASKA CHAPTER

525 Main Street, Juneau AK 99801
586-4438 1-800-478-6279 Fax: 586-4439
naswak@alaska.net

FACTS ON ABORTION

Safety of Abortion

- 97% of women who obtain abortions before 13 weeks of pregnancy report no complications. (American Medical Association Council Report, *Induced Termination of Pregnancy Before and After Roe v. Wade*, 1992).
- Abortion is 11 times safer than carrying a pregnancy to term. (Gold, R. B, *Abortion and Women's Health: A Turning Point for America?*, 1990).
- **Teenage girls are more than 24 times more likely to die from childbirth than from a first trimester, legal abortion.** (Ory, H W, "Mortality Associated with Fertility and Fertility Control," *Family Planning Perspectives*, vol. 15, no. 2).
- Of the 3.4 million woman who become pregnant unintentionally in the U.S. each year, approximately 1.6 million terminate their pregnancies by medically safe, legal abortion. (Gold, R. B, *Abortion and Women's Health: A Turning Point for America?*, 1990).

Health Risks to Women

- Legislation mandating parental involvement in decisions about abortion does **increase the risk of harm to the adolescent** by delaying access to appropriate medical care. (American Academy of Pediatrics, Committee on Adolescence, "The Adolescent's Right to Confidential Care When Considering Abortion," *Pediatrics*, vol. 97, no 3).
- Complication rates increase for abortions performed between 13 and 24 weeks. (American Medical Association Council Report, *Induced Termination of Pregnancy Before and After Roe v. Wade*, 1992).
- The American Medical Association noted that "because the need for privacy may be compelling, minors may be driven to desperate measures to maintain the confidentiality of their pregnancies. They may run away from home, obtain a "back alley" abortion, or resort to self-induced abortion. The desire to maintain secrecy has been **one of the leading reasons for illegal abortion deaths since...1973.** (AMA, "Mandatory Parental Consent," 83.).

Possible Links Between Abortion and Breast Cancer

- Only about 20 studies have examined the risk of developing breast cancer for women who have has abortions. (National Women's Health Network Fact Sheet: "*Abortion and Breast Cancer: The Unproven Link.*" January, 1994).

- Cancer researchers at the **National Cancer Institute**, the **American Cancer Society**, and major universities say that the most reliable studies show no increased risk, and they call the entire body of research inconclusive.
- **Harvard School of Public Health** researchers concluded in the January issue of *Cancer Causes and Control*, that abortion does not appreciably increase or decrease a woman's risk for breast cancer.

Long-Term Effects of Abortion

- Anti-choice groups are circulating unfounded claims that a majority of American women who choose to terminate their pregnancies suffer severe and long-lasting emotional trauma as a result. They call this largely nonexistent phenomenon "post-abortion trauma," or "post-abortion syndrome." They hope that terms like these will gain wide currency and credibility despite the fact that **neither the American Psychological Association nor the American Psychiatric Association recognizes their existence.**
- For most women who have had abortions, the procedure represents a maturing experience, a successful coping with a personal crisis situation. In fact, **the most prominent emotional response of most women to first-trimester abortion is relief.** (Zabin, L.S. et al. "When Urban Adolescents Choose Abortion: Effects on Education, Psychological Status and Subsequent Pregnancy." *Family Planning Perspectives*, 21(6), Nov/Dec 1989; Adler, N. et al. "Psychological Responses After Abortion." *Science*, April 6, 1990; Lazarus, A. "Psychiatric Sequelae of Legalized Elective First Trimester Abortion." *Journal of Psychosomatic Obstetrics & Gynecology*, 43(3), September 1985; Russo, N.F. and Zierk, K.L. "Abortion, Childbearing, and Women's Well-Being." *Professional Psychology: Research and Practice*, 23(4), 1992; Armsworth, M.W. "Psychological Response to Abortion." *Journal of Counseling and Development*, 69, March/April 1991.)
- A study of a group of teenage black women who obtained pregnancy tests at one of two Baltimore clinics found that the young women who choose to have abortions were **are more likely to graduate from high school** than those of similar socioeconomic status who carried their pregnancies to term or who were not pregnant. They showed no greater levels of stress at the time of the pregnancy and abortion and no greater rate of psychological problems two years after the abortion that did the other women. (Zabin, L.S. et al. "When Urban Adolescents Choose Abortion: Effects on Education, Psychological Status and Subsequent Pregnancy." *Family Planning Perspectives*, 21(6)).
- Up to 98% of the women who have abortions **have no regrets and would make the same choice again** in similar circumstances. (Dagg, P.K.B., MD "The Psychological Sequelae of Therapeutic Abortion - Denied and Completed." *American Journal of Psychiatry*, 148(5), May 1991).
- In July 1987, President Ronald Regan directed Surgeon General C. Everett Koop to provide the administration with a report on the health effects of induced abortion. In a letter to the president dated January 8, 1989, Dr. Koop stated that he could not form a conclusion with the available data. (Koop, C. Everett, letter to President Regan, January 9, 1989. Reproduced in "A Measured Response: Koop on Abortion," *Family Planning Perspectives*, 21(1), Jan/Feb, 1989.
- In a 1988 closed meeting, Surgeon General Koop told representatives from several anti-abortion organizations that the risk of **significant emotional problems following abortion was "minuscule"** from a public health perspective. (House Committee on Government Operations. "The Federal Role

in Determining the Medical and Psychological Impact of Abortions on Women, H.R. Rep. No. 329, 101st Congress, 2d Sess. 14 (1989)).

- In 1989, a panel of experts assembled by the **American Psychological Association** concluded unanimously that legal abortion **“does not create psychological hazards for most women undergoing the procedure.”** The panel noted that, since approximately 21% of all U.S. women have had an abortion, if severe emotional reactions were common there would be an epidemic of women seeking psychological treatment. There is no evidence of such an epidemic. (Adler, N., University of California at San Francisco, statement on behalf of the American Psychological Association before the Human Resources and Intergovernmental Relations Subcommittee of the Committee on Government Operations, U.S. House of Representatives, March 16, 1989.)



RECEIVED BY

FEB 14 1996

Rep. Jeannette James

February 3, 1997

Representative Jeanette James
716 West 4th Avenue
Anchorage, Alaska 99501

Dear Representative James:

I wanted to take a few minutes to give you my views on House Bill 65, banning the so-called partial birth abortions. I have been doing abortions in Alaska for approximately 13 years, and am quite familiar with the abortion process and the controversy surrounding abortions.

Please read the text of the bill. Since the term "partial birth abortion" is a term which is not defined in the medical literature, a definition had to be adopted to write this bill. The text of the bill has one sentence which describes what the term "partial birth abortion" would mean. Please notice that in this case the legislature is defining "partial birth abortion", not medical literature. As such, when the legislature defines this procedure, it may have far reaching consequences in the field of medicine than was originally intended.

First, gestational age is not included in the description of the partial birth abortion. If literally interpreted, partial birth abortion can be interpreted to include the first, second and third trimester abortions. There is nothing in the bill that speaks of viability of the fetus. Again, broad interpretation of the bill could allow to apply to first, second and third trimesters.

The procedure that this bill would eliminate is actually a procedure referred to as dilation and evacuation. In Alaska, I am often called upon to do a dilation and evacuation for a number of medical indications. For instance, in a mother who is carrying an anencephalic fetus, which is a fetus with no brain, the D&E procedure is one that is most commonly used to terminate the pregnancy. In fetuses with genetic abnormalities, such as trisomy-11, 13, and a host of other genetic disorders, the D&E is the procedure that is used to terminate these pregnancies. Unfortunately, the women who are most often at risk for genetic abnormalities, are women who have chosen to become educated and establish work careers prior to establishing a family. Thus, many of the women who are in their 30's and have been in the work force for some time, find themselves in the unfortunate position of having a genetically abnormal child and dealing with this issue. These are not elective abortions, they are often family tragedies inflicted upon couples who want very much to have children. The D&E process has been used for years in Alaska as the most humane way to terminate

Representative Jeanette James

February 3, 1997


Page 2

these pregnancies. The CDC has actually run a study looking at different methods of pregnancy termination and has been able to demonstrate that the dilation and evacuation procedure, when applied prior to certain points in gestation, is actually the safest procedure to the mother.

We do not have laws governing how gall bladder surgery might be performed, or how prostatic cancer surgery might be performed, and it seems unreasonable to pass a law to address how pregnancy terminations are performed. The CDC data clearly shows that at certain points in gestation the D&E procedure, or dilation and evacuation, is the safest procedure to the mother. Medical science should guide us on how to do specific procedures, not the legislature.

Thank you for taking time to read this letter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jan Whitefield".

Jan Whitefield, M.D.

Alaska Women's Health Services

JW:FasType,jlb



THE LEAGUE
OF WOMEN VOTERS

2806 John Street #2
Juneau, Alaska 99801
February 14, 1997

Representative Jeannette James
Alaska State Legislature
Juneau, Alaska 99801-1182

Dear Representative James:

Last week I sent a letter via FAX to members of the House State Affairs Committee relating to House Bill 37. I made the mistake of using the FAX machine at my place of employment, Catholic Community Service (CCS), which has created some confusion. Since the FAX received indicates "Catholic Community Service" at the top, some folks wondered if my message reflected the opinion of CCS. I wish to emphasize that **the contents of the faxed material in no way was related to or reflected the views of CCS.** Should this issue come up among your colleagues, please let them know that.

I apologize for any confusion my FAX may have caused.

Sincerely,

A handwritten signature in cursive script that reads "Marianne Mills".

Marianne Mills



Alaska State Legislature

Please enter into the record my testimony to the Judiciary committee name .

committee on HB 65 , dated Mar. 3-97 .
bill/subject

Relating to ban on "Partial Birth Abortions"

After the television coverage in late Feb. of this year relative to the untruthful testimony of a top ACLU officer; I think it is evermore clear to all of us that partial birth abortions are not rare and they are performed on otherwise healthy fetuses.

We cannot allow our culture to become jaded into thinking that since abortion is legal, then it necessarily follows that any procedure developed by any doctor is perfectly acceptable as long as it gets rid of the fetus.

Stop this kind of thinking. There has to be a limit on your tolerance. Ban the Partial Birth Abortions in Alaska.

Signed: Mary E. Hughes
Testifier

Representing (Optional)

P.O. Box 912 Sitka AK 99835

Address

(907) 747-3962

Phone No.



Alaska State Legislature

Please enter into the record my testimony to the House JUDICIARY
committee name .

committee on HB 65 Partial Birth, dated MAR 5 1997
bill/subject ABORTION

Please put ban on Partial Birth
abortions. Please bring back the
important family values, respect
for life. Lets not murder our
Alaska children Our future.
We should all be responsible
to care & help each other
& that includes the preborn children.

Signed: Georgia L. Rogers
Testifier

Mr + Mrs Frank A Rogers Sr.
Representing (Optional)

P.O. BX 1022 Sitka Ak 99835
Address

907 747 8303
Phone No.



alaska RIGHT TO LIFE



Executive Director
Arthur E. Hippler, Ph.D. 276-1912

3400 Spenard Road • Suite 4 • Anchorage, Alaska 99503-3738 • (907) 276-1912

AMA's *American Medical News* and Public Broadcasting's *Media Matters* Independently Report that Pro-Abortion Groups Have Badly Misled the Press and the Public About Partial-Birth Abortions

"The pro-choice movement has lost a lot of credibility during this debate, not just with the general public, but with our pro-choice friends in Congress. Even the White House is now questioning the accuracy of some of the information given to it on this issue. . . I think we should tell them the truth, let them vote and move on."

-- Ron Fitzsimmons, executive director, National Coalition of Abortion Providers

Leaders of prominent abortion industry associations and other pro-abortion groups have badly misled the press and the public regarding the key issues surrounding partial-birth abortions, according to new investigative reports by the AMA newspaper *American Medical News* and by *Media Matters*, a media-review program funded in part by the Corporation for Public Broadcasting.

The report in this week's (March 3) edition of *American Medical News* contains quotations -- startling in their candor -- by Ron Fitzsimmons, the executive director of the National Coalition of Abortion Providers (NCAP), a major "trade association" of abortion providers. NCAP represents about 220 independently owned abortion clinics. Fitzsimmons says that leaders of the "abortion-rights" movement tried to defeat the Partial-Birth Abortion Ban Act by telling the press and the public that the procedures were done very rarely and only in extreme circumstances, even though he and some others in the pro-abortion movement knew that these claims were untrue.

Pro-abortion spokespersons should drop their "spins" and "half-truths," and stop apologizing for partial-birth abortions, says Fitzsimmons -- who now believes that the disinformation has hurt the very abortionists whom he represents.

"When you're a doctor who does these abortions and the leaders of your movement appear before Congress and go on network news and say these procedures are done in only the most tragic of circumstances, how do you think it makes you feel? You know they're primarily done on healthy women and healthy fetuses, and it makes you feel like a dirty little abortionist with a dirty little secret," Fitzsimmons said. "I think we should tell them the truth, let them vote and move on."

PRO-ABORTION GROUPS MISLED PRESS, PUBLIC, 2

New Reports Validate Early Statements by Ban Supporters

Since introduction of the Partial-Birth Abortion Ban Act in June, 1995, bill author Rep. Charles Canady (R-Fl.) and NRLC have emphasized that partial-birth abortions are performed routinely on healthy babies of healthy mothers during the fifth and sixth months of pregnancy. These abortions are also performed more rarely in the seventh month and later; these "third-trimester" cases sometimes involve women or babies with medical difficulties, sometimes not. [Press releases and factsheets issued by NRLC and by Mr. Canady's office from June, 1995 onward are available on request.]

Also from the start, abortion-industry groups such as the National Abortion Federation (NAF) and the Planned Parenthood Federation of America (PPFA) insisted that the method was used very rarely, and only or nearly only in cases where the mother's life was endangered or the baby had lethal anomalies. As the *American Medical News* report concludes, "Abortion rights activists... have consistently claimed it is done only when the woman's life is at risk or the fetus has a condition incompatible with life. And the numbers are small, they said, only 500 to 600 a year."

[Typical of many such claims was a Nov. 1, 1995 PPFA press release: "The procedure, dilation and extraction (D&X), is extremely rare and done only in cases when the woman's life is in danger or in cases of extreme fetal abnormality." Even today, the home page of the National Abortion Federation, a "trade association" of abortion clinics, informs journalists and other web visitors, "This particular procedure is used only in about 500 cases per year, generally after 20 weeks of pregnancy, and most often when there is a severe fetal anomaly or maternal health problem detected late in pregnancy."]

Some on Pro-Abortion Side Knew Their Claims Were Untrue

These assertions by the pro-abortion advocates were adopted as simple fact by many journalists. They have been repeatedly transmitted as fact or as information from authoritative sources by major television networks, wire services, and newspapers. Yet, at least some prominent pro-abortion leaders knew all along that these claims were untrue.

Fitzsimmons admits that when he was interviewed in November, 1995, for a *Nightline* program on partial-birth abortion, he (in his own words) "lied" by saying women have these abortions only in the most extreme circumstances of life endangerment or fetal anomaly. Fitzsimmons told *American Medical News* that he knew this was untrue, because when the Partial-Birth Abortion Ban Act was first introduced (in June, 1995), he called doctors who use the method, and "I learned right away that this was being done for the most part in cases that did not involve those extreme circumstances."

Kathryn Kolbert Counsels Strategy of Evasion

The *American Medical News* story also quotes from a 1996 meeting of the National Abortion Federation, at which a public relations strategy for dealing with the bill was laid out by Kathryn Kolbert, vice-president of the New York-based Center for Reproductive Law and Policy, who is described as "one of the chief architects of the movement's opposition to the bill." At the session,

PRO-ABORTION GROUPS MISLED PRESS, PUBLIC, 3

Kolbert urged those attending the session not to get 'sidetracked' by their opponents' efforts to get them to discuss the specifics of the procedure," *American Medical News* reports

"I urge incredible restraint here, to focus on your message and stick to it, because otherwise we'll get creamed," Kolbert told the group. "If the debate is whether the fetus feels pain, we lose. If the debate in the public arena is what's the effect of anesthesia, we'll lose. If the debate is whether or not women ought to be entitled to late abortion, we probably will lose. But if the debate is on the circumstances of individual women... then I think we can win these fights."

CPB Media Matters Investigation Finds Press Adopted Pro-abortion Misinformation

The *American Medical News* report says that Fitzsimmons agrees that the vast majority of partial-birth abortion are performed in the 20-plus-week range [late second trimester] on healthy fetuses and healthy mothers. Fitzsimmons comments, "The abortion rights folks know it, the anti-abortion folks know it, and so, probably, does everyone else."

In NRLC's judgment, however, "everyone else" clearly does *not* know that partial-birth abortions are performed thousands of times annually on healthy babies of healthy mothers in the fifth and sixth months of pregnancy. They have repeatedly been told just the opposite by reporters and editors for many of the top broadcast and print outlets.

That assessment by NRLC is confirmed by the findings of an investigative report by journalists for *Media Matters*, a quarterly TV magazine funded in part by the Corporation for Public Broadcasting. In an edition now airing on some PBS affiliates, the *Media Matters* journalists concluded that much of the major media coverage of the Partial-Birth Abortion Ban Act has been riddled with misinformation that journalists uncritically adopted from pro-abortion organizations.

The 20-minute report, titled "Partial Truth," is part of a one-hour *Media Matters* edition that was released to PBS affiliates beginning January 24. *Media Matters* describes itself as "a series that looks critically at news media performance." The program is hosted by executive editor Alex Jones, a Pulitzer Prize-winning journalist who also hosts National Public Radio's weekly show *On the Media*. The investigation of partial-birth abortion coverage was reported by Terry Eastland, editor of *Forbes MediaCritic Online*, and produced by two-time Emmy documentary nominee Joseph Dorman.

The *Media Matters* team's investigation on the partial-birth abortion story found that many journalists "did little original reporting and willingly accepted information from pro-choice sources -- which turned out to be inaccurate," say the producers. From the time the Partial-Birth Abortion Ban Act was introduced in June, 1995, until the final votes on President Clinton's veto in September, 1996, most "reporters tended to accept as true the assertions of the abortion-right side, despite evidence calling into question their claims."

The program focused on three specific disputed issues. From the beginning, Eastland states, "Abortion opponents claimed that the procedure was used thousands of times a year, mainly in the second trimester of pregnancy, and mostly on the healthy fetuses of healthy mothers. Countering their campaign, abortion-rights groups said that the procedure was used only several hundred times a

PRO-ABORTION GROUPS MISLED PRESS, PUBLIC, 4

year, mainly in the third trimester, and almost always in cases of severe fetal deformity and to protect the health or the life of the mother." After displaying press releases in which NAR, NARAL, and PPFAs that made just such claims regarding the number and circumstances of the procedures, the program shows how the pro-abortion side's assertions were adopted as fact by the *Washington Post*, the *Los Angeles Times*, and many others.

"In reporting these claims, journalists tended to accept as fact assertions provided by abortion-rights groups," Eastland concludes, noting that the mainstream press did no independent checking on the pro-abortion claims for 14 months after the bill was introduced. "I think that the coverage of the partial-birth abortion debate has been abysmal," *Time* magazine's Karen Tumulty told *Media Matters*. "By and large, most news organizations have been far more willing to accept what facts, figures and examples are offered by the abortion-rights side, and to discount the other side's argument."

A June 2, 1996 *60 Minutes* program on partial-birth abortion receives particularly sharp criticism. "The piece that *60 Minutes* did really fell into all the traps that this whole debate presented," commented *Time*'s Tumulty. "They used these incredibly tragic examples, but examples that only portrayed basically one side of the debate." Eastland adds that *60 Minutes* "made little effort to convey the view of abortion opponents that the procedure is most often used on healthy fetuses in the second trimester." [A detailed critique of the *60 Minutes* program is available from NRLC.]

Bergen Record and *Washington Post* Relatedly Investigate Claims

Finally, in September, 1996, the *Bergen Record* and then the *Washington Post* published articles based in part on interviews with multiple abortion doctors who regularly perform partial-birth abortions. On each of the three key disputed issues examined by *Media Matters*-- how often the procedure is performed, at what point in pregnancy, and for what typical reasons-- the *Post* and *Record* reports offered support for the assertions of NRLC and other key bill supporters.

Media Matters interviewed Ruth Padawer, a *Bergen Record* reporter who interviewed two different doctors at a single New Jersey clinic. The doctors independently told her that over 1,500 partial-birth abortions are performed annually at that single clinic -- "close to three times the number that abortion-rights advocates had claimed for the entire country-- and the procedure was mainly done in the second trimester on healthy fetuses," Eastland notes. The abortion doctors at the clinic "say only a minuscule amount are for medical reasons" the *Record* reported. One abortion doctor told Padawer, "Most are Medicaid patients, black and white, and most are for elective, not medical, reasons: people who didn't realize, or didn't care, how far along they were. Most are teenagers." "One of the unsettling things of what I found of the reporting, was the discovery that the pro-choice side was playing fast and loose with the facts, and there's a credibility gap there that there wasn't before for me," Padawer told *Media Matters*.

Media Matters also interviewed *Washington Post* medical writer David Brown, M.D. who was assigned to do an in-depth report on the subject "after complaints from anti-abortion groups" about the paper's repeated adoption of the pro-abortion line in news stories. Brown wrote two lengthy articles on the subject, published September 17, which included information from five doctors who perform partial-birth abortions (not those interviewed by the *Record*). "Cases in which the

PRO-ABORTION GROUPS MISLED PRESS, PUBLIC, 5

mother's life were at risk were extremely rare," Brown told *Media Matters*. "Most people who got this procedure were really not very different from most people who got abortions."

Misinformation Persists in the Press

Despite these reports, and similar information available in much earlier interviews with partial-birth abortionists in *American Medical News*, the pro-abortion disinformation has continued to be presented to the American people as fact by many journalists. For example: CBS's *This Morning*, Sept. 20, correspondent Linda Douglass, "[The bill would ban] rare, late-term abortions, usually done only in cases where the fetus is severely deformed." *Time*, Sept. 30, "Experts estimate that partial-birth abortion accounts for perhaps 600 of the 1.5 million abortions performed in the U.S. each year," and, "In many such abortions, the fetus is so severely deformed or the pregnancy so complicated that carrying the child to term would threaten the life or health of the mother." *Los Angeles Times*, Sept. 27: "The [partial-birth abortion] procedure is generally used when the fetuses have fatal birth defects or when the mother's health is in jeopardy."

Media Distortions Regarding the Clinton-Daschle Proposal

The *American Medical News* report observes that the "abortion rights" side's strategy is "to try to narrow the focus of the debate to third-trimester abortions, which are far fewer in number than those done in the late second trimester and more frequently done for reasons of fetal anomaly." But this diversionary strategy depends heavily on the continuation of careless and glib coverage of the issue by the news media, which persists to this day.

In recent months, we at NRLC have seen many highly misleading press reports, suggesting that President Clinton and Senate Democratic Leader Tom Daschle have indicated a willingness to accept a ban on partial-birth abortions if a "narrow" exception were added for various "serious health" circumstances. In fact, however, the Clinton-Daschle proposal hardly overlaps at all with the Partial-Birth Abortion Ban Act, which would prohibit partial-birth abortions (except to save the life of the mother) regardless of the exact age of the baby. The substantial majority of partial-birth abortions (thousands annually -- are performed on healthy babies of healthy mothers in the fifth and sixth months of pregnancy, but the Clinton-Daschle proposal would apply *absolutely no restrictions whatever* until the *seventh month*.

Furthermore, the Clinton-Daschle proposal would allow partial-birth abortions *even in the seventh month and later* if an abortionist asserts that the procedure will somehow protect a mother's future fertility -- medical-nonsense, but elastic enough to allow any abortion at all. The Physicians' Ad Hoc Coalition for Truth (PHACT) -- made up of over 400 physician-specialists, including former Surgeon General C. Everett Koop -- says that "partial-birth abortion is never medically necessary to protect a mother's health or future fertility. On the contrary, this procedure... can pose a significant threat to both her immediate health and future fertility."

NRLC has published a number of detailed critiques of media-amplified misinformation regarding partial-birth abortions, which are available on request from the NRLC Federal Legislative Office (202) 626-8820, fax (202) 347-3668, e-mail: Douglas51@aol.com.

AFFIDAVIT

I, John W. Scanlon, M.D., do hereby swear and affirm the following:

1. I am a physician licensed to practice in the state of Maryland. My medical training and qualifications are contained in my Curriculum Vitae, which is attached hereto and made a part of this affidavit.
2. In 1991 an article written by me was published in the medical journal, *Advances in Pediatrics*, 38:317-33. The article is titled "Appreciating Neonatal Pain" and addresses indepth the fact that, contrary to earlier beliefs, it has now been proven and is widely accepted that premature neonates are capable of feeling pain from at or before the 24th gestational week.
3. As written in the above referenced article, it was and still is my considered medical judgment that there numerous situations in which neonates will regularly feel pain including but not limited to surgical procedures, chest tube insertion, lumbar puncture, venous or arterial puncture, removal of supernumerary digits, intramuscular injection, dressing or electrode removal, heel sticks, and endotracheal intubation. In addition, excessive handling, environmental noise or light, and various diseases may produce noxious, at times painful, stimuli. (at page 327.) The article discusses each of the above in detail and also explains the anatomy and physiology of pain, how pain can be measured in neonates, other sources of acute pain for some neonates, chronic pain in neonates, and inappropriate infant stimulation. I concluded in 1991 and continue to believe that "It should no longer be controversial that newborns, in manner similar to other infants, have the ability to recognize painful (i.e., tissue damaging) insults and respond to them. Further, such responses may be physiologically deleterious and impede recovery. ...one of the physician's preeminent tasks, to alleviate suffering, can now be accomplished safely, humanely, and with precision in the neonatal period." (at 330.)
4. Extensive research has been undertaken by the medical and nursing community on neonatal pain since my 1991 article was published. The overwhelming weight of medical evidence continues to support the understanding that neonates, even extremely premature infants, can and do feel pain and suffer. Sophisticated tools are available to determine whether the patient is in pain and pharmaceutical and nursing interventions are routinely recommended and utilized to alleviate the infant's suffering.
5. It is my expert medical opinion that the understanding that premature infants can and do feel pain is no longer considered controversial in the medical community.

An Abortion Rights Advocate Says He Lied About Procedure

DAVID STOUT

New York Times, Late Edition - Final ED, COL 01, P 12

Wednesday February 26 1997

WASHINGTON, Feb. 25 - A prominent member of the abortion rights movement said today that he lied in earlier statements when he said a controversial form of late-term abortion is rare and performed primarily to save the lives or fertility of women bearing severely malformed babies.

He now says the procedure is performed far more often than his colleagues have acknowledged, and on healthy women bearing healthy fetuses.

Ron Fitzsimmons, the executive director of the National Coalition of Abortion Providers, said he intentionally misled in previous remarks about the procedure, called intact dilation and evacuation by those who believe it should remain legal and "partial-birth abortion" by those who believe it should be outlawed, because he feared that the truth would damage the cause of abortion rights.

But he is now convinced, he said, that the issue of whether the procedure remains legal, like the overall debate about abortion, must be based on the truth.

In an article in American Medical News, to be published March 3, and an interview today, Mr. Fitzsimmons recalled the night in November 1995, when he appeared on "Nightline" on ABC and "lied through my teeth" when he said the procedure was used rarely and only on women whose lives were in danger or whose fetuses were damaged.

"It made me physically ill," Mr. Fitzsimmons said in an interview. "I told my wife the next day, 'I can't do this again.' "

Mr. Fitzsimmons said that after that interview he stayed on the sidelines of the debate for a while, but with growing unease. As much as he disagreed with the National Right to Life Committee and others who oppose abortion under any circumstances, he said he knew they were accurate when they said the procedure was common.

In the procedure, a fetus is partly extracted from the birth canal, feet first, and the brain is then suctioned out.

Last fall, Congress failed to override a Presidential veto of a law that would have banned the procedure, which abortion opponents insist borders on infanticide and some abortion rights advocates also believe should be outlawed as particularly gruesome. Polls have shown that such a ban has popular support.

Senator Tom Daschle of South Dakota, the Democratic leader, has

suggested a compromise that would prohibit all third-trimester abortions, except in cases involving the "life of the mother and severe impairment of her health."

The Right to Life Committee and its allies have complained repeatedly that abortion-rights supporters have misled politicians, journalists and the general public about the frequency and the usual circumstances of the procedure.

"The abortion lobby manufactures disinformation," Douglas Johnson, the committee's legislative director, said today. He said Mr. Fitzsimmons's account would clarify the debate on this procedure, which is expected to be renewed in Congress.

Mr. Fitzsimmons predicted today that the controversial procedure would be considered by the courts no matter what lawmakers decide.

Last April, President Clinton vetoed a bill that would have outlawed the controversial procedure. There were enough opponents in the House to override his veto but not in the Senate. In explaining the veto, Mr. Clinton echoed the argument of Mr. Fitzsimmons and his colleagues.

"There are a few hundred women every year who have personally agonizing situations where their children are born or are about to be born with terrible deformities, which will cause them to die either just before, during or just after childbirth," the President said. "And these women, among other things, cannot preserve the ability to have further children unless the enormity -- the enormous size of the baby's head -- is reduced before being extracted from their bodies." A spokeswoman for Mr. Clinton said tonight that the White House knew nothing of Mr. Fitzsimmons's announcement and would not comment further.

In the vast majority of cases, the procedure is performed on a healthy mother with a healthy fetus that is 20 weeks or more along, Mr. Fitzsimmons said. "The abortion-rights folks know it, the anti-abortion folks know it, and so, probably, does everyone else," he said in the article in the Medical News, an American Medical Association publication.

Mr. Fitzsimmons, whose Alexandria, Va., coalition represents about 200 independently owned clinics, said coalition members were being notified of his announcement.

One of the facts of abortion, he said, is that women enter abortion clinics to kill their fetuses. "It is a form of killing," he said. "You're ending a life."

And while he said that troubled him, Mr. Fitzsimmons said he continued to support this procedure and abortion rights in general.

Copyright (c) 1997 The New York Times. All rights reserved.

PHACT

FOR IMMEDIATE RELEASE CONTACT: Gene Tame/Michelle Powers
703/683-5004

Physicians' Ad Hoc Coalition for Truth

THE CASE OF COREEN COSTELLO *Partial-birth abortion was not a medical necessity for the most visible "personal case" proponent of procedure.*

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Family Practitioner, Obstetrician
Member, U.S. House of
Representatives (OK-2)

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Patricia Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Doctors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stalter, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

1150 South Washington Street
Apt. 230
Alexandria, VA 22314
(703) 683-5004

Communications Counsel:
Gene Tame, Michelle Powers

Coreen Costello is one of five women who appeared with President Clinton when he vetoed the Partial-Birth Abortion Ban Act (4/10/96). She has probably been the most active and the most visible of those women who have chosen to share with the public the very tragic circumstances of their pregnancies which, they say, made the partial-birth abortion procedure their only medical option to protect their health and future fertility.

But based on what Ms. Costello has publicly said so far, her abortion was not, in fact, medically necessary.

In addition to appearing with the President at the veto ceremony, Ms. Costello has twice recounted her story in testimony before both the House and Senate; the *New York Times* published an op-ed by Ms. Costello based on this testimony; she was featured in a full page ad in the *Washington Post* sponsored by several abortion advocacy groups; and, most recently (7/29/96) she has recounted her story for a "Dear Colleague" letter being circulated to House members by Rep. Peter Deutch (FL).

Unless she were to decide otherwise, Ms. Costello's full medical records remain, of course, unavailable to the public, being a matter between her and her doctors. However, Ms. Costello has voluntarily chosen to share significant parts of her very tragic story with the general public and in very highly visible venues. Based on what Ms. Costello has revealed of her medical history -- of her own accord and for the stated purpose of defeating the Partial-Birth Abortion Ban Act -- doctors with PHACT can only conclude that Ms. Costello and others who have publicly acknowledged undergoing this procedure "are honest women who were sadly misinformed and whose decision to have a partial-birth abortion was based on a great deal of misinformation" (Dr. Joseph DeCook, Ob/Gyn, PHACT Congressional Briefing, 7/24/96). Ms. Costello's experience does not change the reality that a partial birth abortion is never medically indicated -- in fact, there are available several alternative, *standard* medical procedures to treat women confronting unfortunate situations like Ms. Costello had to face.

The following analysis is based on Ms. Costello's public statements regarding events leading up to her abortion performed by the late Dr. James McMahan. This analysis was done by Dr. Curtis Cook, a perinatologist with the Michigan State College of Human Medicine and member of PHACT.

"Ms. Costello's child suffered from 'polyhydramnios secondary to fetal swallowing defect.' In other words, the child could not swallow the amniotic fluid, and an excess of the fluid therefore collected in the mother's uterus. Because of the swallowing defect, the child's lungs were not properly stimulated, and an underdevelopment of the

lungs would likely be the cause of death if abortion had not intervened. The child had no significant chance of survival, but also would not likely die as soon as the umbilical cord was cut.

"The usual approach in such a case would be to reduce the amount of amniotic fluid collecting in the mother's uterus by serial amniocentesis. Excess fluid in the fetal ventricles could also be drained. Ordinarily, the draining would occur 'transabdominally.' Then the child would be vaginally delivered, after attempts were made to move the child into the usual, head-down position. Dr. McMahon, who performed the draining of cerebral fluid on Ms. Costello's child, did so 'transvaginally,' most likely because he had no significant expertise in obstetrics/gynecology. In other words, he would not be able to do it well transabdominally -- the standard method used by ob/gyns -- because that takes a degree of expertise he did not possess.

Ms. Costello's statement that she was unable to have a vaginal delivery, or, as she called it, 'natural birth or an induced labor,' is contradicted by the fact that she did indeed have a vaginal delivery, conducted by Dr. McMahon. What Ms. Costello had was a breech vaginal delivery for purposes of aborting the child, however, as opposed to a vaginal delivery intended to result in a live birth. A cesarean section in this case would not be medically indicated -- not because of any inherent danger -- but because the baby could be safely delivered vaginally."

The Physicians' Ad-hoc Coalition for Truth (PHACT), with over three hundred members drawn from the medical community nationwide, exists to bring the medical facts to bear on the public policy debate regarding partial birth abortions. Members of the coalition are available to speak to public policy makers and the media. If you would like to speak with a member of PHACT, please contact Gene Tarné or Michelle Powers at 703-683-5004.

-###-

PHACT

Physicians' Ad Hoc Coalition for Truth

September 18, 1996

Dear Member of Congress:

We write to you as founding members of the Physicians' Ad-hoc Coalition for Truth (PHACT), an organization of over three hundred members drawn from the medical community nationwide -- most ob/gyns, perinatologist and pediatricians -- concerned and disturbed over the medical misinformation driving the partial-birth abortion debate. As doctors, we cannot remember another issue of public policy so directly related to the medical community that has been subject to such distortions and outright falsehoods.

The most damaging piece of medical disinformation that seems to be driving this debate is that the partial-birth abortion procedure may be necessary to protect the lives, health and future fertility of women. You have heard this claim most dramatically not from doctors, but from a handful of women who chose to have a partial-birth abortion when their children were diagnosed with some form of fetal abnormality.

As physicians who specialize in the care of pregnant women and their children, we have all treated women confronting the same tragic circumstances as the women who have publicly shared their experiences to justify this abortion procedure. So as doctors intimately familiar with such cases, let us be very clear: *the partial-birth abortion procedure, as described by Dr. Martin Haskell (the nation's leading practitioner of the procedure) and defined in the Partial-Birth Abortion Ban Act, is never medically indicated and can itself pose serious risks to the health and future fertility of women.*

There are simply no obstetrical situations encountered in this country which require a partially-delivered human fetus to be destroyed to preserve the life, health or future fertility of the mother. Not for hydrocephaly (excessive cerebrospinal fluid in the head); not for polyhydramnios (an excess of amniotic fluid collecting in the woman); and not for trisomy (genetic abnormalities characterized by an extra chromosome).

Our members concur with former Surgeon General C. Everett Koop's recent statement that "in no way can I twist my mind to see that [partial-birth abortion] is a medical necessity for the mother."

As case in point would be that of Ms. Coreen Costello, who has appeared several times before Congress to recount her personal experience in defense of this procedure. Her unborn child suffered from at least two conditions: "polyhydramnios secondary to abnormal fetal swallowing," which causes amniotic fluid to collect in the uterus, and "hydrocephalus", a condition that causes an excessive amount of fluid to accumulate in the fetal head.

The usual treatment for removing the large amount of fluid in the uterus is a procedure called amniocentesis. The usual treatment for draining excess fluid from the fetal head is a procedure called cephalocentesis. In both cases the excess fluid is drained by using a thin needle that can be placed inside the womb through the abdomen ("transabdominally"--the preferred route) or through the vagina ("transvaginally.") The transvaginal approach however, as performed by Dr. McMahon on Ms. Costello, puts the woman at an increased risk of infection because of the non-sterile environment of

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Family Practitioner, Obstetrician
Member, U.S. House of
Representatives (OK-2)

Nancy Romer, M.D.
Fellow, American College of
Obstetricians & Gynecologists
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of Ob/Gyn,
Miami Valley Hospital, OH

Pamela Smith, M.D.
Director of Medical Education
Dept. of Obstetrics & Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College of
Obstetricians & Gynecologists

William Stalter, M.D.
Clinical Associate Professor,
Obstetrics & Gynecology
Wright State University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics
Vanderbilt University

1150 South Washington Street
Suite 230
Alexandria, VA 22314
(703) 683-5004

Communications Counsel:
Gene Tarn, Michelle Powers


the vagina. Dr. McMahon used this approach most likely because he had no significant expertise in obstetrics and gynecology. After the fluid has been drained, and the head decreased in size, labor would be induced and attempts made to deliver the child vaginally. Given these medical realities, the partial-birth abortion procedure can in no way be considered the standard, medically necessary or appropriate procedure appropriate to address the medical complications described by Ms. Costello or any of the other women who were tragically misled into believing they had no other options.

Indeed, the partial-birth abortion procedure *itself* can pose both an immediate and significant risk to a woman's health and future fertility. To take just one example, to forcibly dilate a woman's cervix over the course of several days, as this procedure requires, risks creating an "incompetent cervix," a leading cause of future premature deliveries. It seems to have escaped anyone's attention that one of the five women who appeared at President Clinton's veto ceremony who had a partial-birth abortion subsequently had five miscarriages.


The medical evidence is clear and argues overwhelmingly against the partial-birth abortion procedure. Given the medical realities, a truly pro-woman vote would be to end the availability of a procedure that is so potentially dangerous to women. The health status of women and children in this country can only be enhanced by your unequivocal support of H.R. 1833.

Thank you for your consideration.


Sincerely,



Nancy G. Romer, M.D.
FACOG
Clinical Professor
Department of Obstetrics and Gynecology
Wright State University;
Chairman, Dept. of Ob/Gyn
Miami Valley Hospital. OH



Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of Human
Medicine



Pamela E. Smith, M.D.
Director of Medical Education
Dept. of Obstetrics and Gynecology
Mt. Sinai Medical Center
Chicago, IL;
Member, Association of Professors of Ob/Gyn



Joseph L. DeCook, M.D.
FACOG
Holland, MI

PHACT

Physicians' Ad Hoc Coalition for Truth

1150 South Washington Street
Suite 230
Alexandria, VA 22314
(703) 683-5004

Communications Counsel:
Gene Tame, Michelle Powers

FOUNDING MEMBERS

Hon. Tom A. Coburn, M.D.
Family Practitioner,
Obstetrician
Member, U.S. House of
Representatives (OK-2)

Lynne Romer, M.D.
Fellow, American College
of Obstetricians &
Gynecologists (FACOG)
Clinical Professor, Ob/Gyn
Wright State University
Chairman, Dept. of
Ob/Gyn, Miami Valley
Hospital, OH

Pamela Smith, M.D.
Director of Medical
Education
Dept. of Obstetrics &
Gynecology
Mt. Sinai Medical Center,
Chicago, IL
Member, Association of
Professors of Ob/Gyn

James Jones, M.D.
Professor/Chair, Ob/Gyn
New York Medical College
Chair, Ob/Gyn
St. Vincent's Hospital &
Medical Center, NYC

Curtis R. Cook, M.D.
Maternal Fetal Medicine
Butterworth Hospital
Michigan State College of
Human Medicine

Joseph L. DeCook, M.D.
Fellow, American College
of Obstetricians &
Gynecologists (FACOG)

William Stalter, M.D.
Clinical Associate
Professor, Obstetrics &
Gynecology, Wright State
University, OH

Bernard Nathanson, M.D.
Visiting Scholar
Center for Clinical &
Research Ethics, Vanderbilt
University

GENERAL MEMBERS (updated 9/17)

Bob Christmas, M.D.
FACOG
Marietta, GA

Eugene Rudd, M.D.
FACOG
Bristol, TN

Kathy Santi, M.D.
Port Orange, FL

James Long, M.D.
FACOG
West Point, GA

Edward Hannigan, M.D.
Director, Dept. of Obstetrics
and Gynecology, University
of TX Medical Branch at
Galveston

Denis Cavanagh, M.D.
Professor, Obstetrics and
Gynecology, University of
FL at Tampa

James R. Freeman, M.D.
FACOG
Lawrenceville, GA

Russell B. Dieterich, M.D.
FACOG
Clinical Instructor,
Washington University
School of Medicine
St. Louis, MO

Donovan Hanson, M.D.
FACOG
Clinical Professor,
University of Washington,
Seattle

David W. Adcock, II, M.D.
Ob/Gyn
Moultrie, GA

Camilla Hersh, M.D.
Ob/Gyn
Vienna, VA

Hoyt C. Dees, M.D.
Ob/Gyn
Atlanta, GA

Robert B. Albee, Jr., M.D.
Ob/Gyn
Atlanta, GA

Donna Harrison, M.D.
FACOG
Bremen, MI

Brayden Richmond, M.D.
JFACOG
Helen Keller Hospital
Tuscumbia, GA

Elizabeth Street, M.D.
FACOG
Marietta, GA

Lewis J. Marola, M.D.
Chairman, Dept. of
Obstetrics and Gynecology,
St. Clare's Hospital
Schenectady, NY

Linda M. Gourash, M.D.
Developmental Pediatrician
Pittsburgh, PA

Sook Mie Choi, M.D.
Ob/Gyn
Mishawaka, IN

Lawrence Burdge, M.D.
FACOG
Perry, GA

Joan Stapleton, M.D.
Anesthesiologist
Wellsley, MA

Thomas J. Giblin, M.D.
Ob/Gyn
Wellsley, MA

William F. Colliton, M.D.
FACOG
Clinical Professor,
Obstetrics and Gynecology,
The George Washington
University Medical Center,
Washington, D.C.

Leslie Hansen, M.D.
Ob/Gyn
Charlotte, NC

Thomas J. Kennedy, M.D.,
A.P.M.C.
OB/GYN
Metairie, LA

Brad Fields, M.D.
FACOG
Jonesboro, AR

Frank Giglio, M.D., P.A.
FACOG
Clinical Assistant Professor
Dept. of OB/GYN, Texas
University Medical Branch
Beaumont, TX

Hugh Gavin Grimes, M.D.
Assistant Clinical Professor
Dept. OB/GYN,
Northwestern University
Chicago, IL

James G. Linn, M.D.
Chairman, Dept. OB/GYN,
St. Mary's Hospital,
Assistant Clinical Professor
OB/GYN, Medical College
of Wisconsin, Milwaukee

- James R. Dillon, M.D.
FACOG
Former Director of
Obstetrics at St. Francis
Hospital, Evanston, IL
Former clinical instructor of
OB/GYN at Loyola
University. Stritch School
of Medicine, Chicago, IL
- Jerome L. Sinsky, M.D.
FACOG
Escondido, CA
- Jerry A. Wittingen, M.D.
Clinical Associate Professor
of OB/GYN, Michigan state
College of Human Medicine
Grand Rapids, MI
- Julie A. Mickelson, M.D.
OB/GYN
Milwaukee, WI
- Kamal M. Behnam, M.D.
FACOG
Clinical Professor, Dept.
OB/GYN, W. Va University
School of Medicine,
Martinsburg, W. VA
- Mark G. Lewis, D.O.
OB/GYN
Obstetrics Coordinator
Family Practice Residency
St. Joseph's Medical Center
South Bend, IN
- Matthew J. Bulfin, M.D.
OB/GYN
Fort Lauderdale, FL
- Michael Soderling, M.D.
FACOG
West Bend, WI
- Ted E. Fogwell, M.D., P.A.
OB/GYN
Dallas, TX
- Thaddeus A. Figlock, M.D.,
P.C.
OB/GYN
Taunton, MA
- Thomas Theocharides,
M.D.
OB/GYN
Elkhart, IN
- J. Michael Fite, M.D.
FACOG
Fort Worth, TX
- Adam B. Blinky, M.D.
OB/GYN
Clinical Instructor, Dept of
OB/GYN at Michigan State
University College of
Medicine
Grand Rapids, MI
- Lawrence Dunegan, M.D.
Pediatrician
Pittsburgh, PA
- Herb Atkinson, M.D.
OB/GYN
Bridgman, MI
- Bennie P. Nobles, M.D.
OB/GYN
Metairie, LA
- Leonard E. Marotta, M.D.
FACOG
East Syracuse, NY
- Frank Zarka, M.D.
OB/GYN
San Jose, CA
- John J. Choby, M.D.
OB/GYN
North Wales, PA
- Mark T. Karnes, D. O.
FACOG, OB/GYN Surgery
Muskegon, MI
- Harvey T. Huddleston,
M.D.
Associate Professor of
Clinical Obstetrics and
Gynecology,
Head of Section,
Urogynecology/Pelvic
Reconstructive Surgery,
LSU School of Medicine
- David V. Foley, M.D.
Clinical Professor of
OB/GYN, Medical College
of Wisconsin
- William R. Dorsey, D.O.
FACOG
Chairman Section
OB/GYN,
Grandview/Southview
Hospital, OH
Centerville, OH
- Matthew J. Barulich, M.D.
FACOG
Carson City, NE
- Karin E. Shinn, D.O.
Assistant Attending, Coney
Island Hospital; Clinical
Instructor, St. Georges
Medical School, Grenada,
West Indies; Adjunct
Clinical Instructor, New
York College of
Osteopathic Medicine, Old
Westbury, NY
- Brendan Mitchell, M.D.
OB/GYN
Shawnee Mission, KS
- Peter B. Greenspan, D.O.
FACOG; Assistant Clinical
Professor, Dept of
OB/GYN, Truman Medical
Center, University of
Missouri, Kansas City
School of Medicine; Asst.
Professor, University of
Health Science, College of
Osteopathic Medicine
Lee's Summit, MO
- Anne B. Ward, M.D.
OB/GYN
Chicago, IL
- John M. Dodge, M.D.
FACOG, FACOG
Texarcana, TX
- Karen Rainer, M.D.
OB/GYN; Assistant
Director, Perinatology,
Bayfront Medical Center,
St. Petersburg, FL
- Matthew Anderson, M.D.
OB/GYN
Burlington, IA
- Gordon Blake Clark, M.D.
FACOG
Lexington, MO
- Rajendra M. Ratnesar,
M.D.
FACOG
Clinical Asst. Instructor,
Stanford University
Castro, CA
- Joe A. Cloud, M.D.
FACOG
Russellville, AR
- Michael R. Waukins, M.D.
FACOG; Clinical Asst.
Professor of OB/GYN,
Medical University of S.C.,
Spartanburg, SC
- Albert M. Bringardner,
M.D., FACOG
Sr. Vice President, Medical
Affairs, Lake Hospital
System, OH
- Karl H. Johansson, M.D.
OB/GYN
Oroville, CA
- Christopher Roberts, M.D.
OB/GYN
Joplin, MO
- Howard Roberts, M.D.
OB/GYN
Joplin, MO
- Robert Weeldreyer, M.D.
FACOG
- L. Carl Jurgens, M.D.
DABOG
Holland, MI
- Calvin J. Siegers, M.D.
FACOG
- Kirk Tyler, M.D.
FACOG
- James Girard, M.D.
OB/GYN

- Barbara Puzycski, M.D.
OB-GYN
- David J. Young, M.D.
Internal Medicine
Holland, MI
- Theresa Shedenhelm, M.D.
Family Physician
Muskegon, MI
- J.M Lackey M.D. P.A.
FACOG
Pocatello, ID
- Jeffrey Keenan, M.D.
FACOG
Director, Division of
Reproductive
Endocrinology & Infertility,
Department of Obstetrics &
Gynecology, University of
Tennessee Medical Center,
Associate Professor, Dept.
OB/GYN, University of
Tennessee Medical Center
Knoxville, TN
- John James DeMarco, M.D.
OB/GYN
Pittsburgh, PA
- Robert LaCava
FACOG
Beunetsville, SC
- Roalph G. Ryan, M.D.
Cardiologist
Muskegon, MI
- Michael Draper, M.D.
OB/GYN; Instructor
Bowman Gray School of
Medicine
Salt Lake City, UT
- J.M. Arrunategui, M.D.
P.C.
OB/GYN
Clinical Assistant Professor,
Elizabeth General Medical,
St. Elizabeth Hospital
Elizabeth, NJ
- Jeffrey Zabieliski, M.D.
OB/GYN
Scottsdale, AZ
- William L.T. Fong, M.D.
FACOG
- Harley A. Grim, M.D.
OB/GYN
Cincinnati, OH
- Grace Valente, M.D.
OB/GYN
Macon, GA
- Robert Swan, M.D.
OB/GYN, Female Cancer,
GYN Oncologist, Dir
GYN/ONC St. Johns Mercy
Med. Center, St. Lewis
University
Grover, MO
- Robert Plambeck M.D.
FACOG; Chairman of
OB/GYN Department at
Bryan Memorial Hospital
Lincoln, NE
- John Murphy, M.D.
OB/GYN
Associate Professor,
University of IL School of
Medicine
- James O'Connor, M.D.
FACOG
Gloucester, VA
- Vincent J. McPeak, M.D.
OB/GYN
- William J. Polzin, M.D.
OB/GYN Maternal-Fetal
Medicine
Cincinnati, OH
- Dorothy Roels M.D.
Corpus Christi, TX
- Gustav K. Barkett, D.O.
FACOG
Muskegon, MI
- Dominick A. Caselnova,
M.D.
FACOG
Dade City, FL
- G. Russell Edwards, M.D.
P.A. JFACOG
Katy, TX
- Lawrence J. Smith, M.D.
OB/GYN
Goshen, IN
- James R. Van Curen, M.D.
OB/GYN
Goshen, IN
- Kenneth D. Petersen, M.D.
OB/GYN
Goshen, IN
- Fred A. Simon, M.D.
OB/GYN
Goshen, IN
- Steven A. Roth, M.D.
FACOG
Inverness, FL
- David Meyer, M.D. P.C.
OB/GYN
Holland, MI
- Ralph P. Micch, M.D.
Ph.D.
Associate Professor Dept. of
Pharmacology, Physiology,
& Biotechnology, Brown
University School of
Medicine, Providence
E. Providence, RI
- Richard Switzer, M.D.
Internalist & Pediatrician
Grandville, MI
- John Heffron
Clinical Professor of
OB/GYN Creighton
University, Omaha
Omaha, NE
- Angelica M. Zaid, M.D.
OB/GYN
Encinitas, CA
- Robert F. Scanlon, Jr.,
M.D.
Huntington, NY
- Walter B. Hull, M.D.
OB/GYN
Assistant Professor, Ohio
State University, Columbus
Dublin, OH
- Alan Murnane, M.D.
FACOG
Associate Chairman, Dept.
of OB/GYN, St. Vincent
Medical Center, Toledo
Volunteer Clinical
Associate Professor
Dept. OB/GYN Medical
College of Ohio, Toledo
- Frank C. Morrone, M.D.
OB/GYN
Dallas, TX
- Anthony J. Linn, M.D.
Milwaukee, WI
- David A. Rueff, M.D.
FACOG
Clinical Instructor,
University of TN Hospital
Knoxville, TN
- Steven A. Foley, M.D.
FACOG
Indianapolis, IN
- Thomas A. Noone, M.D.
FACOG
Haddonfield, NJ
- Douglas John Doty, M.D.
Anesthesiology
Holland, MI
- James F. Hartman, MD
OB/GYN
Denver, CO
- Fernand H. Prussing, M.D.
FACOG
Assistant Clinical Professor
of OB/GYN, UCLA
Downey, CA
- J. Shan Young, M.D.
OB/GYN
Chief of Staff of Obstetrics
at Jacksonville Hospital
Jacksonville, AL

- J.W. Bryant, M.D.
OB/GYN
Springfield, OH
- Michael W. Sullivan, M.D.
OB/GYN
Eau Claire, WI
- J. Frederick Walk, M.D.
OB/GYN
Winchester, VA
- Steve Calvin, M.D.
FACOG
Maternal-Fetal Medicine
Specialist, High-Risk
Obstetrics, University MN
Minneapolis, MN
- Joseph Harmon, M.D.
OB/GYN
South Bend, IN
- Laura Langley, M.D. P.A.
OB/GYN
Orange, TX
- E. Peter Anzaldo, M.D.
OB/GYN; Assoc. Clinical
Professor, Dept. of
OB/GYN, University of
California at Irvine
Irvine, CA
- Loren Wanner, M.D.
FACOG
Blusston, IN
- Rafael E. Vicens, M.D.
FACOG
Humacao, PR
- Robert Lowden, M.D.
Arlington, WA
- Joseph Kevehel, D.O.
FACOG; Professor of
OB/GYN Chairman of
Dept. of OB/GYN
Oklahoma State University
College of Osteopathic
Medicine, Tulsa
Tulsa, OK
- Gr L. Forcier, M.D.
FACOG
Grove Village, IL
- James Hanser, M.D.
OB/GYN
Fairfield, CA
- James Presley, M.D.
OB/GYN
Vero Beach, FL
- Edward J. Mila Prats, M.D.
P.A.
OB/GYN
Port St. Lucie, FL
- John Sand, M.D.
OB/GYN
Ellensburg, WA
- Kathi A. Aultman, M.D.
P.A. FACOG
Department Chairman,
OB/GYN at Orang Park
Medical Center
Orange Park, FL
- Frank D. Setzler, Jr., D.O.
FACOG
Palestine, TX
- Richard R. Temple, M.D.
FACOG
Rhinebeck, NY
- Windsor A. Holt, M.D.
OB/GYN
Raleigh, NC
- Lance Radbill, D.O.
FACOG
Birmingham, AL
- Daniel Voss, M.D.
Obstetrics
Georgetown, TX
- Robert E. Hedican, M.D.
FACOG
Clinical Faculty, Black
Hawk Area Family Practice
Program, Waterloo, IA
- Harry C. Beaver, M.D.
FACOG; Clinical Professor
OB/GYN, George
Washington University
School of Medicine and
Health Sciences
Annandale, VA
- William L. Toffler, M.D.
Family Practice Associate
Professor of Family
Medicine, Director of
Education, Dept. of Family
Medicine Oregon Health
Sciences University,
Portland
- John D. Holmes, M.D. P.C.
OB/GYN
Mesa, AZ
- Thomas Ritter, M.D.
FACOG
St. Joseph, MI
- Timothy Dindoffer, M.D.
FACOG
West Bloomfield, MI
- James L. Gildner, M.D.
FACOG
President Elect, Medical
Staff, Memorial Medical
center, Medical Director,
Women and Infants
Services, Springfield Dept.
of Public Health; Clinical
Assoc., Dept of OB/GYN,
Department of Family
Practice, Springfield Illinois
University School of
Medicine
Springfield, IL
- Gerald Corcoran, M.D.
Family Physician; Assistant
Professor of Family and
Community Medicine,
UMASS Medical School
Needham, MA
- Robert C. Laliberte, M.D.
FACOG
Past Chairman, Dept. of
OB/GYN, Phoenix Indian
Medical Center
Phoenix, AZ
- Tom Whalen, M.D.
OB/GYN
St. Louis, MO
- Kurt R. Finberg, M.D.
OB/GYN
Bakersfield, CA
- Dirk T. Carlson, M.D.
FACOG
Boise, ID
- James Statt, M.D.
OB/GYN; Associate fellow
of the American College of
OB/GYN
Phoenix, AZ
- James J. Delaney, M.D.
OB/GYN; Associate Clinica
Professor of OB/GYN at th
University of Colorado
Health Science Center
Highlands Ranch, CO
- J. Michael Davidson, M.D.
FACOG
Florence, SC
- J. Kenneth Davis, M.D.
OB/GYN
Associate Clinical Professor
at the Northeast Ohio
Universities College of
Medicine
Akron, OH
- Richard Robie, M.D.
OB/GYN
Wiloughby, OH
- Albert M. Bringardner,
M.D.
FACOG
Senior VP Medical Affairs,
Lake Hospital System
Painesville, OH
- William M. Petty, M.D.
OB/GYN
Gynecologic Oncology
Portland, OR
- Michele P. Johnson, M.D.
OB/GYN
Abilene, TX
- Nathan Hoeldtke, M.D.
OB/GYN
Tocoma, WA

Byron C. Calhoun, M.D. FACOG Associate Professor of Clinical OB/GYN, Uniformed Services, University of Health Sciences, F. Edward Hebert School of Medicine, Bethesda, MD	John J Choby, M.D. Clinical Care Associate Doylestown Women's Health Center, University of Pennsylvania Health System Doylestown, PA	Joseph W. Cleary, M.D. Bismarck, ND	Thomas C. Christiansen, M.D. OB/GYN Joliet, IL
Steve Adam, M.D. FACOG Florence, SC	Marica Bohn Rhelil, M.D. OB/GYN Beckley, WV	Edward C. Ryan, M.D., S.C. FACOG Orland Park, IL	Paul A. Capelli, M.D. FACOG Kenosha, WI
Paul S. Kruger, M.D. OB/GYN Watertown, NY	Marshall W. White, Jr. M.D. OB/GYN Hamilton, MT	Don Gambrell, Jr., M.D. FACOG Clinical Professor of Endocrinology and OB/GYN, Dept. of Physiology and Endocrinology Medical College of Georgia, Augusta, GA	J. Peter Forney, III, M.D., P.A. OB/GYN New Braunfels, TX
Bane Travis, M.D. OB/GYN	Edward M. Sullivan, M.D. OB/GYN Clinical Professor of OB/GYN, Thomas Jefferson University Medical School Media, PA	James Guenther, D.O. FACOG Lancaster, OH	Hans E. Geisler, M.D. FACOG Gyn Oncology & Gyn Surgery Clinical Staff, Dept. OB/GYN, Indiana University Medical Center Indianapolis, IN
Eugene J. Sweeney, M.D. MPH FACOG Rye Beach, NH	Marshall D. Matthews, M.D. FACOG Moses Lake, WA	Laurence Burns, D.O. OB/GYN Grand Rapids, MI	Margaret C. Nordell, M.D.
Jerry S. Putman, M.D. OB/GYN Tyler, TX	Julio Guerra, M.D. OB/GYN Paris, TN	Miles J. Murphy, M.D. OB/GYN Grand Rapids, MI	Robert M. St. John, M.D. FACOG Butte, MT
Robert E. Rathe, Jr., M.D., P.A. OB/GYN New Braunfels, TX	Harvey T. Huddleston, M.D. OB/GYN: Associate Professor of Clinical OB/GYN Louisiana State Univ. School of Medicine, Department of OB/GYN Director, Division of Benign Gynecology Head of Section, Urogynecology/Pelvic Reconstructive Surgery, L.S.U. School of Medicine, Dept. OB/GYN L.S.U. Medical Center-Shreveport Shreveport, LA	John G. Hartmann, M.D. OB/GYN Grand Rapids, MI	Pete Verrill, M.D. FACOG President Elect, Medical Staff, Winter Haven Hospital Winter Haven, FL
Fred A. Williams, M.D. FACOG Pairs, TX	Simon Solano, M.D. OB/GYN Springfield, VT	Stephen A. Hickner, M.D. OB/GYN Grand Rapids, MI	Joseph Pastorek, M.D. Louisiana State Univ. Dept. OB/GYN & Infectious Disease Section Medical Center New Orleans, LA
Donna L. Schmitz, M.D. Pediatrics Milwaukee, WI	Thomas B. Leberz, M.D. OB/GYN: Professor Emeritus, Dept. OB/GYN, UCLA School of Medicine Los Angeles, CA	Timothy F. Murphy, M.D. OB/GYN Grand Rapids, MI	Robert B. Albee Jr, M.D. FACOG Dunwoody, GA
Stephen T. Torday, M.D. OB/GYN Fountain Valley, CA	Clifford Sherwood, M.D. FACOG Colorado Springs, CO	Scott Farhart, M.D. FACOG PA	Jerry M. Obritsch, M.D. OB/GYN Bismarck, ND
		David T. McKnight, M.D. OB/GYN Murfreesboro, TN	Stephen R. Belton, M.D. OB/GYN San Jose, CA
		Paul E. Jarrett, Jr., M.D. OB/GYN Indianapolis, IN	

Gary L. Foreier, M.D. FACOG Clinical Instructor, Rush Medical College, Chicago Elk Grove Village, IL	Marvin Eastlund, M.D. FACOG Fort Wayne, IN	Beverly A. McMillan, M.D. FACOG Jackson, MS	Leo J. Holmsten, M.D. FACOG Senior Attending OB/GYN Genessee Hospital, Rochester, NY
Myles Dotto, M.D. FACOG Woodcliff Lake, NJ	William D. Lawrence, M.D. FACOG Phoenix, AZ	Mary Lee Lobach, M.D. OB/GYN Clinical Assistant Professor, Dept of Family Medicine, Duke University Medical Center, Durham, NC	Joe McIlhaney, Jr., M.D. FACOG Austin, TX
Sid Crosby, M.D. AAFP Jacksonville, AL	Gregory Polito, M.D. Urologist Whittier, CA	David Lobach, M.D., PhD Durham, NC	Raymond Jennett, M.D. OB/GYN Director Emeritus, Divisio of Reproductive Medicine, St. Joseph's Hospital and Medical Ctr. Phoenix, AZ
Carol Miller, M.D. FACOG Endicott, NY	Neil Jouvenat, M.D. OB/GYN Yorba Linda, CA	Lloyd Burns, M.D. FACOG Greenboro, GA	Larry G. Johnson, M.D. OB/GYN Loveland, OH
Thomas W. Spanks, M.D. FACOG Baton Rouge, LA	Christina Cirucci, M.D. OB/GYN Richmond, VA	John P. Curlin, M.D. OB/GYN Jackson, TN	Donovan, D. Hanson, M.D P.S. OB/GYN Clinical Assistant Professo University of Washington: Medical director, Pregnanc Help Medical Center, Seattle
William Treat, M.D. FACOG San Diego, CA	Gary W. Smith, M.D. OB/GYN Hagerstown, MD	Joel R. DeKoning, M.D. OB/GYN Wausau, WI	Michael Goodin, M.D. Pediatrician Long Beach, CA
Noel T. Carlson, DO Anesthesiologist Holland, MI	Don Russell, M.D. Pediatric Immunology Asheville, NC	Jeffrey J. Barrows, D.O. FACOG Belle Fontaine, OH	Marie T. Sohner, M.D. FACOG Tomball, TX
Lenita C. Massey, M.D. OB/GYN Richardson, TX	Tim Durkee, M.D. OB/GYN Elk Grove, IL	J. Douglas Morrison, M.D. FACOG Tempe, AZ	Michael A. Rodriguez, M.D.P.A. OB/GYN Tomball, TX
Joseph A. Zavalenta, M.D. OB/GYN Brownsville, TX	Edward C. Hall, M.D. OB/GYN Volunteer Assistant Clinical Professor, Dept. of OB/GYN, University of Cincinnati College of Medicine Edgewood, KY	Ralph Wiegman, M.D. FACOG Grand Prairie, TX	Arie Fischbach, M.D. OB/GYN Monot, ND
Margaret Gary, M.D. FACOG Norfolk, VA	Richard D. Hockett, M.D. FACOG Clinical Assistant Professor, Dept of OB/GYN, University of South Dakota Mitchelle, SD	Richard Goddard, M.D. FACOG Travis AFB, CA	Otto A. Carabbe, Jr., M.D. OB/GYN Staten Island, NY
Barbara Falamo, M.D. FACOG Export, PA	James Matheson, D.O. FACOG Vermillion, OH	Andrew Steele, M.D. JFACOG Travis AFB, CA	John Gerlach, M.D. Milwaukee, WI
Thomas Falamo, M.D. Pathologist Export, PA	Joseph P. Narins, M.D. FACOG Greensboro, NC	D. Scott Wiersma, M.D. JFACOG Travis AFB, CA	
Robert Kenneth Clark, M.D. FACOG Chairman, Dept. of OB/GYN, Southwest Medical Center, Oklahoma City, OK		George Vick, M.D. OB/GYN Knoxville, TN	